SEPTEMBER 1992

ISSN 0921-4534

# PHYSICA C

# SUPERCONDUCTIVITY

UNIVERSITY OF HAWAII
OCT 2 6 1992
LIBRARIES

Editors:

M.B. BRODSKY
G.W. CRABTREE
B.D. DUNLAP
R.P. GRIESSEN
S. MAEKAWA
Yu.A. OSIPYAN
H.R. OTT
S. TANAKA

PERIODICAL
QC
1
.P56823
v.184
Index
U.H. LIBRARY

## MASTER INDEX
## VOLUMES 172–184
## DEC. 1, 1990–DEC. 15, 1991

NORTH-HOLLAND

PHYSICA A, PHYSICA B, PHYSICA C and PHYSICA D are published by North-Holland (Elsevier Science Publishers B.V.), Amsterdam.

---

**PHYSICA C**

*Editors:*
**M.B. BRODSKY,** Argonne National Laboratory, Argonne, Illinois, USA
**G.W. CRABTREE,** Argonne National Laboratory, Argonne, Illinois, USA
**B.D. DUNLAP,** Argonne National Laboratory, Argonne, Illinois, USA
**R.P. GRIESSEN,** Natuurkundig Laboratorium, Vrije Universiteit, Amsterdam, The Netherlands
**S. MAEKAWA,** Department of Applied Physics, Nagoya University, Nagoya, Japan
**Yu.A. OSIPYAN,** Institute of Solid State Physics, Russian Academy of Sciences, Chernogolovka, Russia
**H.R. OTT,** Laboratorium für Festkörperphysik, ETH, Zürich, Switzerland
**S. TANAKA,** Superconductivity Research Laboratory, ISTEC, Tokyo, Japan
(*see preliminary pages for full addresses*)

*Desk editors:*
**P.J. HOFF,** Elsevier Science Publishers B.V., P.O. Box 103, 1000 AC Amsterdam, The Netherlands, Telephone: (020) 5862 568, Telefax: (020) 5862 704, Telex: 10704 espom nl
**P.F. BAKKER,** as above, Telephone: (020) 5862 681

---

**SUBSCRIPTION DATA.** All prices are **inclusive** of postage and handling. The Dutch Guilder price is definitive; the currency equivalent is for guidance only.

**PHYSICA A:** The subscription price per volume is Dfl. 371.00 ($224). For 1992 10 volumes have been announced at a total price of Dfl. 3710.00 ($2235). PHYSICA A is published semimonthly.
**PHYSICA B:** The subscription price per volume is Dfl. 371.00 ($224). For 1992 8 volumes have been announced at a total price of Dfl. 2968.00 ($1788). PHYSICA B is published monthly.
**PHYSICA C:** The subscription price per volume is Dfl. 371.00 ($224). For 1992 17 volumes have been announced at a total price of Dfl. 6307.00 ($3800). PHYSICA C is published semimonthly.
**PHYSICA D:** The subscription price per volume is Dfl. 371.00 ($224). For 1992 8 volumes have been announced at a total price of Dfl. 2968.00 ($1788). PHYSICA D is published monthly.
**PHYSICA A, PHYSICA B, PHYSICA C and PHYSICA D:** The total price of a combined subscription (43 volumes in all) is Dfl. 12 943.00 ($7797).

Subscriptions should be sent to the Publisher, Elsevier Science Publishers B.V., Journals Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands, or to any subscription agent.
Journals are sent by surface delivery to all countries, except the following countries where SAL delivery (Surface Airlifted Mail) is ensured: USA, Canada, Japan, Australia, New Zealand. The People's Republic of China, Israel, India, Brazil, Malaysia, Singapore, South Korea, Taiwan, Pakistan, Hong Kong, South Africa. Air mail rates for other countries are available upon request.
Claims for missing issues should be made within three months of their publication. The publishers expect to supply missing issues free only if losses have been sustained in transit and when stocks permit.

Elsevier Science Publishers B.V. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the Publisher, Elsevier Science Publishers B.V., Copyright and Permissions Department, P.O. Box 521 1000 AMAmsterdam, The Netherlands.
*Special regulations for authors.* Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information.
*Special regulations for readers in the USA.* This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center. Inc., 27 Congress Street, Salem, MA 01970, USA. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1981 may be copied for a per-copy fee of US $2.25, also payable through the Center. (N.B. For review journals this fee is $0.25 per copy per page.) This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promoting purposes, or for creating new collective works. Special written permission must be obtained from the Publisher for such copying.
No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein.

US mailing notice – Physica C (ISSN 0921–4534) is published semimonthly (for eight months of the year) and three times per month (in May, June, July and October) by Elsevier Science Publishers, Molenwerf 1, P.O. Box 211, 1000 AE Amsterdam, The Netherlands. Annual subscription price in the USA is US $3122 (subject to change), including air speed delivery. Second class postage paid at Jamaica, NY 11431.
USA POSTMASTERS: Send address changes to Physica C, Publications Expediting, Inc., 200 Meacham Avenue, Elmont, NY 11003. Airfreight and mailing in the USA by Publications Expediting.

Printed in The Netherlands

# PHYSICA C

Digitized by the Internet Archive
in 2026

https://archive.org/details/physica-b-c_1992-09_172-184_index

SEPTEMBER 1992

# PHYSICA C
## SUPERCONDUCTIVITY

Editors:

M.B. BRODSKY
G.W. CRABTREE
B.D. DUNLAP
R.P. GRIESSEN
S. MAEKAWA
Yu.A. OSIPYAN
H.R. OTT
S. TANAKA

MASTER INDEX
VOLUMES 172–184
DEC. 1, 1990–DEC. 15, 1991

NORTH-HOLLAND

©ELSEVIER SCIENCE PUBLISHERS B.V. (NORTH-HOLLAND) 1992

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the Publisher, Elsevier Science Publishers B.V., Copyright and Permissions Department, P.O. Box 521, 1000 AM Amsterdam, The Netherlands.

*Special regulations for authors* - Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

*Special regulations for readers in the USA* - This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or integral use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, USA. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1981 may be copied for a per-copy fee of US $2.25, also payable through the Center. (N.B. For review journals this fee is $0.25 per copy per page.) This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promoting purposes, or for creating new collective works. Special written permission must be obtained from the publisher for such copying.

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein.

Published semimonthly

Printed in The Netherlands

This volume is printed on acid-free paper

## NOTE TO AUTHORS

PHYSICA is published in four sections:

**PHYSICA A** (*Statistical and theoretical physics*) contains papers on theoretical physics, with emphasis on statistical mechanics. Papers on experimental work on the statistical or collective behaviour of matter in the gaseous and liquid states also belong to this section. Theoretical physics is to be understood as the study of the theory itself and not as the interpretation of specific experimental results.

**PHYSICA B** (*Condensed matter*) contains papers and review articles in the realm of physics of condensed matter. Both experimental and theoretical contributions are invited, although theoretical papers should preferably be related to experimental results. (For example "A theory on nuclear spin relaxation in metals" would be more suitable for Physica B, while a theoretical discussion on "Screening effects in the electron gas" is more fitting for Physica A.)

**PHYSICA C** (*Superconductivity*) serves as a rapid channel for publications on superconductivity and related subjects. This includes theoretical papers on the fundamental issues raised by high-$T_c$ superconductivity, reports on measurements of a wide variety of physical properties of high-$T_c$ superconductors, on new materials and new preparation techniques, on thin-film and device-oriented work and on theoretical results pertinent to such experiments. New results in the traditional areas of superconductivity as well as on novel phenomena (e.g. heavy-electron superconductivity) will also be included.

**PHYSICA D** (*Nonlinear phenomena*) contains papers and review articles reporting experiments, techniques and ideas which, although they may be derived and explained in the context of a particular field, advance the understanding of nonlinear phenomena in general. Contributions of this type in the recent literature have dealt with: wave motion in physical, chemical and biological systems; chaotic motion in models relevant to turbulence; quantum and statistical mechanics governed by nonlinear field equations; instability, bifurcation, pattern formation and cooperative phenomena.

**PHYSICA C** serves as an exclusive, rapid channel of the journal PHYSICA for publications on superconductivity and related subjects. PHYSICA C is published semimonthly; to ensure rapid publication, authors are requested to follow closely the instructions given below (especially **submission**).

**Publication speed.** The latest technology is used in editorial handling, typesetting and printing of the articles, so that publication within **eight to ten weeks is guaranteed**. All papers will be refereed. To speed up publication, proofs will be read by the Publisher, unless the author – upon submission of the paper – specifically requests proofs to be sent to him. The above guarantee holds for papers that have been accepted unconditionally and have been proofread by the Publisher.

**Nature of publication.** As stated above, PHYSICA C aims at very short publication times. Rapid publications should not be confused with short communications, however, and it should be emphasized that PHYSICA C is not to be considered as a letters journal. While for the sake of efficient communication authors are requested to formulate their results in a concise and compact form, there is no length limit on papers. Each paper must be self-contained, properly introduced with references to published work and fully documented with adequate source material. The breathless style of some letters journals, claims to be substantiated in future publications and references to inaccessible work are to be avoided.

**Submission.** Manuscripts should be sent **simultaneously** to one of the Editors and to the Publisher. Two copies should be sent to the Editor. These copies are used for refereeing so that readability is the only technical requirement and the use of telefax is encouraged. For the complete addresses of the Editors see overleaf. The original copy, with figures suitable for reproduction, should be sent to:

Elsevier Science Publishers B.V.
c/o P.J. Hoff
P.O. Box 103
1000 AC Amsterdam
The Netherlands

Submission of a paper will be taken to imply that it represents original work not previously published, that it is not being considered elsewhere for publication, and that if accepted for publication it will not be published elsewhere in the same form, in any language without the consent of the Publisher.

**Manuscripts** should be written in English and typed with double spacing, wide margins and on one side of the page only.

The *title* should be concise and specific. When the length of the title exceeds 45 characters, a *running title* should be indicated. The name of the institute where the research was carried out should be stated with each author's name.

An *abstract* of not more than 150 words should be provided in English, summarizing the new information and the author's conclusions.

*Keywords*. Physica C regularly publishes Subject Indexes. Appropriate index terms are of vital importance, as these will be also used in electronic information retrieval. Authors are requested to select three to five keywords and write those on the title page of their article. Preferably, the selection should be made from the list printed on the page following the publication schedule, but terms not appearing on the list should be added if necessary. The list is being regularly updated, using such added terms. Chemical symbols can be provided, if appropriate, for use in the Materials Index.

*References* in the text should be numbered (e.g. "Jones and Smith [1] have reported that ...") and listed on a separate sheet stating the author, journal, volume and the year of publication (in brackets) and the number of the first page. Example: [1] S. Jones and P. Smith, Phys. Rev. 190 (1984) 2016.

*Formulae* should be clearly written. Vectors will be printed in bold-face italics (heavy, slanting type), and should be indicated by a wavy underlining in the manuscript.

Special attention should be paid to characters that can be easily misread, such as i (lower case), I (cap.), l (el), 1 (one), ′ (prime); o (lower case), O (cap.), 0 (zero), ° (degree); u, v (vee), $\nu$ (Greek nu), V (cap.); $\times$, x, X; z, Z; p, P, $\rho$ (Greek rho); etc.

**Figures** *should be numbered, each figure on a separate sheet.* Captions should be listed on a separate sheet.

The *Publisher* requires a set of good quality drawings and photographs to produce the printed line figures and half-tone plates in the journal. Photographic copies ("glossy prints") of drawings are also acceptable for the line figures if they have been sharply focused and evenly exposed.

*Line figures*. Drawings and any lettering should be done in Indian ink. Lines should be bold, the frame lines of graphs slightly finer than those of the plotted curves.

The drawings or glossy prints supplied for the line figures should be 1.5–3 times larger than the printed size of the figures and should contain all the required lettering.

Figures are preferably reduced to a single column width (7.6 cm) unless their complexity, large width-to-height ratio, or need to display special detail makes a larger format necessary (max. printed width $\approx$ 20 cm). Inappropriately sized lettering on a figure may prevent its reduction to the size optimum for its information content. The lettering used on a drawing should be chosen so that after reduction, the height of numbers and (capital) letters falls within the range 1.2–2.4 mm. Care should be exercised in choosing the pen width of machine-plotted graphs. Frequently lines in these figures are too fine compared to the area of the figure.

Shaded areas in line figures should be shown by means of cross-hatching (or a matrix of dots) rather than a continuous grey "wash". Cross-hatching, after reduction, of density less than $\sim$ 25 lines/cm is satisfactory.

*Half-tone plates*: The photographs supplied for reproduction should be unmounted unless they form part of a composite figure and they should have a somewhat greater contrast than is desired in the printed figure. It is important that the photographs supplied are not already screened (overprinted with the point-matrix used by printers) or moiré patterns will form when they are screened for a second time. When necessary, the top side of a photograph should be marked. A reduction factor should be recommended for a photo when it is not obvious what detail in the photo is of interest.

**Proofs and alterations.** Proofs will be read by the Publisher unless otherwise requested by the author. In the latter case, please note that alterations in the text cannot be permitted once the paper has been typeset. Authors may be charged for extra corrections resulting from their inattention.

**Refereeing.** All papers are subjected to refereeing, and in case a paper cannot be accepted in the form it was submitted, the submitting author will be informed about the referee's comments.

**Acceptance.** Acceptance forms will be sent by the Editor. There is *no* page charge. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information. The master copy and original drawings will be returned to the author(s) in case their paper is not accepted for publication.

**Reprints and free copy.** Fifty reprints and a copy of the issue will be offered free of charge to authors. After the paper has been accepted for publication, an order form for reprints will be sent to the author(s) together with the copyright transfer form mentioned above. Both should be returned to the Publisher within three days.

**Editorial addresses**

**M.B. BRODSKY**
**G.W. CRABTREE**
**B.D. DUNLAP**
***Physica C Editorial Office***, Bldg. 223, Rm. S-231, Argonne National Laboratory, 9700 South Cass Avenue, Argonne, IL 60439, USA
Telephone: (708) 252 3300; Telex: 910 258 3285 USA; Telefax: (708) 252 3308

**R.P. GRIESSEN,** Aetsveld 32, 3645 XP Vinkeveen, The Netherlands
Telephone: (02972) 3631; Telefax: (02972) 1453

**S. MAEKAWA,** Department of Applied Physics, Nagoya University, Nagoya, 464-01, Japan
Telephone: (052) 781 5111 extn. 4445; Telex: 4477355 ENUNAG-J; Telefax: (052) 782 2129

**Yu.A. OSIPYAN,** Institute of Solid State Physics, USSR Academy of Sciences, Chernogolovka, Moscow district 142432, USSR
Telephone: (095) 237 6803; Telefax: (095) 237 9862

**H.R. OTT,** Laboratorium für Festkörperphysik, ETH-Hönggerberg/HPF, CH-8093 Zürich, Switzerland
Telephone: (01) 377 2311/2318; Telex: 823474 EHPZ CH; Telefax: (01) 371 59 89

**S. TANAKA,** Superconductivity Research Laboratory (SRL), International Superconductivity Technology Center (ISTEC), 1-10-13 Shinonome, Koto-ku, Tokyo 135, Japan
Telephone: (03) 3536 5700; Telefax: (03) 3536 5714

**Revised publication and submission schedule for 1992, Volumes 185–203**

| Volume/ Issue | Date of publication | Dates of receipt | Volume/ Issue | Date of publication | Dates of receipt |
|---|---|---|---|---|---|
| 185–189 | Dec.I, 1991, Proc.M$^2$S–HTSC III | | | | |
| 190.1&2 | Dec.II, 1991, Proc.Chem–HTSC | | | | |
| 3 | 1 January 1992 | 21 Oct–3 Nov | 197.1&2 | 1 July | 22 April–1 May |
| 4 | 15 January | 4 Nov–20 Nov | 3&4 | 10 July | 2 May–11 May |
| 191.1&2 | 1 February | 21 Nov–6 Dec | 198.1&2 | 20 July | 12 May–21 May |
| 3&4 | 15 February | 7 Dec–22 Dec | 3&4 | 1 August | 22 May–31 May |
| 192.1&2 | 1 March | 23 Dec–5 Jan | 199.1&2 | 15 August | 1 June–15 June |
| 3&4 | 15 March | 6 Jan–19 Jan | 3&4 | 1 September | 16 June–30 June |
| 193.1&2 | 1 April | 20 Jan–5 Febr | 200.1&2 | 15 September | 1 July–15 July |
| 3&4 | 15 April | 6 Febr–19 Febr | 3&4 | 1 October | 16 July–31 July |
| 194.1&2 | 1 May | 20 Febr–1 March | 201.1&2 | 10 October | 1 August–11 August |
| 3&4 | 10 May | 2 March–11 March | 3&4 | 20 October | 12 August–21 August |
| 195.1&2 | 20 May | 12 March–21 March | 202.1&2 | 1 November | 22 August–31 August |
| 3&4 | 1 June | 22 March–31 March | 3&4 | 15 November | 1 Sept–15 Sept |
| 196.1&2 | 10 June | 1 April–11 April | 203.1&2 | 1 December | 16 Sept–30 Sept |
| 3&4 | 20 June | 12 April–21 April | 3&4 | 15 December | 1 Oct–15 Oct |

***NB:*** Due to the extra issues scheduled to appear in May, June, July and October of 1992, Volumes 202 and 203, part of the 1993 publication program, will appear in November/December 1992.

***Instructions to Authors – Special Features***

For the sake of rapid publication, Physica C authors are requested to follow a somewhat unusual procedure in submitting manuscripts:

- ✓ Three copies of your article should be submitted: two copies to ***one*** of the editors and one, accompanied by the original figures, to the publisher: Elsevier Science Publishers B.V., c/o P.J. Hoff, P.O. Box 103, 1000 AC Amsterdam, The Netherlands
- ✓ Telefax is to be used in all communications as far as practicable. The editors may be able to speed up the reviewing process if a copy of your paper reaches them by fax. However, in all cases, two hard copies must follow. Please note that the Publisher cannot work with a fax copy. Small changes or additions can be communicated by fax or telephone (***telefax: 31-20-5862 704; telephone: 31-20-5862 568***).
- ✓ All submissions must be accompanied by a covering letter giving affiliation, full address, telephone and fax number of the submitting author. The Publisher must be informed of the identity of the receiving editor.
- ✓ Do not send figures with your revised manuscript ***unless*** those figures have been changed. Revised figures should be identified as such.

# Contents

*Master Index Physica C, Volumes 172–184 (1990/91)*


| | |
|---|---|
| Note to Authors | v |
| Index of Authors and Papers | 1 |
| Analytic Subject Index | 45 |
| Materials Index | 55 |

Physica C, Author Index Vols. 172–184 (1990/91) 1–44
North-Holland

PHYSICA C

# Author Index to Volumes 172–184

Aarnink, W.A.M., see J. Gao **177**, 384
Abrashev, M.V., L.N. Bozukov and M.N. Iliev, Destruction of non-superconducting $YBa_2Cu_3O_{6.3}$ and $PrBa_2Cu_3O_{6.8}$ due to hydrogenation: Raman scattering and X-ray diffraction study **178**, 317
Abrikosov, A.A., Raman light scattering by electrons in layered superconductors **182**, 191
Achiba, Y., see Y. Fukuda **181**, 320
Adachi, H., see S. Adachi **175**, 523
Adachi, S., H. Adachi, K. Setsune and K. Wasa, Synthesis of $LnBa_2Cu_4O_8$ (Ln = rare earth elements) ceramics at one atmosphere oxygen pressure **175**, 523
Adelmann, P., see M. Knupfer **182**, 62
Adrian, H., see A. Walkenhorst **177**, 165
Adrian, H., see M. Huth **178**, 203
Afalfiz, L., see J. Ryder **173**, 9
Affronte, M., M. Decroux, W. Sadowski, T. Graf and Ø. Fischer, Comparison of Hall effect near $T_c$ in YBCO 123 single crystal and 124 ceramics **172**, 131
Agarwal, S.K., O. Muller, J. Schubert and C. Schlenker, Effect of $He^+$ irradiation on the magnetic properties of superconducting $YBa_2Cu_3O_7$ thin films **180**, 203
Agostinelli, E., see L. Dimesso **176**, 216
Agostinelli, E., see P. Calvani **180**, 116
Agostinelli, E., D. Fiorani, A.M. Testa, L. Dimesso, M.G. Francescone and G. Calestani, Magnetic investigation of dissipative effects in Bi–Pb–Sr–Ca–Cu–O thick films **180**, 172
Agostinelli, J.A., S. Chen and G. Braunstein, A cubic phase in the Y–Ba–Cu–O system and heteroepitaxial orthorhombic/cubic thin film structures **180**, 26
Agrawala, G., see G. Shaw **175**, 27
Aguillon, C., see S. Senoussi **175**, 202, 215
Aguillon, C., see P. Manuel **177**, 281
Ahrens, R., see C. Meingast **173**, 309
Aihara, K., see T. Doi **183**, 67
Akamatsu, M., see J. Fujikami **174**, 359
Akamatsu, S., see A. Tsukamoto **181**, 369
Akella, J., see J. Shu **176**, 503
Akimov, A.I., see Yu.N. Shvachko **174**, 447
Akimov, A.I., see S.M. Butorin **177**, 8
Akis, R., C. Jiang and J.P. Carbotte, Quasiparticle damping, anisotropy and Fermi liquid corrections to NMR in superconductors **176**, 485
Akoh, H., S. Kohjiro, C. Camerlingo, R. Yuasa and S. Takada, Anisotropic SNS Josephson junctions using epitaxial YBaCuO films **180**, 227
Alario-Franco, M.A., see M.A. Señarís-Rodríguez **172**, 477
Aldoshina, M.Z., see A.V. Skripov **172**, 340
Aleksashin, B.A., see Iu.I. Zhdanov **183**, 247
Alekseevskii, N.E. and S.F. Kim, Modulation technique for measuring critical current density in single crystals of high-$T_c$ superconductors **178**, 89
Alekseevskii, N.E., see I.A. Garifullin **179**, 9
Alexander, K.B., see K. Doverspike **172**, 486
Alexander, K.B., D.M. Kroeger, J. Bentley and J. Brynestad, Grain boundary compositions in stoichiometric and off-stoichiometric $Y_1Ba_2Cu_3O_{7-x}$ **180**, 337
Alexander, M., see M. Knupfer **182**, 62
Alexandrov, A.S., Polaron theory of nuclear relaxation in $YBa_2Cu_4O_8$ and other metal oxides **182**, 327
Alexandrov, O.V., M. François, T. Graf and K. Yvon, Thermal expansion of $Y_2Ba_4Cu_7O_{15}$ in the temperature range 10–290 K, and comparison with $YBa_2Cu_3O_7$ and $YBa_2Cu_4O_8$ **172**, 491
Alexandrov, V.V., V.V. Borisovskii, T.A. Fedotova, L.M. Fisher, N.V. Il'in, O.K. Smirnova, I.F. Voloshin, M.A. Baranov and V.S. Gorbachev, On the Meissner effect in granular superconductors **173**, 458
Alford, N.McN., see Y. Huang **180**, 267
Alimoussa, A., see M.J. Casanove **175**, 285
Allen, C.J., see M.R. De Guire **179**, 333
Allen, R.E., see Z.-H. Huang **173**, 173
Allenspach, P., see A. Podlesnyak **175**, 587
Alloul, H., see C. Legros-Gledel **172**, 304
Alloul, H., see C. Legros-Glédel **175**, 279
Alloul, H., see H.B. Brom **177**, 297
Almasan, C.C., C.L. Seaman, Y. Dalichaouch and M.B. Maple, "Irreversibility line" and magnetic relaxation in a $Sm_{1.85}Ce_{0.15}CuO_{4-y}$ single crystal **174**, 93
Almasan, C.C., see J.C. Garland **181**, 381
Almasan, C.C., see M.C. de Andrade **184**, 378
Altenburg, H., see J. Hauck **178**, 405
Altendorf, E., J. Chrzanowski, J.C. Irwin, A. O'Reilly and W.N. Hardy, Electron–phonon interactions of Raman active phonons in $YBa_2Cu_3O_{7-y}$ **175**, 47
Altshuler, E., D. Carrillo, V. Venegas, A.R.R. Papa and C. Curbelo, Anomalies in the $J_c$ versus $B$ curves for oxalate route Y–Ba–Cu–O superconductors **172**, 361
Altshuler, E., S. García and J. Barroso, Flux trapping in transport measurements of $YBa_2Cu_3O_{7-x}$ superconductors: A fingerprint of intragrain properties **177**, 61
Alvani, C., see C. Romeo **180**, 77
Amelinckx, S., see T. Krekels **173**, 361; **178**, 383
Amelinckx, S., see G. Van Tendeloo **176**, 575
Ammor, L., see J.C. Soret **177**, 95
Amoretti, G., see L. Cristofolini **181**, 121
Andersen, J.N., see H. Bernhoff **180**, 120
Andersen, N.H., B. Lebech and H.F. Poulsen, The structural phase diagram and oxygen equilibrium partial pressure of

$YBa_2Cu_3O_{6+x}$ studied by neutron powder diffraction and gas volumetry **172**, 31
Andersen, N.H., see H.F. Poulsen **173**, 387
Andrä, W., H. Bruchlos, T. Eick, R. Hergt, W. Michalke, W. Schüppel and K. Steenbeck, Critical current density and flux pinning determined by different methods **180**, 184
Andrä, W., J. Betz, B. Brunner, R. Hergt, H. Lengfellner, K.F. Renk and K. Steenbeck, Characterization of YBCO films by torque magnetometry **180**, 188
Andreev, A.V., see S. Dukan **183**, 355
Andreone, A., C. Attanasio, A. di Chiara, L. Maritato, A. Nigro, G. Peluso and R. Vaglio, Characterization and microwave properties of electron-beam deposited BSCCO films **180**, 272
Andres, K., see K. Schönmann **184**, 41
Andrikidis, C., see S.J. Collocott **173**, 117
Andrzejak, C., see E. Sodtke **180**, 50
Angadi, M.A., A.D. Caplin, J.R. Laverty and Z.X. Shen, Non-destructive determination of the current-carrying length scale in superconducting crystals and thin films **177**, 479
Anokhin, A.O., V.Yu. Irkhin and M.I. Katsnelson, On the effect of strong electron correlations on various superconductivity mechanisms **179**, 167
Antognazza, L., see O. Eibl **172**, 365, 373
Antson, O.K., T.T. Karlemo, M.J. Karppinen and K.M. Ullakko, Neutron powder diffraction study on Eu-substituted $Bi_2Sr_2CaCu_2O_{8+y}$ high temperature superconductor **173**, 65
Aoki, R., see T. Nakamura **181**, 233
Aoki, Y., see H. Takahashi **175**, 381
Aomine, T., see B. Zhao **176**, 409; **179**, 138
Aomine, T., see T. Nishizaki **181**, 223
Aomine, T., see T. Fukami **184**, 65
Aponte, J.M., see M. Mejías **179**, 437
Appel, J., see F. Richter **172**, 127
Apperley, M.H., see S.X. Dou **172**, 63
Arai, M., K. Yamada, Y. Hidaka, A.D. Taylor and Y. Endoh, Phonon density of states of super and non-superconducting states in $La_{1.85}Sr_{0.15}Cu_{1-x}Zn_xO_4$ ($x=0, 0.02$) **181**, 45
Arai, T., see H. Yamamoto **181**, 133
Arciprete, F., see A. Balzarotti **180**, 101
Arciprete, F., A. Balzarotti, N. Motta, F. Patella, A. Sgarlata and M. De Crescenzi, EELFS investigation of $YBa_2Cu_3O_{7-\delta}$ thin films and sintered samples **180**, 132
Arendt, P.N., see S.K. Remillard **177**, 345
Arendt, R.H., M.F. Garbauskas and P.J. Bednarczyk, An alternate preparation for $(Bi,Pb)_2Ca_2Sr_2Cu_3O_z$ **176**, 126
Arendt, R.H., M.F. Garbauskas, K.W. Lay and J.E. Tkaczyk, An alternate preparation for grain aligned structures of $(Bi,Pb)_2Ca_2Sr_2Cu_3O_z$ **176**, 131
Arendt, R.H., M.F. Garbauskas, C.A. Meyer, F.J. Rotella, J.D. Jorgensen and R.L. Hitterman, Thermal expansion measurements using neutron diffraction of $Bi_2CaSr_2Cu_2O_x$ **182**, 73
Arribére, A., see J. Yazyi **184**, 254
Arrouy, F., A. Wattiaux, C. Cros, G. Demazeau, J.-C. Grenier, M. Pouchard and J. Etourneau, Superconducting behaviour of the T/O structural type phase $La_{2-x}Nd_xCuO_{4+\delta}$ ($0<x<0.60$) under oxidizing conditions **175**, 342
Arrouy, F., C. Cros, G. Demazeau, O. Schulte and W.B. Holzapfel, Pressure induced structural transition $T' \rightarrow T$ in $La_{1.4}Nd_{0.6}CuO_4$ **184**, 74
Artemenko, S.N. and A.N. Kruglov, Flux vortices in layered high-$T_c$ superconductors and Berezinskii–Kosterlitz–Thouless transition in low magnetic field **173**, 125
Asano, H., see T. Kamiyama **172**, 120
Asano, H., see J. Fujikami **174**, 359
Asano, H., see T. Maeda **175**, 393
Asano, H., see T. Wada **179**, 455
Asavaroengchai, C., see J.B. Torrance **182**, 351
Asayama, K., G.-Q. Zheng, Y. Kitaoka, K. Ishida and K. Fujiwara, NMR study of high-$T_c$ superconductors **178**, 281
Asayama, K., see K. Ishida **179**, 29
Asayama, K., see Y. Kitaoka **179**, 107
Asayama, K., see K. Fujiwara **184**, 207
Askenazy, S., see J.-F. Bobo **180**, 168
Askenazy, S., see M.S. Osofsky **182**, 257
Asta, M., see G. Ceder **177**, 106
Aste, T., E. Galleani d'Agliano and F. Napoli, AFM paramagnons in doped $CuO_2$ layers and superconducting pairing **182**, 307
Asthana, A., P.D. Han, Z. Xu, L. Chang, D.A. Payne and P.J. Gilbert, Enhancement of the high-$T_c$ phase in Bi–Ca–Sr–Cu–O by ceramic processing methods **174**, 33
Attanasio, C., see A. Andreone **180**, 272
Aubel, J.L., see L.C. Sengupta **175**, 17
Aubin, M., see P. Fournier **177**, 159
Awana, V.P.S., see S.B. Samanta **178**, 171
Azuma, M., see M. Takano **176**, 441

Babu, T.G.N., see R. Dupree **179**, 311
Babu, V.S., see J. Zhao **178**, 432
Bach, H., see B. vom Hedt **172**, 23
Bach, H., see Th. Strangfeld **183**, 1
Bacon, M., see P. Hecking **182**, 52
Baczewski, L.T., K. Piotrowski, R. Szymczak, H. Szymczak and A.P. Malozemoff, Critical current and the spatial distribution of magnetic flux in superconducting thin films **175**, 363
Badía, A., see R. Navarro **183**, 73
Baetzold, R.C., Computations of point defect energies in $YBa_2Cu_3O_{6.5}$ **181**, 252
Bagheri, S., see B.W. Statt **183**, 57
Bai, G., see Y. Gao **173**, 487; **174**, 1
Bajorek, A., see Z. Tomkowicz **174**, 71; **184**, 244
Bąk, T., see J. Molenda **175**, 555
Balagurov, A.M., G.M. Mironova, L.A. Rudnickij and V.Ju. Galkin, Time-resolved neutron diffraction investigation of the effect of hydrogen on the high-$T_c$ superconductor $YBa_2Cu_3O_{7-\delta}$ **172**, 331
Balakrishnan, G., C.K. Subramaniam, D.McK. Paul, S. Piñol and R. Vijayaraghavan, An upper limit on the lower critical field in single crystal $Nd_{1.85}Ce_{0.15}CuO_{4-y}$ **177**, 310

Balakrishnan, G., see D.G. Kuberkar **182**, 149
Bałanda, M., see Z. Tomkowicz **174**, 71; **184**, 244
Balestrino, G., M. Marinelli, E. Milani, A. Paoletti and P. Paroli, Effect of Ba, Ca and Pb on the *c*-lattice parameter of BSCCO films **180**, 46
Balestrino, G., see A.M. Cucolo **180**, 208
Balkin, D., see P. McGinn **183**, 51
Balzarotti, A., F. Patella, F. Arciprete, N. Motta, A. Sgarlata and M. de Crescenzi, Interface formation between d metals and the $Bi_2Sr_2CaCu_2O_8$ surface **180**, 101
Balzarotti, A., see F. Arciprete **180**, 132
Bando, Y., see H. Yasuoka **175**, 192
Bando, Y., see M. Takano **176**, 441
Bando, Y., see Y. Iye **177**, 393; **184**, 362
Bando, Y., T. Terashima, K. Shimura, T. Sato, Y. Matsuda, S. Komiyama, K. Kamigaki and H. Terauchi, RHEED study of crystal growth of high temperature superconducting oxides in reactive coevaporation **180**, 3
Bando, Y., see T. Nishizaki **181**, 223
Bando, Y., see K. Kamigaki **183**, 252
Bansal, N.P., see M.R. De Guire **179**, 333
Bansal, S:, T.K. Bansal, A.K. Jha and R.G. Mendiratta, Effect of addition of lead on the superconductivity and structure of $Bi_2Sr_2Ca_2Cu_3O_{10}$ ceramics **173**, 260
Bansal, T.K., see S. Bansal **173**, 260
Bansil, A., P.E. Mijnarends and L.C. Smedskjaer, *c*-Axis projected electron–positron momentum density in $YBa_2Cu_3O_7$ **172**, 175
Barabanov, A.F. and L.A. Maksimov, Dynamic mechanism of polaron pairing in a two-layer model for high-$T_c$ oxides **176**, 511
Baranov, M.A., see V.V. Alexandrov **173**, 458
Baranov, M.A., V.S. Gorbachev and A.V. Senatorov, Properties of the Josephson medium at finite temperature **179**, 52
Barbanera, S., see C. Romeo **180**, 77
Barnes, C.L., see T.N. Blanton **173**, 152; **184**, 119
Barriquand, F., P. Odier and D. Jérome, $^{17}O$ NMR anisotropic properties of the planar oxygen sites in an $YBa_2Cu_3O_{6.5}$ single crystal **177**, 230
Barroso, J., see E. Altshuler **177**, 61
Barry, J.C., see C.C. Torardi **176**, 347
Bartolomé, J., see R. Navarro **183**, 73
Bartram, M.E., see N.D. Shinn **179**, 303
Batlogg, B., see R.J. Cava **177**, 115
Batlogg, B., see J.M. Rosamilia **182**, 285
Baudenbacher, F., see G. Ockenfuß **180**, 30
Bauer, M., see W. Zimmermann **183**, 99
Bäuerle, D., see K. Kellner **173**, 208
Bäuerle, D., see X.Z. Wang **176**, 507
Bäuerle, D., see P. Schwab **182**, 103
Baughman, R.J., see B. Morosin **172**, 413; **184**, 21
Baughman, R.J., see J.E. Schirber **172**, 465
Baumann, Th., see W. Paul **175**, 102
Bazhenov, A.V., A.V. Gorbunov and K.B. Rezchikov, Low energy electron transitions in $YBa_2Cu_3O_{6+x}$ single crystals for different oxygen content **176**, 35
Bechtold, J., see Z.J. Huang **175**, 595
Becker, S., see M. Lorenz **182**, 114
Beddies, G., see H.-U. Habermeier **180**, 17
Bednarczyk, P.J., see R.H. Arendt **176**, 126
Behera, S.N., see D.M. Gaitonde **173**, 293
Beille, J., see M.A. Crusellas **180**, 313
Bellouard, C., see I. Mirebeau **184**, 299
Bennett, J.C., see G.A. Scholz **173**, 220
Bennett, L.H., see M.J. Turchinskaya **182**, 297
Bennington, S.M., see A. Podlesnyak **175**, 587
Benoit, W., see Y. Mi **172**, 407
Benschop, F.J.M., W.T. Fu and W.J.A. Maaskant, Crystal structure of the superconductor $Pb_2Sr_{2-x}La_xCu_2O_{6+\delta}$ **184**, 311
Bentley, J., see K.B. Alexander **180**, 337
Berastegui, P., see M. Kakihana **173**, 377
Berberich, P., see G. Ockenfuß **180**, 30
Berdahl, P., see X.L. Mao **183**, 167
Berger, H., see Y. Mi **172**, 407
Bernhard, K., see G. Gritzner **181**, 201
Bernhoff, H., M. Qvarford, S. Söderholm, A.S. Flodström, J.N. Andersen, R. Nyholm, U.O. Karlsson and I. Lindau, Electronic and structural properties of the Cu–$Bi_2CaSr_2Cu_2O_8$ interface **180**, 120
Bertrand, D., see X. Bozec **179**, 22
Bestgen, H., see Ch. Lang **182**, 79
Betz, J., see W. Andrä **180**, 188
Beynon, R.J., see J. Ryder **173**, 9
Bezryadin, A.V. and V.N. Kopylov, Penetration of magnetic field into $Bi_2Sr_2Ca_1Cu_2O_8$ single crystal as observed by point contact **183**, 207
Bhagat, S.M., see G. Shaw **175**, 27
Bhagat, S.M., see M.A. Manheimer **183**, 324
Bhullar, M.S., see W. Win **172**, 217
Bianconi, A., see C. Li **175**, 369; **178**, 421
Bianconi, A., see M. Pompa **184**, 51, 102
Bianconi, M., L. Correra, S. Nicoletti, R. Nipoti, M. Servidori, A. Lamagna and M. Sanchez Balmaseda, Structural characterization of superconducting $YBa_2Cu_3O_x$ films grown by pulsed laser ablation **180**, 94
Bichile, G.K., S. Deshmukh, D.G. Kuberkar and R.G. Kulkarni, Influence of hole filling and pair breaking by Pr and hole doping by Ca on superconductivity and flux pinning of $YBa_2Cu_3O_{6.83}$ **183**, 154
Billinge, S.J.L., T. Egami, D.R. Richards, D.C. Hinks, B. Dabrowski, J.D. Jorgensen and K.J. Volin, Local structural change close to $T_c$ in $Nd_{2-x}Ce_xCuO_{4-y}$ **179**, 279
Bischof, B., see J. Hauck **178**, 405
Blackstead, H.A., D.B. Pulling, P.J. McGinn and J.Z. Liu, Flux-flow and phase-slip dissipation in crystalline $Bi_2Sr_2CaCu_2O_{8+\delta}$ and $YBa_2Cu_3O_{7-\delta}$ **174**, 394
Blackstead, H.A., D.B. Pulling, P.J. McGinn and C.A. Clough, Flux-flow in sintered polycrystalline $YBa_2Cu_3O_{7-\delta}$ **175**, 534
Blanchin, M.G., see Y. Yan **175**, 651
Blank, B., see C. Meingast **173**, 309
Blanton, T.N., C.L. Barnes and M. Lelental, The effect of X-ray penetration depth on structural characterization of

multiphase Bi–Sr–Ca–Cu–O thin films by X-ray diffraction techniques **173**, 152
Blanton, T.N., M. Lelental and C.L. Barnes, The use of X-ray diffraction rocking curve methodology for assessment of the c-axis orientation in Bi–Sr–Ca–Cu–O superconducting thin films **184**, 119
Blatter, G., see F. Stucki **181**, 385
Block, R., see L. Jansen **173**, 409; **181**, 149; **182**, 17
Blumenfeld, R., The functional form of the $T_c(x)$ line in the phase diagram of high temperature superconductors **178**, 119
Blunt, F.J., see A.M. Campbell **172**, 253
Blunt, F.J., A.R. Perry, A.M. Campbell and R.S. Liu, An investigation of the appearance of positive magnetic moments on field cooling some superconductors **175**, 539
Bobo, J.-F., J.-C. Ousset, S. Askenazy, H. Rakoto and J.-M. Broto, Evidence for two-dimensional conductivity in the normal state of GdBaCuO thin films **180**, 168
Bobrov, V.S. and M.A. Lebyodkin, Possible twin-boundary effect upon temperature dependence of critical current near $T_c$ of high-$T_c$ superconductors **178**, 411
Boekema, C., see R.L. Lichti **180**, 358
Boekholt, M., M. Hoffmann and G. Güntherodt, Detection of an anisotropy of the superconducting gap in $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals by Raman and tunneling spectroscopy **175**, 127
Boekholt, M., D. Götz, H. Idink, M. Fleuster, T. Hahn, E. Woermann and G. Güntherodt, Structural and superconducting properties of $Bi_{2-x}Pb_xSr_2CaCu_2O_{8+\delta}$ **176**, 420
Boekholt, M., J.V. Harzer, B. Hillebrands and G. Güntherodt, Determination of the sound velocities and the complete set of elastic constants for $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals using Brillouin light scattering **179**, 101
Boekholt, M. and G. Güntherodt, Resonant Raman scattering of superconducting $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals **181**, 179
Boffa, V., see C. Romeo **180**, 77
Bohdziewicz, A., see A. Rojek **183**, 130
Bokhimi, Superconductivity in the Ba–Y–Cu–W–O system **175**, 119
Bollanti, S., see C. Romeo **180**, 77
Bolmont, D., see B. Loegel **179**, 15
Bolschinskov, K.A., see V.N. Trofimov **183**, 135
Bonaldi, M., see G. Jung **180**, 276
Bonetti, E., E.G. Campari, T. Manfredini and S. Mantovani, Orthorhombic to tetragonal phase transition in $YBa_2Cu_3O_{7-x}$ observed by dynamic Young's modulus measurements **179**, 381
Bonnet, B., see P. Strobel **172**, 193
Bonoldi, L., M. Sparpaglione and L. Zini, Nonhomogeneous charge distribution in doped layered superconducting compounds **177**, 73
Bonville, P., see J.A. Hodges **184**, 259, 270, 283
Borck, J., see M. Siegel **180**, 288
Bordet, P., see H. Renevier **172**, 183
Borisovskii, V.V., see V.V. Alexandrov **173**, 458
Börjesson, L., see M. Kakihana **173**, 377
Bornemann, H.J., D.E. Morris and H.B. Liu, Negative oxygen isotope shift in Bi-2223 ($Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10}$) with $T_c \approx 108$ K **182**, 132
Börner, H., see S.L. Ginzburg **174**, 109
Borowski, R., see N. Knauf **173**, 414
Boswell, F.W., see G.A. Scholz **173**, 220
Bouffard, S., see F. Rullier-Albenque **175**, 111
Bouffard, S., see V. Hardy **178**, 255
Bowden, M., see R.G. Buckley **174**, 383
Boyn, R., K. Löbe, H.-U. Habermeier and N. Pruß, Photoconductivity of nonmetallic $YBa_2Cu_3O_x$ thin films **181**, 75
Bozec, X., R. Maury, A.R. Fert, J.P. Redoulès, D. Bertrand, M. Potel, J.C. Levet, P. Gougeon and H. Noël, Temperature, frequency and field dependence of AC hysteresis losses in superconducting YBaCuO single crystal **179**, 22
Bozovic, I., see J.H. Kim **174**, 435
Bozukov, L.N., see M.V. Abrashev **178**, 317
Bozukov, L.N., see D.M. Mateev **179**, 295
Brabers, V.A.M., see J.H.P.M. Emmen **176**, 137
Braginski, A.I., see C.L. Jia **175**, 545
Braithwaite, D., J.Q. Liu, G. Martinez, P.J.M. Van Bentum and P. Lejay, Anisotropies of Raman scattering cross-sections of $YBa_2Cu_3O_{6+\delta}$ compounds **177**, 213
Braithwaite, D., G. Chouteau, G. Martinez, J.L. Hodeau, M. Marezio, J. Karpinski, E. Kaldis, S. Rusiecki and E. Jilek, The superconducting properties of $YBa_2Cu_4O_8$ single crystals under hydrostatic pressure (up to 9.5 GPa) **178**, 75
Brandt, E.H. and A. Sudbø, On the tilt modulus of the flux-line lattice in type-II superconductors **180**, 426
Brandt, E.H., see W. Zimmermann **183**, 99
Brass, A. and B. Mitrović, Monte Carlo study of the specific heat and magnetization of a random three-dimensional cluster of Josephson coupled superconducting grains **177**, 138
Braun, H.F., see A. Gupta **184**, 393
Braunstein, G., see J.A. Agostinelli **180**, 26
Brecht, E., see J. Geerk **180**, 11
Brecht, E., see R.L. Wang **180**, 65
Bredikhin, S.I., G.A. Emel'chenko, V.Sh. Shechtman, A.A. Zhokhov, S. Carter, R.J. Chater, J.A. Kilner and B.C.H. Steele, Anisotropy of oxygen self-diffusion in $YBa_2Cu_3O_{7-\delta}$ single crystals **179**, 286
Brett, M.J., see K.L. Westra **181**, 30
Brinkmann, D., see I. Mangelschots **172**, 57
Brinkmann, D., see M. Mali **175**, 581
Broddin, D., see T. Krekels **173**, 361
Brom, H.B., see J.C. Jol **175**, 12
Brom, H.B. and H. Alloul, Study of the flux pattern in the high-$T_c$ superconductor $YBa_2Cu_3O_7$ by $^{89}Y$-NMR **177**, 297
Brom, H.B., see D. Reefman **183**, 212
Brosh, B., see I. Felner **173**, 337
Brosha, E.L., E. Sanchez, P.K. Davies, N.V. Coppa, A. Thomas and R. Salomon, Preparation of pure and chemically

substituted $YBa_2Cu_4O_8$ via freeze-dried nitrates **184**, 353
Broto, J.-M., see J.-F. Bobo **180**, 168
Brousse, T., see G. Poullain **182**, 143
Brown, P.J., see H. Maletta **174**, 489
Brown, P.J., see T. Chattopadhyay **177**, 294
Bruchlos, H., see W. Andrä **180**, 184
Brüll, P., D. Kirchgässner and P. Leiderer, Observation of symmetric patterns in the flux distribution of thin $YBa_2Cu_3O_{7-x}$ films **182**, 339
Bruls, G., see P. Thalmeier **175**, 61
Brunner, B., see R. Schönberger **173**, 159
Brunner, B., see W. Andrä **180**, 188
Brunner, B., see M. Lorenz **182**, 114
Brunner, O., see O. Eibl **172**, 365, 373
Bruynseraede, Y., see J. Guimpel **175**, 197
Bruynseraede, Y., see J. Vanacken **183**, 163
Bryksin, V.V., A.V. Goltsev and S.N. Dorogovtsev, Magnetic flux penetration into Josephson networks in a critical state **172**, 352
Brynestad, J., see K. Doverspike **172**, 486
Brynestad, J., see K.B. Alexander **180**, 337
Bucci, C., see L. Cristofolini **181**, 121
Buchgeister, M., P. Herzog, S.M. Hosseini, K. Kopitzki and D. Wagener, Oxygen evolution from $ABa_2Cu_3O_{7-\delta}$ high-$T_c$ superconductors with A = Yb, Er, Y, Gd, Eu, Sm, Nd and La **178**, 105
Büchner, B., see V. Kataev **184**, 165
Buckley, R.G., D.M. Pooke, J.L. Tallon, M.R. Presland, N.E. Flower, M.P. Staines, H.L. Johnston, M. Meylan, G.V.M. Williams and M. Bowden, Ca- and La-substitution in $YBa_2Cu_3O_{7-\delta}$, $Y_2Ba_4Cu_7O_{15-\delta}$ and $YBa_2Cu_4O_8$ **174**, 383
Buckley, R.G., see M.R. Presland **176**, 95
Buckley, R.G., see M.E. Ziaei **176**, 242
Buder, R., see C. Schlenker **180**, 148
Budin, H., see S. Lösch **177**, 271
Budnick, J.I., see Z. Tan **184**, 229
Buisson, O. and M.M. Doria, The supercurrent streamlines of the single vortex in uniaxial superconductors **181**, 273
Burchfield, L.A., see Z.Z. Sheng **172**, 43
Burgäzy, F., see A. Kottmann **178**, 125
Bürkle, H., see C. Meingast **173**, 309
Burns, G., F.H. Dacol, C. Feild and F. Holtzberg, Raman modes of $YBa_2Cu_3O_x$ with variable oxygen content **181**, 37
Burns, S.J., see A. Goyal **182**, 203; **183**, 221
Butorin, S.M., V.R. Galakhov, L.D. Finkelstein, E.Z. Kurmaev, Yu.A. Teterin, M.I. Sosulnikov, S.M. Cheshnitsky, S.A. Lebedev and A.I. Akimov, Electronic valence band structure of high-$T_c$ superconductors: X-ray emission spectroscopy study **177**, 8
Buzdin, A.I., S.S. Krotov and D.A. Kuptsov, Attraction of inclined vortices in magnetic superconductors **175**, 42
Buzdin, A.I. and A.Yu. Simonov, Magnetization of anisotropic superconductors in the tilted magnetic field **175**, 143

Cabañas, M.V., see M. Vallet-Regí **180**, 57
Cabanel, R., A. Schuhl, D.G. Crété, S. Tyč and M. Touzeau, In-situ control of fluxes by atomic absorption for layer by layer growth of HTSC **180**, 38
Cabanel, R., see S. Tyč **180**, 243
Cahen, D., see Y. Scolnik **174**, 273
Caignaert, V., see C. Michel **178**, 29
Caignaert, V., see E. Suard **182**, 219
Caignaert, V., see I. Mirebeau **184**, 299
Calemczuk, R., see S. De Brion **178**, 225
Calestani, G., see L. Dimesso **176**, 216
Calestani, G., see E. Agostinelli **180**, 172
Calestani, G., see L. Cristofolini **181**, 121
Calvani, P., M. Capizzi, S. Lupi, P. Maselli and E. Agostinelli, High-$T_c$ superconducting thin films: an analysis of reflectance spectra **180**, 116
Calvani, P., M. Capizzi, F. Donato, P. Dore, S. Lupi, P. Maselli and C.P. Varsamis, Infrared optical properties of perovskite substrates for high-$T_c$ superconducting films **181**, 289
Camerlingo, C., see H. Akoh **180**, 227
Campari, E.G., see E. Bonetti **179**, 381
Campbell, A.M. and F.J. Blunt, Probing self field effects on intergrain currents using an AC technique **172**, 253
Campbell, A.M., see F.J. Blunt **175**, 539
Canfield, P.C., see G.H. Kwei **176**, 57
Cao, G., see Y. Li **177**, 36
Cao, X.W., C.Y. Wu and J.C. Ho, Superconductivity in the $(Dy_{1-x}Pr_x)Ba_2Cu_2O_y$ system **182**, 153
Cao, Y., see Y. Song **172**, 1
Cao Liezhao, see Yang Hongshun **172**, 71
Capizzi, M., see P. Calvani **180**, 116; **181**, 289
Caplin, A.D., see M.A. Angadi **177**, 479
Capponi, J.J., see C. Chaillout **175**, 293
Caracino, P., see B. Chevalier **175**, 435
Carbotte, J.P., see H. Chi **172**, 345; **178**, 15
Carbotte, J.P., see R. Akis **176**, 485
Cardona, M., see J. Kircher **174**, 377
Carel, C., see J.-R. Gavarri **172**, 213
Carlson, K.D., see J.E. Schirber **178**, 137
Carneiro, G., Vortex-loop fluctuations and vortex-line-lattice melting in layered superconductors **183**, 360
Carretta, P., see L. Cristofolini **181**, 121
Carrillo, D., see E. Altshuler **172**, 361
Carter, C.B., see M.G. Norton **172**, 47; **182**, 30
Carter, C.B., see L.A. Tietz **182**, 241
Carter, S., see S.I. Bredikhin **179**, 286
Carter, W., see K.H. Sandhage **177**, 45
Casanove, M.J., A. Alimoussa, C. Roucau, C. Escribe-Filippini, P.L. Reydet and P. Marcus, Cross-sectional TEM investigations of the microstructure and film-substrate interface in Y–Ba–Cu–O thin films **175**, 285
Castello, D., see E. Nguyen **184**, 34
Castrucci, P., see C. Romeo **180**, 77
Castrucci, P., see M. Pompa **184**, 102
Catlow, C.R.A., see X. Zhang **173**, 25
Cava, R.J., A. Santoro, J.J. Krajewski, R.M. Fleming, J.V. Waszczak, W.F. Peck Jr. and P. Marsh, The crystal

structure of the $La_{1.6}Sr_{0.4}CaCu_2O_{6\pm\delta}$ superconductor **172**, 138
Cava, R.J., see R.M. Fleming **173**, 37
Cava, R.J., T. Siegrist, B. Hessen, J.J. Krajewski, W.F. Peck Jr., B. Batlogg, H. Takagi, J.V. Waszczak, L.F. Schneemeyer and H.W. Zandbergen, A new type of homologous series in the La–Cu–O system **177**, 115
Cava, R.J., see H.W. Zandbergen **179**, 213
Cava, R.J., see J.M. Rosamilia **182**, 285
Caves, L.W.J., see Z.P. Han **181**, 355
Cavin, O.B., see T.B. Lindemer **174**, 135; **178**, 93
Ceder, G., M. Asta and D. de Fontaine, Computation of the OI–OII–OIII phase diagram and local oxygen configurations for $YBa_2Cu_3O_z$ with $z$ between 6.5 and 7 **177**, 106
Cendlewska, B., see A. Rojek **183**, 130
Chaichit, N., see C. Engkagul **181**, 63
Chaillout, C., O. Chmaissen, J.J. Capponi, T. Fournier, G.J. McIntyre and M. Marezio, The structure of superconducting $Pb_2Sr_2Y_{0.73}Ca_{0.27}Cu_3O_8$ by single-crystal neutron diffraction **175**, 293
Chaillout, C., J. Dürr, J. Chenavas, M. Marezio, L.F. Schneemeyer and T. Siegrist, The crystal structure of $Ba(Bi_{0.977}K_{0.023})O_3$ by single-crystal X-ray diffraction **181**, 325
Chaloupka, H. and G. Müller, Applications of HTSC thin films with low microwave losses to linear devices **180**, 259
Chandrachood, M.R., see D.E. Morris **175**, 156
Chandran, L., see L. Jansen **173**, 409
Chandrashekhar, G.V., see P. Svedlindh **176**, 336
Chang, C.C., see R. Ramesh **173**, 163
Chang, D., see Q.G. He **184**, 295
Chang, H.L.M., see Y. Gao **174**, 1
Chang, K.J., see C.H. Park **184**, 81
Chang, L., see A. Asthana **174**, 33
Chang, Y.-W., see A. Zangvil **173**, 251
Chang, Y.C., see W. Kritscha **179**, 59
Chater, R.J., see S.I. Bredikhin **179**, 286
Chattopadhyay, T., see H. Maletta **174**, 489
Chattopadhyay, T., P.J. Brown and U. Köbler, Crystal and magnetic structure of $Nd_2CuO_4$ at millikelvin temperatures **177**, 294
Chaud, X., see D.F. Lee **181**, 81
Chauvel-Kokabi, V., see G. Poullain **182**, 143
Chen, C.H., see D.J. Werder **173**, 285
Chen, C.H., S.-W. Cheong, D.J. Werder, A.S. Cooper and L.W. Rupp Jr., Low temperature microstructure and phase transitions in $La_{2-x}Sr_xCuO_4$ and $La_{2-x}Ba_xCuO_4$ **175**, 301
Chen, C.H., D.J. Werder, S.-W. Cheong and H. Takagi, Microtwin and antiphase domain boundaries in the orthorhombic phase of $La_{2-x}(Sr,Ba)_xCuO_4$ **183**, 121
Chen, D.-X., see A. Sanchez **175**, 33
Chen, H., see L. Tong **174**, 352
Chen, J., see S. Li **173**, 239
Chen, J., L. Chow and J.Z. Liu, Response of the high temperature superconductors to weak AC magnetic field **175**, 634
Chen, J.T., see W. Win **172**, 217, 233
Chen, J.W. and W.-C. Chou, Electrical and magnetic properties of the metallic $Nd_{1.85}Ce_{0.15}CuO_{4-y}$ superconductor **172**, 229
Chen, J.W. and F.-A. Yang, Superconductivity in the $La_{1.85}Ce_{0.15}Cu_{1-x}Ag_xO_{4-\delta}$ system **176**, 257
Chen, K., Y.C. Chen, S.W. Lu, W.H. Lee and P.T. Wu, Magnetic and thermal instabilities in a textured $YBa_2Cu_3O_x$ superconductor with high transport $J_c$ **173**, 227
Chen, L., see X. Qiu **179**, 176
Chen, P., see X. Qiu **179**, 176
Chen, S., see J.A. Agostinelli **180**, 26
Chen, T., see H. Zhang **174**, 355
Chen, T.G., see C.J. Zhou **179**, 369; **180**, 365
Chen, W., see P. McGinn **176**, 203; **183**, 51
Chen, W.L., see H.-C.I. Kao **177**, 367
Chen, X.-D., see Y. Song **172**, 1
Chen, X.-F., see T.M. Tritt **178**, 296
Chen, X.-F., G.X. Tessema and M.J. Skove, Effect of elastic stress on the resistivity and $T_c$ of $(Bi,Pb)_2Sr_2Ca_{n-1}Cu_nO_x$ **181**, 340
Chen, Y.C., see K. Chen **173**, 227
Chen, Z., see R. Li **172**, 335; **176**, 19
Chenavas, J., see C. Chaillout **181**, 325
Cheng, S.C., S.S. Sheinin, J. Jung, M.K. Yu and J.P. Franck, Determination of the displacement vector at twin boundaries in pure and Fe-doped YBCO superconductors using diffraction contrast **184**, 385
Chen Zhaojia, see Yang Hongshun **172**, 71
Cheong, S.-W., see M.F. Hundley **172**, 455
Cheong, S.-W., see C.H. Chen **175**, 301; **183**, 121
Cheong, S.-W., see N.D. Shinn **179**, 303
Cheong, S.-W., see Z. Tan **184**, 229
Chern, G., see G.L. Larkins Jr. **173**, 201
Cherpak, N.T., E.V. Izhik, A.Ya. Kirichenko, A.V. Velichko, I.N. Chukanova and A.I. Usoskin, Microwave and radiofrequency properties of high-$T_c$ thin films **180**, 280
Cheshnitsky, S.M., see S.M. Butorin **177**, 8
Cheung, J.T., see I.S. Gergis **175**, 603
Cheung, J.T., see P.H. Kobrin **176**, 121
Chevalier, B., A. Tressaud, P. Caracino, C. Robin and J. Etourneau, Superconductivity in fluorinated $La_{1.85-x}Nd_xSr_{0.15}CuO_4$ solid solution with $0 \leqslant x \leqslant 1$ **175**, 435
Chevalier, B., see A. Tressaud **177**, 330
Chew, N.G., see J.S. Satchell **180**, 247
Chi, C.C., see R.P. Huebener **181**, 345
Chi, H. and J.P. Carbotte, Thermodynamics of extended s-wave superconductor **172**, 345
Chi, H. and J.P. Carbotte, Extended s-wave superconductor with impurities **178**, 15
Chiang, C., Y.T. Huang and S.F. Wu, Comparative study to enhance the phase formation of Tl-based superconductor with three Cu–O layers **172**, 271
Chiengpratoom, N., see I.M. Tang **175**, 250
Chiengpratoom, N., see C. Engkagul **181**, 63
Chin, T.S., see L.H. Perng **175**, 667
Chippindale, A.M., see M.A. Señarís-Rodrígue **172**, 477

Chistyakov, S.V., see O.A. Mironov **180**, 196
Chmaissen, O., see C. Chaillout **175**, 293
Chmist, J., see A. Kozłowski **184**, 113
Chocron, S., see M. Golosovsky **176**, 379
Chou, W.-C., see J.W. Chen **172**, 229
Chouteau, G., see D. Braithwaite **178**, 75
Chow, L., see J. Chen **175**, 634
Chrisey, D.B., see M.S. Osofsky **182**, 257
Chrzanoswki, J., J.C. Irwin, B. Heinrich, A.E. Curzon, N. Fortier and A. Cragg, Characterization of sputtered films of $Tl_2Ba_2CaCu_2O_8$ using Raman scattering and X-ray diffraction **182**, 231
Chrzanowski, J., see J.P. Franck **172**, 90
Chrzanowski, J., see E. Altendorf **175**, 47
Chu, C.W., see Z.J. Huang **175**, 595; **176**, 195; **180**, 331; **184**, 371
Chu, C.W., see J.G. Lin **175**, 627
Chu, C.W., see L. Gao **177**, 438
Chu, C.W., see R.L. Meng **179**, 149
Chu, J.W., see Z.J. Huang **175**, 595
Chu, W.K., see Y.J. Zhao **184**, 144
Chukanova, I.N., see N.T. Cherpak **180**, 280
Cikmach, P., A. Fontana, C. Giovannella, M. Iannuzzi and R. Messi, Magnetic detection of optical excitations: preliminary results on YBCO thin films **180**, 160
Clayman, B.P., see M.E. Ziaei **176**, 242
Clinton, T.W. and J.W. Lynn, Magnetic ordering of Er in powder and single crystals of $ErBa_2Cu_3O_7$ **174**, 487
Clough, C.A., see H.A. Blackstead **175**, 534
Clougherty, D.P., see K.H. Johnson **183**, 319
Cockayne, D.J.H., see G.B. Smith **183**, 172
Coddens, G., see E. Vanlathem **177**, 207
Coene, W., see J. Gao **177**, 384
Coey, J.M.D., see K. Donnelly **172**, 207
Cohen, M.L., see N. Kijima **181**, 18; **184**, 127
Collocott, S.J., R. Driver and C. Andrikidis, Specific heat of the ceramic superconductor $Bi_7Sr_2CuO_6$ from 0.4 to 20 K **173**, 117
Comberg, A., see P. Lemmens **174**, 289
Comberg, A., see J. Pankert **182**, 291
Congiu-Castellano, A., see C. Li **175**, 369
Congiu Castellano, A., see M. Pompa **184**, 51
Cooke, D.W., see R.L. Lichti **180**, 358
Cooper, A.S., see C.H. Chen **175**, 301
Cooper, A.S., see Z. Tan **184**, 229
Coppa, N.V., see E.L. Brosha **184**, 353
Coppens, P., see M. Qi **174**, 23
Corkill, J.L., see N. Kijima **181**, 18; **184**, 127
Correra, L., see M. Bianconi **180**, 94
Cox, S.F.J., see R.L. Lichti **180**, 358
Crabtree, G.W., see W. Kritscha **179**, 59
Cragg, A., see J. Chrzanoswki **182**, 231
Crété, D.G., see R. Cabanel **180**, 38
Cristofolini, L., G. Amoretti, C. Bucci, P. Carretta, R. De Renzi, G. Guidi, F. Licci and G. Calestani, Electric field gradient at Cu nucleus in CuO: single crystal NMR determination and point charge model **181**, 121
Croft, M., see S. Li **173**, 239
Crooker, P.P., see Y. Song **172**, 1
Cros, C., see F. Arrouy **175**, 342; **184**, 74
Crossley, A., P.R. Graves and S. Myhra, Raman microprobe studies of $Bi_2Sr_2CaCu_2O_8$. Extrinsic and intrinsic effects **176**, 106
Crow, J.E., see R.L. Lichti **180**, 358
Crusellas, M.A., J. Fontcuberta, S. Piñol, T. Grenet and J. Beille, Temperature dependence of the resistivity and its anisotropy in n-type $Nd_{1.85}Ce_{0.15}CuO_4$ single crystal **180**, 313
Cucolo, A.M., R.C. Dynes, J.M. Valles Jr. and L.F. Schneemeyer, Planar tunnel junctions on 90 K and 60 K YBCO single crystals. Superconducting and normal state properties **179**, 69
Cucolo, A.M., R. Di Leo, P. Romano and G. Balestrino, Electron tunneling into BiSrCaCuO **180**, 208
Cui, C., see X. Qiu **179**, 176
Cui, G.J., see C.L. Jia **175**, 545
Curbelo, C., see E. Altshuler **172**, 361
Curzon, A.E., see J. Chrzanoswki **182**, 231

Dabrowski, B., see S.J.L. Billinge **179**, 279
Dacol, F.H., see G. Burns **181**, 37
Dalichaouch, Y., see C.C. Almasan **174**, 93
Dalichaouch, Y., see M.C. de Andrade **184**, 378
Darab, J.G., R.K. MacCrone and K. Rajan, Geometric modelling and defect chemistry of orthogonal domain interfaces in $YBa_2Cu_3O_{7-x}$ **173**, 213
Das, A.N., see J. Konior **174**, 215
Das, I., E.V. Sampathkumaran, R. Vijayaraghavan, Y. Nakazawa and M. Ishikawa, Magnetic and superconducting behaviour of the oxides $Pr_{1-x}Gd_xBa_2Cu_3O_y$ **173**, 331
Dasgupta, C. and T.V. Ramakrishnan, Flux pinning and creep in high-$T_c$ superconductors **183**, 62
Datars, W.R., see P.K. Ummat **180**, 407
Datta, T., see F. Zuo **176**, 541
Däumling, M., The reversible magnetization of oxygen deficient $YBa_2Cu_3O_{7-\delta}$ **183**, 293
Däumling, M., Critical current density in quenched oxygen deficient $YBa_2Cu_3O_{7-\delta}$ **184**, 13
Davidov, D., see M. Golosovsky **176**, 379; **180**, 164
Davies, P.K., see E.L. Brosha **184**, 353
Davis, M.F., see Y.J. Zhao **184**, 144
Davydov, A.S. and S.P. Kruchinin, Interlayer effects in the newest high-$T_c$ superconductors **179**, 461
De, U., S. Natarajan and E.W. Seibt, Characterization of pure $YBa_2Cu_3O_{7-x}$ and its silver added ceramic composites by Auger electron spectroscopy **183**, 83
Deakin, D.S., see I.S. Gergis **175**, 603
De Andrade, M.C., C.C. Almasan, Y. Dalichaouch and M.B. Maple, Anomalies in the irreversibility line and upper critical field of the electron-doped superconductor $Sm_{1.85}Ce_{0.15}CuO_{4-y}$ **184**, 378
Debray, P., see J.A. Hodges **184**, 270
De Brion, S., R. Calemczuk and J.Y. Henry, Flux line dynamics

in crystal $YBa_2Cu_3O_{7-\delta}$ studied by mechanical measurements **178**, 225
De Crescenzi, M., see A. Balzarotti **180**, 101
De Crescenzi, M., see F. Arciprete **180**, 132
Decroux, M., see M. Affronte **172**, 131
De Fontaine, D., see G. Ceder **177**, 106
Degterov, S.A., see G.F. Voronin **176**, 387
Degterov, S.A. and G.F. Voronin, Phase equilibria and stability of superconductors in the Y–Ba–Cu–O system **178**, 213
De Guire, M.R., N.P. Bansal, D.E. Farrell, V. Finan, C.J. Kim, B.J. Hills and C.J. Allen, The series $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ ($1 \leqslant n \leqslant 5$). Phase stability and superconducting properties **179**, 333
De Jonge, W.J.M., see J.H.P.M. Emmen **176**, 137
De Jongh, L.J., see S.I. Mukhin **174**, 455
Delabouglise, G., see M. Vallet-Regí **180**, 57
De la Cruz, F., see J. Yazyi **184**, 254
Della Longa, S., see C. Li **175**, 369; **178**, 421
Della Longa, S., see M. Pompa **184**, 51, 102
Deltour, R., see T. Krekels **173**, 361
Deltour, R., see E. Vanlathem **177**, 207
De Luca, R., see S. Pace **180**, 176
Demazeau, G., see F. Arrouy **175**, 342; **184**, 74
Denker, S., see J. Hauck **178**, 405
De Renzi, R., see L. Cristofolini **181**, 121
Deshmukh, S., see G.K. Bichile **183**, 154
Deshmukh, S.C., see Y.J. Zhao **184**, 144
Deslandes, F., A.I. Nazzal and J.B. Torrance, Search for superconductivity in analogues of $La_{2-x}Sr_xCuO_4$: $Sr_{2-x}Ln_xVO_4$ (Ln = La, Ce, Pr, Nd, Eu) **179**, 207
DeWames, R.E., see P.H. Kobrin **176**, 121
Dianoux, A.J., see I. Mirebeau **184**, 299
Di Chiara, A., see A. Andreone **180**, 272
Dietze, H.-J., see M. Lorenz **182**, 114
Diko, P., see M. Nevřiva **179**, 253
Di Leo, R., see A.M. Cucolo **180**, 208
Dimesso, L., M.G. Francesconi, G. Calestani, E. Silva, R. Fastampa, R. Marcon, D. Fiorani, E. Agostinelli and A.M. Testa, Preparation and characterization of textured thick films of the 2212 phase in the BSCCO and BPSCCO systems **176**, 216
Dimesso, L., see E. Agostinelli **180**, 172
Dimitriev, Y.B., see E.S. Vlakhov **175**, 335
DiNardo, N.J., see M.H. Jiang **183**, 39
Dinse, K.-P., see O. Dobbert **177**, 17
DiSalvo, F.J., see R.M. Fleming **173**, 37
Divakaran, P.P. and A.K. Rajagopal, Superconductivity in layered materials. Pairing theory for projectively translation invariant states **176**, 457
Dixon, M.A., The normal state electronic structure of cuprate superconductors: a covalent picture **174**, 117
Djakonov, V.P., E.E. Zubov, L.P. Kozeeva, G.G. Levchenko, V.I. Makrovich, A.D. Pavlyuk and I.M. Fita, Field-induced spin-reorientation transitions in $GdBa_2Cu_3O_{7-\delta}$ single crystal **178**, 221
Dobbert, O., K.-P. Dinse, W. Goldacker and T. Wolf, Temperature dependence of the pinning potential in the high-temperature superconductor $Y_1Ba_2Cu_3O_{7-x}$ **177**, 17
Doi, K., see M. Morita **172**, 383
Doi, T., M. Okada, A. Soeta, T. Yuasa, K. Aihara, T. Kamo and S.-P. Matsuda, Flux pinning in single Tl-layer 1223 superconductors **183**, 67
Dolgov, O.V., see S.V. Shulga **178**, 266
Dominec, J., C. Laermans and V. Plecháček, Velocity and attenuation of ultrasound in the $Bi_2Sr_2CuO_6$ superconductor **177**, 373
Domon, M., see T. Yagi **173**, 453
Donato, F., see P. Calvani **181**, 289
Dong, C., see D.E. Weeks **176**, 368
Dong, S., see X. Wang **182**, 333
Donnelly, K., J.F. Fawler, J.M.D. Coey, D. Fruchart, S. Miraglia and J.L. Soubeyroux, The effect of hydrogen on $Bi_{1.8}Pb_{0.2}Sr_{2.2}Ca_{1.9}Cu_{3.0}O_x$: a neutron diffraction study **172**, 207
Dore, P., see P. Calvani **181**, 289
Doria, M.M., Fast convergent free energy expansion for uniaxial superconductors in the London approximation **178**, 51
Doria, M.M., see O. Buisson **181**, 273
Dorogovtsev, S.N., see V.V. Bryksin **172**, 352
Dortmann, G., J. Erxmeyer and A. Weidinger, Preparation of $Y_2Ba_4Cu_8O_{16}$ thin films by electron-beam evaporation and the effect of hydrogen charging **180**, 54
Dossmann, Y., see R. Kuentzler **184**, 316
Dou, S.X., H.K. Liu, J. Wang, M.H. Apperley, C.C. Sorrell, S.J. Guo, B. Loberg and K.E. Easterling, Microstructure and flux pinning in superconducting Bi–Pb–Sr–Ca–Cu–O wires **172**, 63
Dou, S.X., H.K. Liu, W.M. Wu, W.X. Wang, C.C. Sorrell, R. Winn and N. Savvides, Melt processing of alkali element doped $Bi_2Sr_2CaCu_2O_8$ **172**, 295
Dou, S.X., see Y. Zhao **179**, 85
Dou, S.X., see N. Savvides **179**, 361
Dou, S.X., see J. Wang **180**, 307
Dousek, F.P., see P. Podhájecký **173**, 99
Doverspike, K., C.R. Hubbard, R.K. Williams, K.B. Alexander, J. Brynestad and D.M. Kroeger, Anisotropic thermal expansion of the 1:2:4 yttrium barium copper oxide superconductor **172**, 486
Downey, J.W., see G.T. Seidler **183**, 333
Dragon, T., see A. Forkl **180**, 155
Drechsler, S.-L., see H. Eschrig **173**, 80
Drechsler, S.L., see T. Galbaatar **176**, 496
Drillon, M., see R. Kuentzler **184**, 316
Driver, R., see S.J. Collocott **173**, 117
Driver, R., see B.W. Ricketts **183**, 17
Droste, E., see J. Hauck **178**, 405
Duan, H., see F. Zuo **176**, 541
Dukan, S., A.V. Andreev and Z. Tešanović, Superconductivity in a high magnetic field. Excitation spectrum and de Haas–van Alphen oscillation **183**, 355
Dumas, J., see S. Revenaz **180**, 180
Dupree, R., Z.P. Han, A.P. Howes, D.M. Paul, M.E. Smith and S. Male, $^{17}O$ NMR characterisation of the oxygen sites in the

$Bi_2Sr_2Ca_{n-1}Cu_nO_{4+2n}$ ($n=1, 2, 3$) high-temperature superconductors **175**, 269
Dupree, R., Z.P. Han, D.McK. Paul, T.G.N. Babu and C. Greaves, NMR evidence for common magnetic behaviour in $YBa_2Cu_4O_8$ and $YBa_2Cu_3O_{7-\delta}$ **179**, 311
Dupree, R., see Z.P. Han **181**, 355
Durán, C., see J. Yazyi **184**, 254
Durčok, S., see M. Nevřiva **179**, 253
Dürr, J., see C. Chaillout **181**, 325
Dürrler, M., see J. Kircher **174**, 377
Dutta, P.K., see S.B. Samanta **178**, 171
Dynes, R.C., see A.M. Cucolo **179**, 69

Eab, C.H. and I.M. Tang, The orthorhombic–tetragonal structural phase transition and its effect on the $T_c$'s of the high temperature superconductors **174**, 149
Eaiprasertsak, K., see C. Engkagul **181**, 63
Early, E.A., see S.T. Weir **184**, 1
Easterling, K.E., see S.X. Dou **172**, 63
Economou, D.J., see Y.J. Zhao **184**, 144
Eddy, M., see D.H. Kim **177**, 431
Edwards, J.A., see J.S. Satchell **180**, 247
Edwards, P.P., see A. Maignan **177**, 461
Edwards, P.P., see R.S. Liu **179**, 353; **181**, 303; **182**, 119
Egami, T., see S.J.L. Billinge **179**, 279
Ehrlich, A.C., see T.M. Tritt **178**, 296
Eibl, O., H.E. Hoenig, J.-M. Triscone, Ø. Fischer, L. Antognazza and O. Brunner, Microstructure of $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ superlattices deposited on (1 0 0) $SrTiO_3$ single crystals **172**, 365
Eibl, O., H.E. Hoenig, J.M. Triscone, Ø. Fischer, L. Antognazza and O. Brunner, Extended defects in $YBa_2Cu_3O_7PrBa_2Cu_3O_7$ superlattices deposited on (1 0 0) MgO single crystals **172**, 373
Eibl, O., Displacive modulation and chemical composition of $(Bi, Pb)_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ ($n=2, 3$) high-$T_c$ superconductors **175**, 419
Eibl, O., K. Hradil and H. Schmidt, Interface analysis of epitaxial $YBa_2Cu_3O_7$ thin films deposited on sapphire ($Al_2O_3$) with YSZ buffer layers **177**, 89
Eibl, O., see S. Lösch **177**, 271
Eibl, O., see H. Schmidt **180**, 34
Eibl, O., Imaging of Cu and O vacancies in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ by high-resolution TEM **184**, 93
Eick, T., see W. Andrä **180**, 184
El Farsi, R., see R. Kuentzler **184**, 316
Elliott, N.E., see S.K. Remillard **177**, 345
ElMassalami, M., A. Elzubair, H.M. Ibrahim and M.A. Rizgalla, Structural and magnetic properties of $YBa_2Fe_3O_{7+x}$. Fe-based 1-2-3 ceramic oxide **183**, 143
Elschner, S., see Ch. Lang **182**, 79
Elzubair, A., see M. ElMassalami **183**, 143
Emel'chenko, G.A., see S.I. Bredikhin **179**, 286
Emmen, J.H.P.M., V.A.M. Brabers and W.J.M. de Jonge, Thermally-activated vortex dynamics in $Bi_2CaSr_2Cu_2O_{8+\delta}$ studied by complex susceptibility measurements **176**, 137
Endoh, Y., see T. Kamiyama **172**, 120
Endoh, Y., see M. Matsuda **179**, 347
Endoh, Y., see M. Arai **181**, 45
Engelsberg, S., Superconductivity in the series $La_3Ba_3Ca_xCu_{6+x}O_y$, $0 \leqslant x \leqslant 3$, an oxygen deficient tetragonal triple perovskite structure **176**, 451
Engkagul, C., K. Eaiprasertsak, J. Laksanaboonsong, K. Treechairusme, N. Chaichit, S. Leelaprute, N. Chiengpratoom and I.M. Tang, Lithium/strontium exchange in "2212" bismuth superconductors **181**, 63
Enomoto, T., see C. Murayama **183**, 277
Entel, P., see J. Zieliński **175**, 639
Eom, C.B., see J.H. Kim **174**, 435
Er, G., Y. Miyamoto, F. Kanamaru and S. Kikkawa, Superconductivity in the infinite-layer compound $Sr_{1-x}La_xCuO_2$ prepared under high pressure **181**, 206
Eriksson, S., see M. Kakihana **173**, 377
Erxmeyer, J., see G. Dortmann **180**, 54
Eschrig, H. and S.-L. Drechsler, A microscopic scenario for s-channel superconductivity in layered cuprates **173**, 80
Eschwei, M., see Q.G. He **184**, 295
Escribe-Filippini, C., see M.J. Casanove **175**, 285
Espinosa, G.P., see D.J. Werder **173**, 285
Esquinazi, P., see Y. Kopelevich **183**, 345
Esquinazi, P., see A. Gupta **184**, 393
Etourneau, J., see J.-C. Grenier **173**, 139
Etourneau, J., see F. Arrouy **175**, 342
Etourneau, J., see B. Chevalier **175**, 435
Etourneau, J., see A. Tressaud **177**, 330
Evetts, J.E., see J.L. MacManus **184**, 172
Ewert, S., see P. Lemmens **174**, 289
Ewert, S., see J. Pankert **182**, 291
Exley, R., see J. Ryder **173**, 9

Falkovsky, L.A. and S. Klama, Electronic Raman light scattering in zero-gap anisotropic superconductors **172**, 242
Fang, H.H., see Z.J. Huang **180**, 331
Fang, Y., see A. Kottmann **178**, 125
Farrell, D.E., see M.R. De Guire **179**, 333
Fastampa, R., see E. Silva **173**, 145
Fastampa, R., see L. Dimesso **176**, 216
Fastampa, R., see M. Giura **180**, 212
Fastnacht, R.A., see S. Jin **173**, 75
Fastnacht, R.A., see J.E. Graebner **173**, 135
Favrot, D., see C. Legros-Glédel **175**, 279
Fawler, J.F., see K. Donnelly **172**, 207
Fedorenko, A.I., see O.A. Mironov **180**, 196
Fedorov, S.A., see I.M. Vitebskii **178**, 189
Fedotova, T.A., see V.V. Alexandrov **173**, 458
Feenstra, R., see T.B. Lindemer **178**, 93
Feild, C., see G. Burns **181**, 37
Feile, R., see R. Li **175**, 89
Felner, I., B. Brosh, U. Yaron, Y. Yeshurun and E. Yacoby, Critical current density, reversible and irreversible magnetization in $YBa_2Cu_4O_8$ and $Y_{0.9}Ca_{0.1}Ba_2Cu_4O_8$ **173**, 337
Feng, H.H., see Z.J. Huang **175**, 595; **184**, 371

Fert, A.R., see X. Bozec **179**, 22
Fesenko, V.I., V.N. Gorbunov and V.P. Smilga, Analytical properties of muon polarization spectra in type-II superconductors and experimental data interpretation for mono- and polycrystalline HTSCs **176**, 551
Fick, J., see O. Thomas **180**, 42
Filipczuk, S.W., On the degradation of $YBa_2Cu_3O_{7-\delta}$ by $ZrO_2$ **173**, 1
Filipczuk, S.W., see G.B. Smith **183**, 172
Finan, V., see M.R. De Guire **179**, 333
Finger, L.W., see J. Shu **176**, 503
Fink, J., see M. Knupfer **182**, 62
Finkelstein, L.D., see S.M. Butorin **177**, 8
Fiorani, D., see L. Dimesso **176**, 216
Fiorani, D., see E. Agostinelli **180**, 172
Fischer, Ø., see M. Affronte **172**, 131
Fischer, Ø., see O. Eibl **172**, 365, 373
Fischer, K.H., Vortices in layered high-$T_c$ superconductors **178**, 161
Fisher, B., G. Koren, J. Genossar, L. Patlagan and E.L. Gartstein, Variable range hopping in $PrBa_2Cu_3O_{7-\delta}$ **176**, 75
Fisher, L.M., see V.V. Alexandrov **173**, 458
Fishman, M.R., see U.P. Oppenheim **178**, 26
Fisk, Z., see M.F. Hundley **172**, 455
Fisk, Z., see G.H. Kwei **176**, 57
Fisk, Z., see N.D. Shinn **179**, 303
Fita, I.M., see V.P. Djakonov **178**, 221
Flambaum, V.V. and O.P. Sushkov, Electronic structure of high-$T_c$ superconductors **175**, 347
Flank, A.-M., see M. Pompa **184**, 102
Flank, A.M., see H. Tolentino **179**, 387
Flank, A.M., see M. Pompa **184**, 51
Fleming, R.M., see R.J. Cava **172**, 138
Fleming, R.M., S.A. Sunshine, L.F. Schneemeyer, R.B. Van Dover, R.J. Cava, P.M. Marsh, J.V. Waszczak, S.H. Glarum, S.M. Zahurak and F.J. DiSalvo, Stoichiometry and superconductivity in single layer $Bi_{2+x}Sr_{2-y}CuO_{6\pm\delta}$ **173**, 37
Fleuster, M., see M. Boekholt **176**, 420
Flodström, A.S., see H. Bernhoff **180**, 120
Flokstra, J., see E.P. Houwman **183**, 339
Flower, N.E., see R.G. Buckley **174**, 383
Flower, N.E., see M.R. Presland **176**, 95
Foltyn, S., see R. Ramesh **173**, 163
Fontaine, A., see F. Studer **178**, 324
Fontaine, A., see H. Tolentino **179**, 387
Fontana, A., see P. Cikmach **180**, 160
Fontcuberta, J., see M.A. Crusellas **180**, 313
Fontcuberta, J., see E. Nguyen **184**, 34
Forgacs, G., L.S. Schulman, L.B. Kiss, P. Svedlindh and L. Lundgren, Method for determining the distribution of Josephson coupling energies in high-$T_c$ superconductors **177**, 67
Forkl, A., H.-U. Habermeier, B. Leibold, T. Dragon and H. Kronmüller, A new calibration technique for the determination of magnetic flux density with the magneto-optical Faraday effect **180**, 155
Forster, K., see V. Selvamanickam **178**, 147
Forsthuber, M., F. Ludwig and G. Hilscher, Size dependence of the AC susceptibility and critical current densities of ceramic high-$T_c$ superconductors **177**, 401
Fortier, N., see J. Chrzanoswki **182**, 231
Fortune, N.A., K. Murata, Y. Yokoyama, M. Ishibashi and Y. Nishihara, The effect of cerium doping and oxygen treatment of $Nd_{2-x}Ce_xCuO_4$. Hall effect measurements **178**, 437
Fossheim, K., see L.T. Sagdahl **172**, 495
Fournier, P., R. Gagnon and M. Aubin, Variable-range hopping in $YBa_2(Cu_{1-x}M_x)_3O_{6+\delta}$ [M=e, Zn] **177**, 159
Fournier, T., see H. Renevier **172**, 183
Fournier, T., see C. Chaillout **175**, 293
Francescone, M.G., see E. Agostinelli **180**, 172
Francesconi, M.G., see L. Dimesso **176**, 216
Francesio, L., see C. Paracchini **175**, 324
Franck, J.P., J. Jung, G. Salomons, W.A. Miner, M.A.-K. Mohamed, J. Chrzanowski, S. Gygax, J.C. Irwin, D.F. Mitchell and G.I. Sproule, The oxygen isotope effect in superconducting $YBa_2Cu_3O_{7-\delta}$ **172**, 90
Franck, J.P., see T.M. Tritt **178**, 296
Franck, J.P., see S.C. Cheng **184**, 385
François, M., see O.V. Alexandrov **172**, 491
Franse, J.J.M., see J.N. Li **180**, 411
Fray, D.J., see J.L. MacManus **184**, 172
Freeman, A.J., see J. Yu **172**, 467; **173**, 274
Freeman, A.J., see S. Massidda **176**, 159
Freltoft, T., see P. Vase **180**, 90
Freltoft, T., see A.V. Pogrebnyakov **183**, 27
Frenkel, A., High-temperature superconducting thin films as broadband optical detectors **180**, 251
Fromknecht, R., see H. Takahashi **175**, 381
Fröning, P., see P. Lemmens **174**, 289
Fröning, P., see J. Pankert **182**, 291
Fruchart, D., see K. Donnelly **172**, 207
Fruchter, L., see B. Janossy **176**, 517; **181**, 51
Fu, W.T., see F.J.M. Benschop **184**, 311
Fueki, K., see Y. Idemoto **176**, 325; **179**, 96; **181**, 171
Fujii, I., see T. Nishizaki **181**, 223
Fujikami, J., R. Yoshizaki, M. Akamatsu, T. Ishigaki and H. Asano, Site-selective substitution effect on $T_c$ in the $Bi_2(Sr_{2-x}Ca_x)(Ca_{0.8}R_{0.2})Cu_2O_{8+y}$ system (R=rare-earth) **174**, 359
Fujimoto, H., see L.T. Sagdahl **172**, 495
Fujishita, H., M. Sera and M. Sato, Transport properties and crystal structures of new conductive copper oxides $La_2Sr_6Cu_8O_{16+\delta}$ ($\delta$=0.0 and 1.6) **175**, 165
Fujita, J., see T. Yoshitake **174**, 144
Fujita, J., see T. Satoh **183**, 286
Fujita, T., see Y. Maeno **173**, 322
Fujita, T., see M. Kato **176**, 533
Fujita, T., see T. Nojima **178**, 140
Fujita, T., see M. Kurisu **179**, 358
Fujiwara, K., see K. Asayama **178**, 281

Fujiwara, K., see Y. Kitaoka **179**, 107
Fujiwara, K., Y. Kitaoka, K. Ishida, K. Asayama, Y. Shimakawa, T. Manako and Y. Kubo, NMR and NQR studies of superconductivity in heavily doped $Tl_2Ba_2CuO_{6+y}$ with a single $CuO_2$ plane **184**, 207
Fujiwara, S., see Y. Idemoto **176**, 325; **179**, 96
Fukami, T., see Y. Horie **175**, 93; **176**, 521
Fukami, T., K. Hayashi, T. Yamamoto, T. Nishizaki, Y. Horie, F. Ichikawa, T. Aomine, V. Soares and L. Rinderer, Temperature dependence of activation energy due to intrinsic pinning for flux lines in $(Nd_{1-x}Ce_x)_2CuO_{4-\delta}$ films **184**, 65
Fukuda, T., see T. Kajitani **178**, 397
Fukuda, Y., N. Sanada, M. Nagoshi, T. Takahashi, H. Katayama-Yoshida, K. Kikuchi, S. Suzuki, I. Ikemoto, Y. Achiba, Y. Syono and M. Tachiki, Electronic states of core levels and valence bands for $K_xC_{60}$ studied by X-ray photoelectron spectroscopy **181**, 320
Fukunaga, O., see N. Ohashi **177**, 377
Funkenbusch, P.D., see A. Goyal **182**, 203; **183**, 221
Furrer, A., see A. Podlesnyak **175**, 587

Gabilly, R., see C. Legros-Gledel **172**, 304
Gagnon, R., see P. Fournier **177**, 159
Gai, P.L., see C.C. Torardi **176**, 347
Gaines, J.R., see Y. Song **172**, 1
Gaitonde, D.M. and S.N. Behera, The charge bag mechanism of superconductivity in carrier injected charge density wave systems **173**, 293
Galakhov, V.R., see S.M. Butorin **177**, 8
Galbaatar, T., S.L. Drechsler, N.M. Plakida and G.M. Vujičić, Isotope effect in a superconductor with strong anharmonicity **176**, 496
Galkin, S.G., see A.A. Ivanov **180**, 69
Galkin, V.Ju., see A.M. Balagurov **172**, 331
Galleani d'Agliano, E., see T. Aste **182**, 307
Gangopadhyay, A.K. and T.O. Mason, Solubility of Ag in $YBa_2Cu_3O_{6+y}$ and its effect on superconducting properties **178**, 64
Ganguly, P., see T. Mertelj **183**, 11
Gantmakher, V.F., A.M. Neminsky and D.V. Shovkun, AC-susceptibility of $YBa_2Cu_3O_{7-y}$ ceramics in terms of the percolation theory **177**, 469
Gao, J., W.A.M. Aarnink, G.J. Gerritsma, A.J.H.M. Rijnders, H. Rogalla, F. Hakkens, W. Coene and M.A.M. Gijs, Epitaxial multilayers of $YBa_2Cu_3O_x/PrBa_2Cu_3O_x/YBa_2Cu_3O_x$ **177**, 384
Gao, L., see Z.J. Huang **175**, 595
Gao, L., Y.Y. Xue, P.H. Hor and C.W. Chu, The giant short-time decay of persistent currents in $Y_1Ba_2Cu_3O_{7-\delta}$ at 77 K **177**, 438
Gao, W. and J.B. Vander Sande, Increasing the critical current density of BSCCO/Ag superconducting microcomposites by mechanical deformation **181**, 105
Gao, Y., G. Bai, D.J. Lam and K.L. Merkle, Microstructure and defects in *a*-axis oriented $YBa_2Cu_3O_{7-x}$ thin films **173**, 487
Gao, Y., K.L. Merkle, G. Bai, H.L.M. Chang and D.J. Lam, Structure and composition of grain boundary dislocation cores and stacking faults in MOCVD-grown $YBa_2Cu_3O_{7-x}$ thin films **174**, 1
Garbauskas, M.F., see R.H. Arendt **176**, 126, 131; **182**, 73
García, E., see M. Vallet-Regí **180**, 57
Garcia, E., see K.A. Kubat-Martin **172**, 75
García, S., see E. Altshuler **177**, 61
Garg, K.B., see K.V.R. Rao **178**, 352
Garifullin, I.A., N.N. Garif'yanov, N.E. Alekseevskii and S.F. Kim, EPR data on the evolution of the oxygen distribution in single crystals of $YBa_2Cu_3O_{7-\delta}$ **179**, 9
Garif'yanov, N.N., see I.A. Garifullin **179**, 9
Garland, J.C., C.C. Almasan and M.B. Maple, The effect of strong flux line correlations on the irreversibility line of high temperature superconductors **181**, 381
Garriga, M., see J. Kircher **174**, 377
Gartstein, E.L., see B. Fisher **176**, 75
Gasparov, V.A. and A.P. Oganesyan, Temperature dependence of the penetration depth in epitaxial $Y_1Ba_2Cu_3O_{7-x}$ thin films **178**, 445
Gasparov, V.A., Berezinskii–Kosterlitz–Thouless transition and fluctuation paraconductivity in $Y_1Ba_2Cu_3O_7$ single crystal films **178**, 449
Gauzzi, A., M.L. Lucía, B.J. Kellett, J.H. James and D. Pavuna, Large area superconducting $YBa_2Cu_3O_{7-x}$ films grown by single target ion beam sputtering **182**, 57
Gavarri, J.-R., O. Monnereau, G. Vacquier, C. Carel and C. Vettier, Anisotropic compressibility of the orthorhombic phase $Bi_2Sr_2Ca_1Cu_2O_8$ **172**, 213
Geballe, T.H., see J.H. Kim **174**, 435
Geerk, J., see F. Vassenden **175**, 566
Geerk, J., G. Linker, O. Meyer, F. Ratzel, J. Reiner, J. Remmel, T. Kröner, R. Henn, S. Massing, E. Brecht, B. Strehlau, R. Smithey, R.L. Wang, F. Wang, M. Siegel, C. Ritschel and B. Rauschenbach, Systematic studies of HTSC thin film growth by ICM-sputtering **180**, 11
Geerk, J., see R.L. Wang **180**, 65
Geiser, U., A.J. Schultz, H.H. Wang, D.M. Watkins, D.L. Stupka, J.M. Williams, J.E. Schirber, D.L. Overmyer, D. Jung, J.J. Novoa and M.-H. Whangbo, Strain index, lattice softness and superconductivity of organic donor-molecule salts. Crystal and electronic structures of three isostructural salts $\kappa$-(BEDT–TTF)$_2$Cu[N(CN)$_2$]X (X=Cl, Br, I) **174**, 475
Genkin, G.M. and A.V. Okomel'kov, Resistivity of optically excited high-$T_c$ thin superconducting films **182**, 171
Genossar, J., see B. Fisher **176**, 75
Genoud, J.-Y., see G. Triscone **176**, 247
Genoud, J.-Y., T. Graf, A. Junod, D. Sanchez, G. Triscone and J. Muller, Preparation, resistivity, magnetic properties and specific heat of the 95 K superconductor $YBa_2Cu_{3.5}O_{7.5+x}$ ("247") **177**, 315
Genzel, L., see W. Zimmermann **183**, 99
Georgiev, M., The vibronic approach to high-$T_c$ superconductivity **175**, 644
Gerber, A., see S. Revenaz **180**, 180

Gerdanian, P., C. Picard and B. Touzelin, Determination of the tetragonal–orthorhombic phase boundary of $YBa_2Cu_3O_z$ between 100°C and 700°C **182**, 11
Gergis, I.S., P.H. Kobrin, J.T. Cheung, E.A. Sovero, C.L. Lastufka, D.S. Deakin and J. Lopez, Temperature dependence of the microwave surface resistance of YBCO thin films from microstrip resonator measurements **175**, 603
Gergis, I.S., see P.H. Kobrin **176**, 121
Germi, P., see O. Thomas **180**, 42
Gerritsma, G.J., see J. Gao **177**, 384
Geserich, H.P., see J. Kircher **174**, 377
Geus, H., see S. Ruppel **174**, 233
Ghiron, K., see F. Zuo **176**, 541
Ghoroghchian, J., see C.C. Torardi **176**, 347
Ghosh, B., see A.J. Pal **181**, 186
Ghyselen, B., see S. Tyč **180**, 243
Gieres, G., see H. Schmidt **180**, 34
Gijs, M.A.M., see J. Gao **177**, 384
Gijsbertsen, J.G., see E.P. Houwman **183**, 339
Gilbert, P.J., see A. Asthana **174**, 33
Gillespie, D.J., see T.M. Tritt **178**, 296
Ginley, D.S., see B. Morosin **172**, 413; **175**, 241; **183**, 90
Ginzburg, S.L., V.P. Khavronin, G.Yu. Logvinova, I.D. Luzyanin, J. Herrmann, B. Lippold, H. Börner and H. Schmiedel, Low-field electrodynamics of high-$T_c$ superconductors – theory and experiment **174**, 109
Giovannella, C., see P. Cikmach **180**, 160
Giura, M., see E. Silva **173**, 145
Giura, M., R. Fastampa, R. Marcon and E. Silva, Critical field for the onset of the dissipation and 2-D behavior in Bi–Sr–Ca–Cu–O **180**, 212
Glarum, S.H., see R.M. Fleming **173**, 37
Glarum, S.H., see J.M. Rosamilia **182**, 285
Glass, N., see P.H. Kobrin **176**, 121
Glazman, L.I. and A.E. Koshelev, Thermal destruction of phase coherence in layered superconductors. A new phase transition in an ordered vortex state **173**, 180
Gmelin, E., see S.B. Samanta **178**, 171
Göbel, H., see G. Zorn **177**, 494
Gold, A. and A. Mlayah, Dynamical conductivity of a disordered Bose condensate. A simple model for high-$T_c$ superconductors **181**, 374
Goldacker, W., see O. Dobbert **177**, 17
Goldfarb, R.B., see R.J. Loughran **181**, 138
Goll, G., U. Paschen and H. v. Löhneysen, Impurity contributions to the specific heat of $YBa_2Cu_3O_{7-\delta}$ single crystals below 1 K in magnetic fields up to 6 T **177**, 351
Golosovsky, M., Y. Naveh, D. Davidov, H. Raffy, M. Schieber and S. Chocron, Harmonic generation by current modulation of the microwave transmission through granular high-$T_c$ superconducting films **176**, 379
Golosovsky, M., Y. Naveh and D. Davidov, Anisotropic viscous flux motion in high-$T_c$ superconducting films **180**, 164
Goltsev, A.V., see V.V. Bryksin **172**, 352
González, M.A., P. Prieto, D. Oyola and J.L. Vicent, Temperature and magnetic field dependence of the Hall effect in the mixed state of $HoBa_2Cu_3O_{7-x}$ HTSC thin films **180**, 220
González-Calbet, J.M., see M. Vallet-Regí **180**, 57
Goodyear, S.W., see J.S. Satchell **180**, 247
Gopalakrishnan, I.K., see R.A. Gunasekaran **172**, 325; **180**, 324
Gopalakrishnan, I.K., J.V. Yakhmi and R.M. Iyer, $TlCaBaSrCu_2O_{7-\delta}$, a new 94 K superconductor **172**, 450
Gopalakrishnan, I.K., J.V. Yakhmi and R.M. Iyer, Stabilization of superconductivity in $TlBa_2CuO_{5-\delta}$ at 9.5 K and its enhancement to 43 K in $TlBaSrCuO_{5-\delta}$ **175**, 183
Gopalakrishnan, I.K., J.V. Yakhmi, H. Rajagopal, A. Sequeira and R.M. Iyer, Ambient pressure synthesis and neutron structure analysis of $YBa_2Cu_4O_8$ **182**, 67
Gopalakrishnan, J., see C.N.R. Rao **174**, 11
Gopinath, C.S. and S. Subramanian, Photoemission study of the high-$T_c$ superconductor $Bi_{1.8}Pb_{0.4}Sr_2Ca_{2.2}Cu_3O_{10}$ **176**, 331
Gopinath, C.S., R. Nirmala and S. Subramanian, WHMO calculations on CuO clusters of $YBa_2Cu_3O_{7-x}$. Correlation between $T_c$, structure, oxygen stoichiometry and highest occupied molecular orbital energy **177**, 27
Gorbachev, V.S., see V.V. Alexandrov **173**, 458
Gorbachev, V.S., see M.A. Baranov **179**, 52
Gorbunov, A.V., see A.V. Bazhenov **176**, 35
Gorbunov, V.N., see V.I. Fesenko **176**, 551
Gornostyrev, Yu.N., M.I. Katsnelson and A.V. Trefilov, Defects at structure domain boundaries in $YBa_2Cu_3O_7$ and their dynamics **179**, 119
Gosset, P.C. and B.L. Györffy, The effects of quantum fluctuations on an array of Josephson coupled point superconductors in a magnetic field **177**, 356
Gotoh, S., see L.T. Sagdahl **172**, 495
Gotoh, S. and N. Koshizuka, Direct observation of magnetic flux behavior in high-$T_c$ $YBa_2Cu_3O_x$ superconductors using the magneto-optical effect of iron garnet films **176**, 300
Götz, D., see M. Boekholt **176**, 420
Gougeon, P., see X. Bozec **179**, 22
Gougeon, P., see M. Saint-Paul **180**, 394
Gould, A., see M.A. Manheimer **183**, 324
Goyal, A., P.D. Funkenbusch, D.M. Kroeger and S.J. Burns, Fabrication of highly aligned $YBa_2Cu_3O_{7-\delta}$–Ag melt-textured composites **182**, 203
Goyal, A., W.C. Oliver, P.D. Funkenbusch, D.M. Kroeger and S.J. Burns, Mechanical properties of highly aligned $YBa_2Cu_3O_{7-\delta}$. Effect of $Y_2BaCuO_x$ particles **183**, 221
Graebner, J.E., see S. Jin **173**, 75; **177**, 189
Graebner, J.E., H.M. O'Bryan, R.A. Fastnacht and S. Jin, Sensitivity of $T_c$ to quenching in $YBa_2Cu_4O_{8-\delta}$ **173**, 135
Graf, T., see M. Affronte **172**, 131
Graf, T., see O.V. Alexandrov **172**, 491
Graf, T., see G. Triscone **176**, 247
Graf, T., see J.-Y. Genoud **177**, 315
Grantscharova, E., see R. Vijayaraghavan **179**, 183
Grassmann, A., see M. Klauda **173**, 109
Graves, P.R., see A. Crossley **176**, 106

Graves, P.R., S. Myhra, K. Hawkins and T.J. White, Raman-active modes in the $(Ca_xSr_{1-x})_{n+1}Ti_nO_{3n+1}$ layer perovskites **181**, 265
Gray, K.E., R.T. Kampwirth, D.J. Miller, J.M. Murduck, D. Hampshire, R. Herzog and H.W. Weber, Observation of the crossover between bulk flux pinning and Josephson phase slips in the critical current of granular superconducting NbN/AlN multilayer films **174**, 340
Gray, K.E., see D.H. Kim **177**, 431
Gray, K.E. and D.H. Kim, Flux pinning and dissipation in high-temperature superconductors **180**, 139
Greaves, C. and P.R. Slater, Synthesis and structure of the tetragonal "$Ba_3YCu_2O_x$" phase. A perovskite containing carbonate anions **175**, 172
Greaves, C., see R. Dupree **179**, 311
Greaves, C., see P.R. Slater **180**, 299; **183**, 111
Green, S.M., see W. Jiang **181**, 68
Green, S.M., see M.A. Manheimer **183**, 324
Greenblatt, M., see S. Li **173**, 239
Greenblatt, M., see M.-H. Pan **176**, 80; **184**, 235
Greenblatt, M., see H.T. Shih **176**, 87
Greene, R.L., see J.L. Peng **172**, 143; **177**, 79
Greene, R.L., see W. Jiang **181**, 68
Grenet, T., see M.A. Crusellas **180**, 313
Grenier, J.-C., A. Wattiaux, N. Lagueyte, J.C. Park, E. Marquestaut, J. Etourneau and M. Pouchard, A new superconductor obtained by electrochemical oxidation of $La_2CuO_4$ **173**, 139
Grenier, J.-C., see F. Arrouy **175**, 342
Grenier, J.-C., see J.C. Park **177**, 487
Griessen, R., Thermally activated flux motion near the absolute zero **172**, 441
Griessen, R., Relaxation effects, $I$–$V$ curves and irreversibility lines in high-$T_c$ superconductors **175**, 315
Grishin, Yu.A., see S.N. Smirnov **182**, 261
Gritzner, G., see K. Kellner **173**, 208
Gritzner, G. and K. Bernhard, $Pb_{0.3}Bi_{1.7}Ca_xSr_{4-x}Cu_3O_y$ and $Pb_{0.4}Bi_{1.6}Ca_xSr_{4-x}Cu_3O_y$ superconductors from coprecipitated oxalate precursors **181**, 201
Gronsky, R., see N. Kijima **181**, 18; **184**, 127
Gros, Y., see F. Hartmann-Boutron **172**, 287
Gros, Y., see C. Meyer **181**, 1
Groshev, A., see T. Hristov **175**, 600
Gross, R. and B. Mayer, Transport processes and noise in $YBa_2Cu_3O_{7-\delta}$ grain boundary junctions **180**, 235
Groult, D., see A. Maignan **177**, 461
Groult, D., see V. Hardy **178**, 255
Grovenor, C.R.M., see L.T. Romano **178**, 41
Gu, D.X., see Y. Xin **177**, 183; **184**, 185
Guan, W., see Y. Xu **183**, 105
Guggi, D., see E. Sodtke **180**, 50
Guidi, G., see L. Cristofolini **181**, 121
Guilloux-Viry, M., see M.G. Karkut **179**, 262
Guimpel, J., P. Høghøj, I.K. Schuller, J. Vanacken and Y. Bruynseraede, Scaling of the irreversibility line in a low temperature superconducting oxide **175**, 197
Gunasekaran, R.A., I.K. Gopalakrishnan, J.V. Yakhmi, R.M. Iyer, C.V. Tomy and S.K. Malik, Superconducting behavior of tetragonal $Ca_{1-x}Cd_xBaLaCu_3O_{7-\delta}$ **172**, 325
Gunasekaran, R.A., I.K. Gopalakrishnan, J.V. Yakhmi, R.M. Iyer, C.V. Tomy and S.K. Malik, Effect of partial substitution of Ni and Zn for Cu in $CaBaLaCu_3O_{7-\delta}$ superconductor **180**, 324
Güntherodt, G., see M. Boekholt **175**, 127; **176**, 420; **179**, 101; **181**, 179
Güntherodt, H.-J., see H.J. Hug **175**, 357
Guo, G.Y., see Z. Szotek **175**, 1
Guo, S.J., see S.X. Dou **172**, 63
Gupta, A., see A. Kussmaul **177**, 415
Gupta, A., see Y. Kopelevich **183**, 345
Gupta, A., P. Esquinazi and H.F. Braun, Role of granularity in thermally activated depinning **184**, 393
Gupta, L.C., see R. Pinto **175**, 310
Gupta, L.C., see A. Sundaresan **178**, 193
Gupta, L.C., see D.G. Kuberkar **182**, 149
Gupta, M., see R.P. Gupta **173**, 357; **178**, 345, 414
Gupta, M. and R.P. Gupta, Pressure dependence of the hole concentration in superconducting $La_{1.85}Sr_{0.15}CuO_4$ **173**, 381
Gupta, M., see C. Legros-Glédel **175**, 279
Gupta, R.P. and M. Gupta, Pressure dependence of the carrier concentration in the electron-doped superconductor $Nd_{1.85}Ce_{0.15}CuO_4$ **173**, 357
Gupta, R.P., see M. Gupta **173**, 381
Gupta, R.P. and M. Gupta, Pressure dependence of the hole concentration in the $T^*$-phase superconductor $Nd_{2-x-y}Ce_xSr_yCuO_4$ **178**, 345
Gupta, R.P. and M. Gupta, Absence of pressure-induced charge transfer in superconducting $YBa_2Cu_3O_7$ **178**, 414
Gurevich, A., see M. Polák **174**, 14
Guru Row, T.N., see D. Kovatcheva **173**, 444
Guru Row, T.N., see R. Vijayaraghavan **179**, 183
Gusmão, M.A., see P. Pureur **176**, 357
Guyot, H., Influence of the oxygen content on the electronic structure of the HTSC $YBa_2Cu_3O_{7-\delta}$ **180**, 108
Gygax, S., see J.P. Franck **172**, 90
Györffy, B.L., see P.C. Gosset **177**, 356

Habermeier, H.-U., see D. van der Marel **176**, 1; **180**, 112
Habermeier, H.-U., G. Beddies, B. Leibold, G. Lu and G. Wagner, Y–Ba–Cu–O high temperature superconductor thin film preparation by pulsed laser deposition and RF sputtering: a comparative study **180**, 17
Habermeier, H.-U., see F.S. Razavi **180**, 81
Habermeier, H.-U., see A. Forkl **180**, 155
Habermeier, H.-U., see R. Boyn **181**, 75
Hackenbroich, G. and S. Scheidl, Rigorous determination of the disintegration temperature of single vortex lines **181**, 163
Hadjiev, V.G., see D.M. Mateev **179**, 295
Hadjoudj, S., see S. Senoussi **175**, 215
Hahn, D., see J.C. Jol **175**, 12
Hahn, T., see M. Boekholt **176**, 420
Hakkens, F., see J. Gao **177**, 384
Hall, W.F., see P.H. Kobrin **176**, 121

Halsey, B., see M.A. Manheimer **183**, 324
Hamada, K., see T. Wada **175**, 529
Hamet, J.-F., see G. Poullain **182**, 143
Hampshire, D., see K.E. Gray **174**, 340
Han, P.D., see A. Asthana **174**, 33
Han, Z.P., see R. Dupree **175**, 269; **179**, 311
Han, Z.P., R. Dupree, D.Mck. Paul, A.P. Howes and L.W.J. Caves, A $^{89}$Y NMR study of Pr- and Nd-doped $YBa_2Cu_3O_7$ **181**, 355
Hardy, V., D. Groult, J. Provost, M. Hervieu, B. Raveau and S. Bouffard, GeV-heavy ion irradiation effects in thallium-based superconducting copper oxides **178**, 255
Hardy, W.N., see E. Altendorf **175**, 47
Hardy, W.N., see P. Schleger **176**, 261
Harnischmacher, J., see N. Knauf **173**, 414
Harris Jr., J.S., see J.H. Kim **174**, 435
Hartmann, M., see S. Lösch **177**, 271
Hartmann-Boutron, F. and Y. Gros, Asymmetry of the $^{57}$Fe Mössbauer quadrupole doublet in oriented powders and in single crystals of high-$T_c$ superconductors **172**, 287
Hartmann-Boutron, F., see C. Meyer **181**, 1
Harzer, J.V., see M. Boekholt **179**, 101
Hase, T., see H. Takahashi **179**, 291
Hashimoto, T., see M. Yoshimoto **181**, 284
Hauck, J. and K. Mika, Search for new high-$T_c$ oxide structures **175**, 386
Hauck, J., H. Altenburg, B. Bischof, S. Denker, E. Droste, S. Ipta and J. Plewa, Variation of the oxygen content of lead-containing cuprates **178**, 405
Hawkins, K., see P.R. Graves **181**, 265
Hayashi, K., see T. Fukami **184**, 65
Hayashi, S., K. Shibutani, I. Shigaki, R. Ogawa, Y. Kawate, V. Maret, K. Kitahama and S. Kawai, Anisotropy of the magnetic properties in $Bi_2Sr_2CaCu_2O_x$ single crystal **174**, 329
Hayn, R. and R. Schumann, The charge-transfer gap within the Gutzwiller approximation **174**, 199
Hayshi, S., see K. Shibutani **173**, 398
He, J., see L. Wang **172**, 267
He, Q., see H. Zhang **174**, 355
He, Q.G., F. Lin, D. Chang, M. Eschwei and W.C. Wang, Transforming non-superconducting, tetragonal phase YBaCuO films into superconductors by ion implantation **184**, 295
He, Y., see Y. Wang **178**, 287
Heald, S.M., see Z. Tan **184**, 229
Hecking, P. and M. Bacon, Attractive force and residual magnetism in AgO-doped and non-doped YBCO **182**, 52
Heiden, C., see C.L. Jia **175**, 545
Heidmann, C.-P., see Y. Kopelevich **183**, 345
Heinmaa, I., see A.V. Skripov **172**, 340
Heinrich, B., see J. Chrzanoswki **182**, 231
Heinz, D.L., see G.T. Seidler **183**, 333
Heinz, E., see P. Seidel **180**, 284
Heinz, E., see M. Siegel **180**, 288
Heitmann, D., see D. van der Marel **176**, 1; **180**, 112
Hejtmánek, J., see M. Nevřiva **179**, 253
Hellstrom, E.E., see R.D. Ray II **172**, 435; **175**, 255
Hellstrom, E.E., see R.R. Schartman **173**, 245
Henn, R., see J. Geerk **180**, 11
Hennion, M., see E. Vanlathem **177**, 207
Hennion, M., see I. Mirebeau **184**, 299
Henry, J.Y., see V.V. Moshchalkov **175**, 407
Henry, J.Y., see S. De Brion **178**, 225
Hergt, R., see W. Andrä **180**, 184, 188
Hermann, A.M., see D.E. Weeks **176**, 368
Hermann, A.M., see F. Zuo **176**, 541
Herrman, K., see C.L. Jia **175**, 545
Herrmann, J., see S.L. Ginzburg **174**, 109
Hertel, P., see F. Richter **172**, 127
Hervieu, M., see A. Maignan **177**, 461
Hervieu, M., see C. Michel **178**, 29
Hervieu, M., see V. Hardy **178**, 255
Hervieu, M., see C. Martin **179**, 1
Hervieu, M., see M. Huve **179**, 229
Herzog, P., see M. Buchgeister **178**, 105
Herzog, R., see K.E. Gray **174**, 340
Hessen, B., see R.J. Cava **177**, 115
Hettich, B., see Ch. Lang **182**, 79
Hewat, A.W., see D. Kovatcheva **173**, 444; **174**, 280
Hidaka, Y., see T. Kamiyama **172**, 120
Hidaka, Y., see M. Matsuda **179**, 347
Hidaka, Y., see M. Arai **181**, 45
Hill, A.J., I.M. Katz, P.L. Jones and R.P. Pagano, The study of the high temperature superconductor Y–Ba–Cu–O by positron annihilation lifetime spectroscopy **176**, 64
Hillebrands, B., see M. Boekholt **179**, 101
Hiller, W. and K. Kopitzki, Inverse AC Josephson effect in granular superconductors of different Josephson-coupling **174**, 467
Hills, B.J., see M.R. De Guire **179**, 333
Hilscher, G., see M. Forsthuber **177**, 401
Hinkel, V., see F. Ludwig **180**, 85
Hinks, D.C., see S.J.L. Billinge **179**, 279
Hirabayashi, I., see N. Ogawa **177**, 101
Hiraga, K., see A. Tokiwa **172**, 155
Hiraga, K., see T. Kajitani **178**, 397
Hiraga, K., see S. Nakajima **182**, 89
Hirata, K., see G. Ockenfuß **180**, 30
Hiratani, M., see A. Tsukamoto **181**, 369
Hiroi, Z., see M. Takano **176**, 441
Hirsch, J.E. and F. Marsiglio, Prediction for the change in lattice constants of electron-doped high-$T_c$ superconductors under hydrostatic pressure based on the observed pressure dependence of $T_c$ **172**, 265
Hirsch, J.E., Bose decondensation versus pair unbinding in short-coherence-length superconductors **179**, 317
Hirsch, J.E., Why is photoemission better than inverse photoemission for studying high-$T_c$ oxides? **182**, 277
Hitterman, R.L., see R.H. Arendt **182**, 73
Ho, J.C., see X.W. Cao **182**, 153
Ho, J.C., see X.L. Mao **183**, 167
Ho, W.W., see P.H. Kobrin **176**, 121
Hodeau, J.L., see H. Renevier **172**, 183

Hodeau, J.L., see D. Braithwaite **178**, 75
Hodges, J.A., P. Bonville, P. Imbert and G. Jéhanno, Cu(2) magnetic correlations in $YBa_2Cu_3O_x$ studied by Mössbauer spectroscopy on substituted $^{170}Yb^{3+}$. I. $^{170}Yb^{3+}$ hyperfine parameters ($x \simeq 7.0$) and static properties of the Cu(2) derived molecular field ($x \simeq 6.0$) **184**, 259
Hodges, J.A., P. Bonville, P. Imbert, G. Jéhanno and P. Debray, Cu(2) magnetic correlations in $YBa_2Cu_3O_x$ ($6.0 \lesssim x \lesssim 7.0$) studied by Mössbauer spectroscopy on substituted $^{170}Yb^{3+}$. II. Dynamic properties **184**, 270
Hodges, J.A., P. Bonville, P. Imbert and G. Jéhanno, Single ion properties of $Er^{3+}$ in $YBa_2Cu_3O_x$ and $Er^{3+}$ ordering arrangement in $ErBa_2Cu_3O_x$ ($x \simeq 7.0$ and 6.0) studied by $^{166}Er$ Mössbauer spectroscopy **184**, 283
Hoenig, H.E., see O. Eibl **172**, 365, 373
Hoffmann, M., see M. Boekholt **175**, 127
Høghøj, P., see J. Guimpel **175**, 197
Holtzberg, F., see G. Burns **181**, 37
Holzapfel, W.B., see F. Arrouy **184**, 74
Homonnay, Z., A. Nath, Y. Wei and T. Jing, Microprobing of the chain site in $YBa_2Cu_3O_{6+x}$ by cobal-157 as a function of the oxygen content. Superconductor–insulator transition **174**, 223
Hong, G.-Y., see Y.-R. Li **176**, 477
Honma, T., K. Yamaya, F. Minami and S. Takekawa, Temperature dependences of anisotropic resistivity in the *a*–*b* plane and Hall coefficient in a single-crystal $Bi_2Sr_2CaCu_2O_y$ **176**, 209
Hor, P.H., see Z.J. Huang **174**, 253; **175**, 595; **176**, 195; **180**, 331
Hor, P.H., see J.G. Lin **175**, 627
Hor, P.H., see L. Gao **177**, 438
Hor, P.H., see R.L. Meng **179**, 149
Horie, Y., T. Miyazaki and T. Fukami, Ultrasonic investigation of thermally assisted flux flow in $(La_{1-x}Sr_x)_2CuO_4$ ceramics **175**, 93
Horie, Y., see B. Zhao **176**, 409; **179**, 138
Horie, Y., T. Miyazaki, T. Fukami and A.A.A. Youssef, Ultrasonic studies of thermally assisted flux flow and intrinsic pinning in high-$T_c$ phase Bi–Pb–Sr–Ca–Cu–O ceramics **176**, 521
Horie, Y., see T. Fukami **184**, 65
Horiuchi, H., see M. Kimura **174**, 263
Horiuchi, S., see X.J. Wu **174**, 423
Hornick, C., see R. Kuentzler **184**, 316
Horwitz, J.S., see M.S. Osofsky **182**, 257
Hösler, W., see H. Schmidt **180**, 34
Hosoya, S., see T. Kajitani **178**, 397
Hosseini, S.M., see M. Buchgeister **178**, 105
Housley, R.M., see R.P. Vasquez **175**, 233
Housley, R.M., see P.E.D. Morgan **176**, 279
Houwman, E.P., J.G. Gijsbertsen, J. Flokstra and H. Rogalla, On the suppression of the sidelobes of the supercurrent in small Josephson tunnel junctions **183**, 339
Howes, A.P., see R. Dupree **175**, 269
Howes, A.P., see Z.P. Han **181**, 355
Howson, M.A., J. Porter and G.J. Morgan, An effective attractive electron–electron interaction and high-$T_c$ superconductivity **173**, 51
Hradil, K., see O. Eibl **177**, 89
Hradil, K., see H. Schmidt **180**, 34
Hristov, T. and A. Groshev, Coupled Josephson and piezo oscillators. The effects of capacitance, noise and quality **175**, 600
Hsieh, Y.-F., see M.P. Siegal **172**, 282
Hsu, H., see K.H. Sandhage **177**, 45
Hsu, S.E., see L.H. Perng **175**, 667
Hu, S.H., see L. Luo **178**, 11
Hu, W.X., see L. Luo **178**, 11
Huang, Y., M.J. Lancaster, T.S.M. Maclean, Z. Wu and N.McN. Alford, A high-temperature superconductor superdirectional antenna array **180**, 267
Huang, Y.T., see C. Chiang **172**, 271
Huang, Z.-H. and R.E. Allen, Calculations of optical properties of high-temperature superconductors **173**, 173
Huang, Z.J., Y.Y. Xue, J. Kulik, Y.Y. Sun and P.H. Hor, Enhancement of critical current density in $YBa_2Cu_3O_{7-\delta}$ **174**, 253
Huang, Z.J., Y.Q. Wang, Y.Y. Sun, R.L. Meng, J.W. Chu, L. Gao, J. Bechtold, H.H. Feng, Y.Y. Xue, P.H. Hor and C.W. Chu, Resistive and magnetic anomalies in the Bi–Sr–V–O and Tl–Sr–V–O compound systems **175**, 595
Huang, Z.J., Y.Y. Xue, P.H. Hor and C.W. Chu, A possible new vortex phase boundary in $YBa_2Cu_3O_{7-\delta}$ **176**, 195
Huang, Z.J., H.H. Fang, Y.Y. Xue, P.H. Hor, C.W. Chu, M.L. Norton and H.Y. Tang, Study of the magnetic properties of single-crystal $Ba_{0.6}K_{0.4}BiO_3$ **180**, 331
Huang, Z.J., Y.Y. Xue, H.H. Feng and C.W. Chu, The $E-J$ characteristic of $YBa_2Cu_3O_{7-\delta}$ in a very low dissipation region **184**, 371
Hubbard, C.R., see K. Doverspike **172**, 486
Hubert, L., see O. Thomas **180**, 42
Hudner, J., see H. Ohlsén **180**, 73
Hudnik, V., see G. Tavčar **175**, 607
Huebener, R.P., see G.Yu. Logvenov **175**, 179
Huebener, R.P., see S. Lösch **177**, 271
Huebener, R.P., F. Kober, H.-C. Ri, K. Knorr, C.C. Tsuei, C.C. Chi and M.R. Scheuermann, Seebeck and Nernst effect in the mixed state of slightly oxygen deficient YBaCuO **181**, 345
Hug, H.J., Th. Jung, H.-J. Güntherodt and H. Thomas, Theoretical estimates of forces acting on a magnetic force microscope tip over a high temperature superconductor **175**, 357
Hui, P.M., see D.M.T. Kuo **174**, 365
Hull, G.W., see J.M. Tarascon **172**, 13
Hull, G.W., see K. Remschnig **175**, 261
Hults, W.L., see G.H. Kwei **175**, 615
Humphreys, R.G., see J.S. Satchell **180**, 247
Hundley, M.F., R.S. Kwok, S.-W. Cheong, J.D. Thompson and Z. Fisk, Anisotropic electronic and thermal transport properties of lightly oxygen-doped $La_2CuO_{4+\delta}$ **172**, 455
Huong, P.V., see J.C. Park **177**, 487
Huong, P.V., Microstructure of high temperature

superconductor thin films as studied by micro-Raman spectroscopy **180**, 128
Huth, M., M. Schmitt and H. Adrian, Influence of composition and long term annealing on the weak link behaviour of the high-$T_c$ superconductor (Bi, Pb)$_{2+x}$Sr$_{2-y}$Ca$_{2+y}$Cu$_{3+z}$O$_{10+\delta}$ **178**, 203
Huve, M., see C. Martin **179**, 1
Huve, M., C. Michel, C. Martin, M. Hervieu, A. Maignan, J. Provost and B. Raveau, The "1201"-phase of the "Tl–Sr–La–Cu–O" system. Homogeneity range, structure and superconductivity **179**, 229
Hwang, D.M., see R. Ramesh **173**, 163
Hwang, H.Y., see Z. Tan **184**, 229

Iannuzzi, M., see P. Cikmach **180**, 160
Ibrahim, H.M., see M. ElMassalami **183**, 143
Ichikawa, F., see T. Fukami **184**, 65
Ichikawa, S., see Y. Idemoto **181**, 171
Ichinose, A., see T. Wada **175**, 529; **179**, 455
Ichinose, A., see T. Kaneko **177**, 153
Idemoto, Y., S. Fujiwara and K. Fueki, High temperature conductivity of 2212 phase of the Bi–Sr–Ca–Cu–O superconducting oxide **176**, 325
Idemoto, Y., S. Fujiwara and K. Fueki, High temperature conductivity of 2223 phase of Bi–Pb–Sr–Ca–Cu–O superconducting oxides **179**, 96
Idemoto, Y., S. Ichikawa and K. Fueki, Oxygen nonstoichiometry of 2223 phase Bi–Pb–Sr–Ca–Cu–O system superconducting oxide **181**, 171
Idink, H., see M. Boekholt **176**, 420
Ido, M., see M. Oda **183**, 234
Ido, M., see N. Momono **183**, 241
Igarashi, H., see T. Yoshitake **174**, 144
Igarashi, H., see E. Iguchi **179**, 393
Igarashi, H., see T. Satoh **183**, 286
Iguchi, E., H. Nishikawa, A. Tamenori, T. Manako and H. Igarashi, Correlation between ionic potential and superconductivity in $Tl_2Ba_2CuO_{6+x}$ series **179**, 393
Iguchi, I. and Z. Wen, Tunnel gap structure and tunneling model of the anisotropic YBaCuO/I/Pb junctions **178**, 1
Ikawa, H., see N. Ohashi **177**, 377
Ikegawa, S., see M. Kosuge **176**, 373
Ikemoto, I., see Y. Fukuda **181**, 320
Ikeno, Y., see X.J. Wu **174**, 423
Iliev, M.N., see M.V. Abrashev **178**, 317
Iliev, M.N., see D.M. Mateev **179**, 295
Il'in, N.V., see V.V. Alexandrov **173**, 458
Imai, T., see T. Machi **173**, 32
Imbert, P., see J.A. Hodges **184**, 259, 270, 283
Inam, A., see R. Ramesh **173**, 163
Inameti, E.E., see M.S. Raven **178**, 275
Ingold, M., see O. Thomas **180**, 42
Ipta, S., see J. Hauck **178**, 405
Iqbal, Z., see F.J. Owens **174**, 309
Irkhin, V.Yu., see A.O. Anokhin **179**, 167
Irwin, J.C., see J.P. Franck **172**, 90
Irwin, J.C., see E. Altendorf **175**, 47
Irwin, J.C., see J. Chrzanoswki **182**, 231
Ishibashi, M., see N.A. Fortune **178**, 437
Ishida, K., see K. Asayama **178**, 281
Ishida, K., Y. Kitaoka, T. Yoshitomi, N. Ogata, T. Kamino and K. Asayama, Gapless superconductivity in Zn-doped $YBa_2Cu_3O_7$ studied by Cu NMR and NQR. Possibility of d-wave superconductivity in high-$T_c$ oxides **179**, 29
Ishida, K., see Y. Kitaoka **179**, 107
Ishida, K., see K. Fujiwara **184**, 207
Ishida, T., K. Koga, S. Nakamura, Y. Iye, K. Kanoda, S. Okui, T. Takahashi, T. Oashi and K. Kumagai, Superconductivity and magnetism of $Bi_2Sr_2CaCu_2O_x$. Effect of quenching and pulverization **176**, 24
Ishida, T., K. Kanoda, T. Takahashi and K. Koga, Origin of spin susceptibility in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ ($n$~2,3) **178**, 231
Ishida, T., S. Okayasu and Y. Kazumata, Bulk critical temperature enhancement of $Bi_{1.8}Pb_{0.2}Sr_2CaCu_2O_8$ by phenol treatment **178**, 301
Ishida, T., Complex susceptibility and critical temperature of phenol-treated $Bi_{1.8}Pb_{0.2}Sr_2CaCu_2O_8$ **181**, 392
Ishigaki, T., see J. Fujikami **174**, 359
Ishii, T., T. Watanabe, K. Kinoshita and A. Matsuda, Single crystal growth and superconductivity in $La_{1.87}Ca_{1.13}Cu_2O_6$ **179**, 39
Ishikawa, M., see I. Das **173**, 331
Ishikawa, M., see Y. Nakazawa **174**, 155
Ishizaka, K., see Y. Sawai **176**, 147
Itoh, M., see T. Nakamura **181**, 233
Itoh, T., see J.O. Willis **175**, 81
Ivanov, A.A., S.G. Galkin, A.V. Kuznetsov and A.P. Menushenkov, Smooth homogeneous HTSC thin films produced by laser deposition with flux separation **180**, 69
Ivanov, A.A., see V.N. Trofimov **183**, 135
Iwai, Y., M. Noguchi, H. Saito and M. Takata, Preparation of $YBa_2Cu_4O_8$ by a seeding method at ambient pressure **181**, 261
Iwase, A., N. Masaki, T. Iwata and T. Nihira, Non-ohmic resistive state in ion-irradiated $YBa_2Cu_3O_{7-x}$ **174**, 321
Iwata, T., see A. Iwase **174**, 321
Iye, Y., T. Tamegai and S. Nakamura, Dissipation in extremely anisotropic layered superconductor in parallel magnetic field **174**, 227
Iye, Y., see T. Ishida **176**, 24
Iye, Y., T. Terashima and Y. Bando, Anomalous angular dependence of dissipation in layered high-temperature superconductors **177**, 393
Iye, Y., see C. Murayama **183**, 277
Iye, Y., T. Terashima and Y. Bando, Intrinsic pinning and dissipation at high current density in epitaxial thin films of $YBa_2Cu_2O_{7-y}$ **184**, 362
Iyer, R.M., see R.A. Gunasekaran **172**, 325; **180**, 324
Iyer, R.M., see I.K. Gopalakrishnan **172**, 450; **175**, 183; **182**, 67
Iyer, R.M., see A. Sequeira **173**, 267
Iyer, R.M., see P.V.P.S.S. Sastry **178**, 110
Izhik, E.V., see N.T. Cherpak **180**, 280

Izumi, F., see T. Kamiyama **172**, 120
Izumi, F., J.D. Jorgensen, P. Lightfoot, S. Pei, Y. Yamada, E. Takayama-Muromachi and T. Matsumoto, Pressure-induced structural changes in the superconductor $(Nd_{1-x}Sr_x)(Nd_{1-y}Ce_y)CuO_{4-z}$. A neutron diffraction study **172**, 166
Izumi, F., see Y. Yamada **173**, 185
Izumi, F., see T. Maeda **175**, 393
Izumi, F., see T. Wada **179**, 455
Izumi, H., see H. Takahashi **179**, 291

Jacquot, J.F., see V.V. Moshchalkov **175**, 407
Jaggi, N.K., see S.F. Wahid **184**, 88
Jakob, G., see A. Walkenhorst **177**, 165
Jambazov, S., see E.S. Vlakhov **175**, 335
James, J.H., see A. Gauzzi **182**, 57
Jánossy, A., see S. Pekker **181**, 11
Janossy, B., H. Kojima, I. Tanaka and L. Fruchter, Anisotropic properties of single-crystal $(La_{1-x}Sr_x)_2CuO_4$ $(x=0.075)$ **176**, 517
Janossy, B., D. Prost, S. Pekker and L. Fruchter, Magnetic study of oxygen-deficient $YBaCuO_{7-\delta}$ **181**, 51
Jansak, L., see S. Zannella **180**, 373
Jansen, L., L. Chandran and R. Block, Indirect exchange mechanism of high-$T_c$ superconductivity: Pressure gradients of $T_c$ in hole-doped and electron-doped superconductors **173**, 409
Jansen, L. and R. Block, On the concept of "bound valence sums" and its applicability in the analysis of high-$T_c$ superconductors **181**, 149
Jansen, L., R. Block and E. Lombardi, On the superconductivity of K- or Rb-doped buckminsterfullerene $C_{60}$ **182**, 17
Jéhanno, G., see J.A. Hodges **184**, 259, 270, 283
Jéhanno, G., see I. Mirebeau **184**, 299
Jeon, Y., see S. Li **173**, 239
Jérome, D., see F. Barriquand **177**, 230
Jha, A.K., see S. Bansal **173**, 260
Jha, S.S., see A.K. Rajagopal **174**, 161
Jha, S.S., see M.R. Press **178**, 305
Jia, C.L., B. Kabius, H. Soltner, U. Poppe and K. Urban, Interfacial defects in $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$-heterostructures on $SrTiO_3$ substrates **172**, 81
Jia, C.L., B. Kabius, K. Urban, K. Herrman, G.J. Cui, J. Schubert, W. Zander, A.I. Braginski and C. Heiden, Microstructure of epitaxial $YBa_2Cu_3O_7$ films on step-edge $SrTiO_3$ substrates **175**, 545
Jia, C.L., H. Soltner, B. Kabius, U. Poppe, K. Urban and J. Schubert, A study of antiphase boundaries and "223" planar faults in epitaxial $YBa_2Cu_3O_7$ films by high resolution electron microscopy **182**, 163
Jiang, C., see R. Akis **176**, 485
Jiang, M., see X. Wang **182**, 333
Jiang, M.H., C.A. Ventrice Jr., K.J. Scoles, S. Tyagi, N.J. DiNardo and A. Rothwarf, Point contact tunneling study of $Bi_2Sr_2CaCu_2O_8$ single crystals **183**, 39
Jiang, P.Z., see W. Kritscha **179**, 59
Jiang, W., S.M. Green and R.L. Greene, Preparation and properties of superconducting $Bi_2Ca_{3-x}R_xCu_2O_{8+\delta}$ **181**, 68
Jilek, E., see I. Mangelschots **172**, 57
Jilek, E., see D. Braithwaite **178**, 75
Jilek, E., see T. Krekels **178**, 383
Jilek, E., see M. Knupfer **182**, 62
Jin, S., T.H. Tiefel, G.W. Kammlott, R.A. Fastnacht and J.E. Graebner, Superconducting properties of $YBa_2Cu_3O_{7-\delta}$ with partial rare earth substitution **173**, 75
Jin, S., see J.E. Graebner **173**, 135
Jin, S., J.E. Graebner, T.H. Tiefel, R.B. van Dover, A.E. White and G.W. Kammlott, High critical currents in *c*-axis textured Bi–Pb–Sr–Ca–Cu–O superconductor ribbons **177**, 189
Jin, S., G.W. Kammlott, T.H. Tiefel, T.T. Kodas, T.L. Ward and D.M. Kroeger, Microstructure and properties of the Y–Ba–Cu–O superconductor with submicron "211" dispersions **181**, 57
Jin, X., see X. Wang **175**, 577
Jing, T., see Z. Homonnay **174**, 223
Job, R. and M. Rosenberg, Lower critical field, remanent magnetization and irreversibility line of ceramic (Bi,Pb)-2223-HTSC **172**, 391
Job, R., see M. Mittag **174**, 101
Jobst, B., see G. Zorn **177**, 494
Johansson, L.-G., see M. Kakihana **173**, 377
Johnson, J.D., see R.S. Liu **181**, 303
Johnson, K.H., M.E. McHenry and D.P. Clougherty, High-$T_c$ superconductivity in potassium-doped fullerene, $K_xC_{60}$, via coupled $C_{60}(p\pi)$ cluster molecular orbitals and dynamic Jahn–Teller coupling **183**, 319
Johnston, H.L., see R.G. Buckley **174**, 383
Joiner, W.C.H., see L.C. Sengupta **175**, 17
Jol, J.C., D. Reefman, H.B. Brom, T. Zetterer, D. Hahn, H.H. Otto and K.F. Renk, Single crystal $^{205}Tl$ NMR in the normal and superconducting state of the high-$T_c$ superconductor $Tl_2Ba_2CaCu_2O_8$. A study of the Knight and chemical shift **175**, 12
Jones, P.L., see A.J. Hill **176**, 64
Jones, R., see J.M. Tarascon **172**, 13
Jones, W.K., see G.L. Larkins Jr. **173**, 201
Jorgensen, J.D., see F. Izumi **172**, 166
Jorgensen, J.D., see Y. Yamada **173**, 185
Jorgensen, J.D., see R.P. Sharma **174**, 409
Jorgensen, J.D., see S.J.L. Billinge **179**, 279
Jorgensen, J.D., see R.H. Arendt **182**, 73
Joshi, C., see K.H. Sandhage **177**, 45
Jung, D., see U. Geiser **174**, 475
Jung, G., J. Konopka and B. Solek, Magnetoresistance quantization in high-$T_c$ thin films radiating microwaves **180**, 192
Jung, G., M. Bonaldi, S. Vitale and J. Konopka, On the origin of low-frequency noise in HTSC thin films **180**, 276
Jung, J., see J.P. Franck **172**, 90
Jung, J., see T.M. Tritt **178**, 296
Jung, J., see S.C. Cheng **184**, 385

Jung, Th., see H.J. Hug **175**, 357
Junod, A., see G. Triscone **176**, 247
Junod, A., see J.-Y. Genoud **177**, 315

Kabanov, V.V., P.E. Kornilovich and O.Yu. Mashtakov, Motion of a single hole in the framework of the Emery model. Equivalence to the *t–J* model **176**, 559
Kabius, B., see C.L. Jia **172**, 81; **175**, 545; **182**, 163
Kabius, B., see H. Watanabe **179**, 75
Kabius, B., see X.F. Zhang **183**, 379
Kadowaki, K., see P.E. Mijnarends **176**, 113
Kaga, H., Slave-boson approach to the anomalous doping effects of the Hall constants of $La_{2-x}Sr_xCuO_4$ **172**, 400
Kajitani, T., K. Hiraga, S. Hosoya, T. Fukuda, K. Oh-Ishi and Y. Syono, Structural study of oxygen-saturated or quenched $Pr_{2-x}Ce_xCuO_4$ with $x \leq 0.15$ **178**, 397
Kak, S.K., see D. Pandey **173**, 476; **184**, 135
Kakehi, N., see Y. Maeno **173**, 322
Kakihana, M., M. Käll, L. Börjesson, H. Mazaki, H. Yasuoka, P. Berastegui, S. Eriksson and L.-G. Johansson, High-quality ceramics of $YBa_2Cu_4O_8$ from citrate sol–gel precursors sintered at one atmosphere oxygen pressure **173**, 377
Kakimoto, K., see X.J. Wu **174**, 423
Kaldis, E., see I. Mangelschots **172**, 57
Kaldis, E., see R.J. Nelmes **172**, 311
Kaldis, E., see D. Braithwaite **178**, 75
Kaldis, E., see T. Krekels **178**, 383
Kaldis, E., see M. Knupfer **182**, 62
Kalenborn, J., see S. Ruppel **174**, 233
Kalinay, P., see V.Yu. Yushankhai **174**, 401
Kalinay, P., Temperature dependence of nuclear relaxation rate for the *t–J* model **177**, 145
Käll, M., see M. Kakihana **173**, 377
Kallias, G., V. Psyharis, D. Niarchos and M. Pissas, Crystallographic, thermogravimetric and magnetization study of the $YBa_2Cu_{3-x}Fe_xO_y$ superconductor ($0 \leq x \leq 0.2$, $6 \leq y \leq 7$) **174**, 316
Kamada, Y., see M. Oda **183**, 234
Kamat, R.V., T.V. Vittal Rao, K.T. Pillai, V.N. Vaidya and D.D. Sood, Preparation of high grade YBCO powders and pellets through the glycerol route **181**, 245
Kambe, S., see Y. Murakoshi **178**, 71
Kamei, M., I. Yoshida, T. Morishita and S. Tanaka, Effects of the lattice mismatch and vicinal polishing on the heteroepitaxial growth of $Bi_2Sr_2CuO_x$ buffer layers on MgO (100) for Bi–Sr–Ca–Cu–O films **182**, 123
Kamigaki, K., see Y. Bando **180**, 3
Kamigaki, K., T. Terashima, K. Shimura, Y. Bando and H. Terauchi, Unit cell-by-unit cell grown $(YBa_2Cu_3O_{7-\delta})_1/(PrBa_2Cu_3O_{7-\delta})_1$ superlattice **183**, 252
Kamino, T., see K. Ishida **179**, 29
Kamiyama, T., F. Izumi, H. Asano, H. Takagi, S. Uchida, Y. Tokura, E. Takayama-Muromachi, M. Matsuda, K. Yamada, Y. Endoh and Y. Hidaka, Sr-induced oxygen defects in $La_{2-x}Sr_xCuO_{4-\delta}$. A neutron powder diffraction study **172**, 120
Kammlott, G.W., see S. Jin **173**, 75; **177**, 189; **181**, 57
Kamo, T., see T. Doi **183**, 67
Kampwirth, R.T., see K.E. Gray **174**, 340
Kampwirth, R.T., see D.H. Kim **177**, 431
Kanamaru, F., see G. Er **181**, 206
Kaneko, T., see T. Wada **175**, 529
Kaneko, T., T. Wada, A. Ichinose, H. Yamauchi and S. Tanaka, Orthorhombic–tetragonal transition in non-superconducting $(Tl_{1-x}Pb_x)Sr_2CuO_{5-w}$ **177**, 153
Kaneko, T., H. Yamauchi and S. Tanaka, Zero-resistance temperature of Tl-based "2223" superconductor increased to 127 K **178**, 377
Kang, D.B., see C.C. Torardi **176**, 347
Kang, J.H., see D.H. Kim **177**, 431
Kanoda, K., see T. Ishida **176**, 24; **178**, 231
Kao, H.-C.I., W.L. Chen, T.P. Wei, J.C. Lin and C.M. Wang, A correlation between the oxygen stoichiometry and $T_c$ of $Bi_2CaSr_{2(1-x)}Cu_{2(1-y)}O_{8+\delta-2x-2y}$ superconductors **177**, 367
Kao, Y.H., see L.W. Song **174**, 303; **181**, 239
Kapitulnik, A., see J. Yazyi **184**, 254
Kaplan, M.D., Symmetrical aspects of the cooperative pseudo Jahn–Teller effect in high-$T_c$ superconductors **180**, 351
Karkut, M.G., M. Guilloux-Viry, A. Perrin, J. Padiou and M. Sergent, Surface and in-plane characterization of $YBa_2Cu_3O_7$ thin films grown by laser ablation **179**, 262
Karlemo, T.T., see O.K. Antson **173**, 65
Karlsson, U.O., see H. Bernhoff **180**, 120
Karmanenko, S.F., see O.G. Vendik **179**, 91
Karpinski, J., see I. Mangelschots **172**, 57
Karpinski, J., see R.J. Nelmes **172**, 311
Karpinski, J., see D. Braithwaite **178**, 75
Karpinski, J., see T. Krekels **178**, 383
Karpinski, J., see M. Knupfer **182**, 62
Karppinen, M.J., see O.K. Antson **173**, 65
Kasatkin, A.L., see V.M. Pan **180**, 199
Kashchieva, E., see E.S. Vlakhov **175**, 335
Kataev, V., N. Knauf, B. Büchner and D. Wohlleben, Inter- and intragranular effects in microwave absorption of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_y$ **184**, 165
Kataria, N.D., D. May, H. Wolf, R. Schneider and J. Niemeyer, Preparation, transport properties and patterning of superconducting YBCO thin films **180**, 61
Katayama-Yoshida, H., see T. Watanabe **176**, 274
Katayama-Yoshida, H., see Y. Fukuda **181**, 320
Katayama-Yoshida, H., see M. Pompa **184**, 102
Kato, M., Y. Maeno and T. Fujita, Two-dimensional antiferromagnetic correlation with spin 1/2 in magnetic susceptibility of $(La,Sr)_2NiO_4$ **176**, 533
Kato, M., K. Yoshimura and K. Kosuge, Over-doped metallic behavior of $Bi_2Sr_2CuO_y$. Synthesis of Bi-2201 with stoichiometric cation composition **177**, 52
Katsaros, A., see N. Savvides **179**, 361
Katsnelson, M.I., see Yu.N. Gornostyrev **179**, 119
Katsnelson, M.I., see A.O. Anokhin **179**, 167
Katz, I.M., see A.J. Hill **176**, 64
Katz, M., see U.P. Oppenheim **178**, 26

Kawai, M., see Y. Murakoshi **178**, 71
Kawai, S., see S. Hayashi **174**, 329
Kawaji, H., see T. Nakamura **181**, 233
Kawate, Y., see K. Shibutani **173**, 398
Kawate, Y., see S. Hayashi **174**, 329
Kazin, P.E., see A.I. Kuzmenkov **182**, 228
Kazumata, Y., see T. Ishida **178**, 301
Keene, M.N., see J.S. Satchell **180**, 247
Kellett, B.J., see A. Gauzzi **182**, 57
Kellner, K., X.-Z. Wang, G. Gritzner and D. Bäuerle, Fabrication of ceramic $Y_{1-x}Ca_xBa_2Cu_4O_{8+\delta}$ and $YBa_2Cu_3O_7$ superconductors from oxalate precursors at ambient pressure **173**, 208
Kemmler-Sack, S., see T. Rentschler **176**, 445
Kemmler-Sack, S., see S. Lösch **177**, 271
Kennedy, R.J., see G.L. Larkins Jr. **173**, 201
Khairullin, I.I., see F.J. Owens **174**, 309
Khavronin, V.P., see S.L. Ginzburg **174**, 109
Kheifets, A.S., A.I. Veinger and L.G. Paritsky, Magnetic flux trapping in hollow superconductors: possible device application for optical signal detection **174**, 86
Kheifets, A.S. and A.I. Veinger, Absolute measurements of the low magnetic field microwave absorption in $YBa_2Cu_3O_{7-\delta}$ ceramics **177**, 289
Khomskii, D.I. and E.I. Neimark, Orbital structure of copper in high temperature superconductors **173**, 342
Kiehl, W., see D.E. Weeks **176**, 368
Kijima, N., R. Gronsky, X.-D. Xiang, W.A. Vareka, A. Zettl, J.L. Corkill and M.L. Cohen, Crystal structure of stage-1 iodine-intercalated superconducting $IBi_2Sr_2CaCu_2O_x$ **181**, 18
Kijima, N., R. Gronsky, X.-D. Xiang, W.A. Vareka, A. Zettl, J.L. Corkill and M.L. Cohen, Crystal structure of stage-2 iodine-intercalated superconducting $IBi_4Sr_4Ca_2Cu_4O_x$ **184**, 127
Kikkawa, S., see G. Er **181**, 206
Kikuchi, K., see Y. Fukuda **181**, 320
Kikuchi, M., see A. Tokiwa **172**, 155
Kikuchi, M., see S. Nakajima **182**, 89
Kikuchi, M., see S.T. Weir **184**, 1
Kilner, J.A., see S.I. Bredikhin **179**, 286
Kim, C.J., see M.R. De Guire **179**, 333
Kim, D.H., K.E. Gray, R.T. Kampwirth, J.C. Smith, D.S. Richeson, T.J. Marks, J.H. Kang, J. Talvacchio and M. Eddy, Effect of Cu–O layer spacing on the magnetic field induced resistive broadening of high-temperature superconductors **177**, 431
Kim, D.H., see K.E. Gray **180**, 139
Kim, J.H., I. Bozovic, C.B. Eom, T.H. Geballe and J.S. Harris Jr., Study of optical plasmons in $La_{1.85}Sr_{0.15}Cu_2O_4$ **174**, 435
Kim, J.H., see K. Levin **175**, 449
Kim, J.H., see J.P. Lu **179**, 191
Kim, S.F., see N.E. Alekseevskii **178**, 89
Kim, S.F., see I.A. Garifullin **179**, 9
Kimura, M., M. Tanaka, H. Horiuchi, M. Morita, M. Tanaka, M. Matsuo, H. Morikawa and K. Sawano, A new domain structure in $YBa_2Cu_3O_{7-x}$ prepared by the quench and melt growth (QMG) process **174**, 263
Kinder, H., see G. Ockenfuß **180**, 30
King, P.J., J.E. Pohl, A. Kirk, J.S. Lees and W.B. Roys, The "hinge" behaviour of the current–voltage characteristics of polycrystalline high temperature superconductors **181**, 88
Kini, A.M., see J.E. Schirber **178**, 137
Kinoshita, K., H. Shibata and T. Yamada, Crystal structure and superconducting properties of $La_{1.85}Ca_{1.15}Cu_2O_{6+\delta}$. Comparison with nonsuperconducting $La_{1.85}Ca_{1.15}Cu_2O_{6-\delta}$ and $La_{1.85}Sr_{1.15}Cu_2O_{6+\delta}$ **176**, 433
Kinoshita, K., see T. Ishii **179**, 39
Kircher, J., M. Cardona, M. Garriga, B. Nick, M. Dürrler, A. Zibold and H.P. Geserich, Optical anisotropy in the $Pb_2Sr_2(Y, Ca)Cu_3O_{8+\delta}$ superconductor **174**, 377
Kirchgässner, D., see P. Brüll **182**, 339
Kirichenko, A.Ya., see N.T. Cherpak **180**, 280
Kirk, A., see P.J. King **181**, 88
Kiss, L.B., see G. Forgacs **177**, 67
Kitahama, K., see S. Hayashi **174**, 329
Kitaoka, Y., see K. Asayama **178**, 281
Kitaoka, Y., see K. Ishida **179**, 29
Kitaoka, Y., K. Fujiwara, K. Ishida, K. Asayama, Y. Shimakawa, T. Manako and Y. Kubo, Spin dynamics in heavily-doped high-$T_c$ superconductors $Tl_2Ba_2CuO_{6+y}$ with a single $CuO_2$ layer studied by $^{63}Cu$ and $^{205}Tl$ NMR **179**, 107
Kitaoka, Y., see K. Fujiwara **184**, 207
Klama, S., see L.A. Falkovsky **172**, 242
Klauda, M., J.P. Ströbel, J. Schlötterer, A. Grassmann, J. Markl and G. Saemann-Ischenko, Processing and Ce-doping dependence of $Nd_{2-x}Ce_xCuO_{4-\delta}$ core level spectra **173**, 109
Klaumünzer, S., see H. Watanabe **179**, 75
Klavins, P., see L. Zhang **174**, 431
Klein, B.M., see D.J. Singh **175**, 329
Klemm, R.A. and S.H. Liu, Interlayer pairing and *c*-axis versus *ab*-plane gap anisotropy in high-$T_c$ superconductors **176**, 189
Klotz, S., W. Reith and J.S. Schilling, The dependence of the superconducting transition temperature of single-crystalline $YBa_2Cu_3O_{7-\delta}$ on hydrostatic pressure to 13 GPa **172**, 423
Kmieć, R., see Z. Tomkowicz **174**, 71
Knau, H., A. Welti, A. Mielke, S. Senz and H.E. Stier, Sputtered NbN-films for RF applications **182**, 39
Knauf, N., J. Harnischmacher, R. Müller, R. Borowski, B. Roden and D. Wohlleben, Preparation and characterisation of single-phase Bi–Pb–Sr–Ca–Cu–O high temperature superconductors **173**, 414
Knauf, N., see V. Kataev **184**, 165
Knorr, K., see R.P. Huebener **181**, 345
Knupfer, M., N. Nücker, M. Alexander, H. Romberg, P. Adelmann, J. Fink, J. Karpinski, E. Kaldis, S. Rusiecki and E. Jilek, Evidence against hole formation by Ca in $YBa_2Cu_4O_8$ **182**, 62
Kobatake, K., see T. Ohtani **179**, 376
Kobayashi, M., see N. Ohashi **177**, 377

Kobayashi, N., see S. Nakajima **182**, 89
Kober, F., see R.P. Huebener **181**, 345
Köbler, U., see T. Chattopadhyay **177**, 294
Koblischka, M.R., see Th. Schuster **179**, 269
Koblischka, M.R., see V. Skumryev **184**, 332
Kobrin, P.H., see I.S. Gergis **175**, 603
Kobrin, P.H., J.T. Cheung, W.W. Ho, N. Glass, J. Lopez, I.S. Gergis, R.E. DeWames and W.F. Hall, Millimeter-wave properties of $YBa_2Cu_3O_{7-x}$ films grown by several methods **176**, 121
Koch, H., see F. Ludwig **180**, 85
Kocharovsky, V.V. and Vl.V. Kocharovsky, Bragg–Coulomb mechanism for high-$T_c$ superconductivity **173**, 425
Kocharovsky, Vl.V., see V.V. Kocharovsky **173**, 425
Kodama, Y., see Y. Yamada **173**, 185
Kodama, Y., see N. Murayama **174**, 335; **177**, 135; **181**, 331
Kodama, Y., see K. Yanagisawa **183**, 197
Kodas, T.T., see S. Jin **181**, 57
Koga, K., see T. Ishida **176**, 24; **178**, 231
Kohjiro, S., see H. Akoh **180**, 227
Koinuma, H., see M. Yoshimoto **181**, 284
Kojima, H., see B. Janossy **176**, 517
Kolesnik, S.P., see O.A. Mironov **180**, 196
Kolesov, S.G., see O.G. Vendik **179**, 91
Kołodziejczyk, A., see A. Kozłowski **184**, 113
Komiyama, S., see Y. Bando **180**, 3
Konchits, A.A., see O.A. Mironov **180**, 196
König, W., see D. van der Marel **176**, 1
Konior, J. and A.N. Das, Polaronic band-width for a strongly correlated Hubbard system **174**, 215
Konopka, J., see G. Jung **180**, 192, 276
Konson, A.F., see O.G. Vendik **179**, 91
Kopelevich, Y., A. Gupta, P. Esquinazi, C.-P. Heidmann and H. Müller, Thermally activated depinning in an organic superconductor. Universal behavior of the flux-line lattice in layered superconductors **183**, 345
Kopitzki, K., see W. Hiller **174**, 467
Kopitzki, K., see M. Buchgeister **178**, 105
Kopylov, V.N., see A.V. Bezryadin **183**, 207
Koren, G., see B. Fisher **176**, 75
Koren, G., see U.P. Oppenheim **178**, 26
Kornblit, L. and B.Ya. Moizhes, Comment on electronic transport in cuprate superconductors **176**, 295
Kornilovich, P.E., see V.V. Kabanov **176**, 559
Koshelev, A.E., see L.I. Glazman **173**, 180
Koshelev, A.E. and V.M. Vinokur, Frequency response of pinned vortex lattice **173**, 465
Koshelev, A.E., G.Yu. Logvenov, V.A. Larkin, V.V. Ryazanov and K.Ya. Soifer, Observation of magneto-thermoelectric effects in high-$T_c$ superconducting $Tl_2Ba_2CaCu_2O_x$ single crystals **177**, 129
Koshizuka, N., see L.T. Sagdahl **172**, 495
Koshizuka, N., see T. Machi **173**, 32
Koshizuka, N., see J.O. Willis **175**, 81
Koshizuka, N., see S. Gotoh **176**, 300
Koshizuka, N., see M. Kosuge **176**, 373; **182**, 157
Koshta, A.A., see Yu.N. Shvachko **174**, 447
Kostikas, A., see M. Pissas **176**, 227
Kostyrko, T., Nuclear magnetic relaxation and d-wave pairing in an extended Hubbard model with diagonal disorder **178**, 182
Kosuge, K., see M. Kato **177**, 52
Kosuge, M., S. Ikegawa, N. Koshizuka and S. Tanaka, Hall effect and superconducting properties of $(Nd_{0.8-x}Ce_xSr_{0.2})_2CuO_{4-\delta}$ with T* structure **176**, 373
Kosuge, M., see J. Sugiyama **179**, 131
Kosuge, M., T. Maeda, K. Sakuyama, H. Yamauchi, N. Koshizuka and S. Tanaka, Transport properties of the Pb-based superconducting cuprate $(Pb_{(1+x)/2}Cu_{(1-x)/2})Sr_2(Y_{1-x}Ca_x)Cu_2O_y$ **182**, 157
Kottmann, A., F. Burgäzy, D.J. Lam, Y. Fang, P. Lamparter and S. Steeb, Partial densities of states with polarized oxygen K$\alpha$ X-ray emission of $YBa_2Cu_3O_{7-\delta}$ **178**, 125
Kovachev, V.T., see E.S. Vlakhov **175**, 335
Kovatcheva, D., A.W. Hewat, N. Rangavittal, V. Manivannan, T.N. Guru Row and C.N.R. Rao, An X-ray and neutron diffraction study of cation substituted $TlSr_2CuO_5$ **173**, 444
Kovatcheva, D., P. Strobel, B. Souletie and A.W. Hewat, Structure and oxygen exchange in superconducting $Nd_2Ce_{0.67}Sr_{0.33}BaCu_3O_{9-\delta}$ **174**, 280
Koyama, T., N. Takezawa and M. Tachiki, Flux line in layered superconductors. A single flux line parallel to the layers **172**, 501
Koyama, T., N. Takezawa and M. Tachiki, Magnetization process in layered superconductors under a magnetic field parallel to the layers **176**, 567
Kozeeva, L.P., see V.P. Djakonov **178**, 221
Kozhevnikov, V., see A. Podlesnyak **175**, 587
Kozłowski, A., Z. Tarnawski, A. Kołodziejczyk, J. Chmist, T. Ściężor and R. Zalecki, Specific heat of a high-temperature superconductor: $DyBa_2Cu_3O_7$ **184**, 113
Kozlowski, G., I. Maartense, R. Spyker, R. Leese and C.E. Oberly, Critical current density enhancement in $YBa_2Cu_3O_{7-x}$–silver composite superconductor **173**, 195
Kozlowski, G., see I. Maartense **181**, 25
Krajewski, J.J., see R.J. Cava **172**, 138; **177**, 115
Krajewski, J.J., see H.W. Zandbergen **179**, 213
Krakauer, H., see D.J. Singh **175**, 329
Krasnov, V.M., V.A. Larkin and V.V. Ryazanov, The extended Bean critical state model for superconducting 3-axes ellipsoid and its application for obtaining the bulk critical field $H_{c1}$ and the pinning current $J_c$ in high $T_c$ superconducting single crystals **174**, 440
Krekels, T., G. Van Tendeloo, D. Broddin, S. Amelinckx, L. Tanner, M. Mehbod, E. Vanlathem and R. Deltour, "Tweed" structure of Fe-doped $YBa_2Cu_3O_{7-\delta}$ **173**, 361
Krekels, T., G. Van Tendeloo, S. Amelinckx, J. Karpinski, S. Rusiecki, E. Kaldis and E. Jilek, New polytypoids of the Y–Ba–Cu–O 123 compound **178**, 383
Krishna, M.G., G.K. Muralidhar, K.N. Rao, G.M. Rao and S. Mohan, A novel electron beam evaporation technique for the deposition of superconducting thin films **175**, 623
Kritscha, W., F.M. Sauerzopf, H.W. Weber, G.W. Crabtree, Y.C. Chang and P.Z. Jiang, Magnetization of

$Bi_2Sr_2CaCu_2O_8$ single crystals. Field-induced diamagnetism above $T_c$, anisotropic irreversibility lines, and reversible mixed state properties **179**, 59
Kroeger, D.M., see K. Doverspike **172**, 486
Kroeger, D.M., see K.B. Alexander **180**, 337
Kroeger, D.M., see S. Jin **181**, 57
Kroeger, D.M., see A. Goyal **182**, 203; **183**, 221
Kröner, T., see J. Geerk **180**, 11
Kronmüller, H., see H. Theuss **177**, 253; **178**, 37
Kronmüller, H., see Th. Schuster **179**, 269
Kronmüller, H., see A. Forkl **180**, 155
Kronmüller, H., see V. Skumryev **184**, 332
Krotov, S.S., see A.I. Buzdin **175**, 42
Krotov, S.S., On the possible refinement of the magnetic structure of the antiferromagnetic superconductor $Tm_2Fe_3Si_5$ **175**, 58
Kruchinin, S.P., see A.S. Davydov **179**, 461
Kruglov, A.N., see S.N. Artemenko **173**, 125
Kruk, R., see Z. Tomkowicz **174**, 71
Ku, H.C., see G.H. Kwei **174**, 180
Kubat-Martin, K.A., E. Garcia and D.E. Peterson, $Ba_4CaCu_3O_x$, a new phase in the Ba–Ca–Cu–O system. Preliminary phase relationships **172**, 75
Kuberkar, D.G., A.K. Rajarajan, G. Balakrishnan, L.C. Gupta and R. Vijayaraghavan, Structural and superconducting properties of the system $La_{1-x}PrSr_xCuO_4$ **182**, 149
Kuberkar, D.G., see G.K. Bichile **183**, 154
Kubiak, R. and K. Westerholt, Pressure dependence of the magnetic susceptibility of $YBa_2Cu_3O_{6.9}$ doped by Fe, Ni and Zn **173**, 232
Kubo, Y., see Y. Kitaoka **179**, 107
Kubo, Y., see C. Murayama **183**, 277
Kubo, Y., see K. Fujiwara **184**, 207
Kuentzler, R., C. Hornick, Y. Dossmann, S. Wegner, R. El Farsi and M. Drillon, Superconductivity of Pb, K and Rb-doped $BaBiO_3$ **184**, 316
Kulik, J., see Z.J. Huang **174**, 253
Kulik, J., see H.W. Zandbergen **179**, 43
Kulkarni, G.U., see R. Vijayaraghavan **179**, 183
Kulkarni, R.G., see G.K. Bichile **183**, 154
Kumagai, K., see T. Ishida **176**, 24
Kumar, D., see R. Pinto **175**, 310
Kume, K., see Y. Maniwa **175**, 401
Kunzler, J.V., see P. Pureur **176**, 357
Kuo, D.M.T. and P.M. Hui, Effective electromagnetic response in superconductor–normal metal composites **174**, 365
Kuptsov, D.A., see A.I. Buzdin **175**, 42
Kurisu, M., S. Matsuda, T. Suzuki and T. Fujita, Two-step superconducting transition and anomalous pressure dependence of $T_c$ in $La_2CuO_4$ **179**, 358
Kurmaev, E.Z., see S.M. Butorin **177**, 8
Kuroda, Y., see K. Miura **179**, 411
Kuroumaru, S., see B. Zhao **176**, 409; **179**, 138
Kussmaul, A., J.S. Moodera, P.M. Tedrow and A. Gupta, Two-dimensional character of the magnetoresistance in $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ thin films **177**, 415
Kuwasawa, Y., T. Tosaka, A. Uchiyama, S. Matuda and S. Nakano, Anisotropy of critical current and anomalous upturn feature of parallel upper critical fields in the superconducting $Nb/Nb_{0.5}Zr_{0.5}$ multilayer **175**, 187
Kuzmenkov, A.I., A.M. Tesker, P.E. Kazin and S.F. Pashin, Synthesis of HTSC $YBa_2Cu_4O_8$ by hot pressing at $PO_2=0.21$ atm **182**, 228
Kuznetsov, A.V., see A.A. Ivanov **180**, 69
Kuznetsov, A.V., see V.N. Trofimov **183**, 135
Kwasnitza, K. and Ch. Widmer, Strong magnetic history dependence of magnetic relaxation in high-$T_c$ superconductors **184**, 341
Kwei, G.H., J.B. Shi and H.C. Ku, $Tl_{0.5}Pb_{0.5}Sr_2CuO_5$: a nonsuperconductor despite an "optimum" hole concentration in the Cu–O sheets **174**, 180
Kwei, G.H., see T. Sakurai **174**, 187
Kwei, G.H., A.C. Lawson and M. Mostoller, Vibrational properties and atomic Debye temperatures for $La_2CuO_4$ from neutron powder diffraction **175**, 135
Kwei, G.H., A.C. Lawson, W.L. Hults and J.L. Smith, Vibrational properties and atomic Debye temperatures for $YBa_2Cu_3O_7$ from neutron powder diffraction **175**, 615
Kwei, G.H., P.C. Canfield, Z. Fisk, J.D. Thompson and R.B. Von Dreele, Structure of the new "1201" lead cuprate superconductor **176**, 57
Kwok, H.S., J.P. Zheng and S.H. Liou, Nonbolometric optical response of Tl–Ba–Ca–Cu–O thin films **175**, 573
Kwok, H.S. and Q.Y. Ying, Dynamics of in situ $YBa_2Cu_3O_7$ superconducting film formation **177**, 122
Kwok, R.S., see M.F. Hundley **172**, 455
Kwok, W.-K., see J.E. Schirber **178**, 137

Labdi, S., see H. Raffy **184**, 159
Labeau, M., see M. Vallet-Regí **180**, 57
Laborde, O., see H. Raffy **184**, 159
Labrize, F., see O. Thomas **180**, 42
Lacorre, P., see J.B. Torrance **182**, 351
Lægreid, T., see L.T. Sagdahl **172**, 495
Laermans, C., see J. Dominec **177**, 373
Lagarde, P., see H. Tolentino **179**, 387
Lagarde, P., see M. Pompa **184**, 51, 102
Lagueyte, N., see J.-C. Grenier **173**, 139
Laksanaboonsong, J., see C. Engkagul **181**, 63
Lam, D.J., see Y. Gao **173**, 487; **174**, 1
Lam, D.J., see A. Kottmann **178**, 125
Lam, J.C., see R.L. Lichti **180**, 358
Lamagna, A., see M. Bianconi **180**, 94
Lamparter, P., see A. Kottmann **178**, 125
Lan, M.D., see L. Zhang **174**, 431
Lancaster, M.J., see Y. Huang **180**, 267
Lang, Ch., B. Hettich, M. Schwarz, H. Bestgen and S. Elschner, Observation of a new superconductor in the quaternary system Bi/Sr/Ca/Cu/O and its superconducting properties. A microstructural problem **182**, 79
Langmann, E., On the upper critical field of anisotropic superconductors **173**, 347
Larkin, V.A., see V.M. Krasnov **174**, 440
Larkin, V.A., see A.E. Koshelev **177**, 129

Larkins Jr., G.L., Q. Lu, W.K. Jones, R.J. Kennedy and G. Chern, Surface degradation and aging in $YBa_2Cu_3O_{7-x}$ ceramics **173**, 201
Larsson, T., see H. Ohlsén **180**, 73
Lastufka, C.L., see I.S. Gergis **175**, 603
Łątka, K., see Z. Tomkowicz **174**, 71
Latyshev, Yu.I. and A.F. Volkov, Flux creep and peak effect in $Bi_2Sr_2CaCu_2O_x$ single crystals under a transport current along the *c*-axis **182**, 47
Laverty, J.R., see M.A. Angadi **177**, 479
Lavrentjev, V.V., see Iu.I. Zhdanov **183**, 247
Lawson, A.C., see G.H. Kwei **175**, 135, 615
Lay, K.W., see R.H. Arendt **176**, 131
Lazuta, A.V., Relaxation of uniform magnetization precession in $La_2CuO_4$ above $T_N$ **181**, 127
Lebech, B., see N.H. Andersen **172**, 31
Lebech, B., see H.F. Poulsen **173**, 387
Lebedev, S.A., see S.M. Butorin **177**, 8
Lebrat, J.-P. and A. Varma, Combustion synthesis of the $YBa_2Cu_3O_{7-x}$ superconductor **184**, 220
Lebyodkin, M.A., see V.S. Bobrov **178**, 411
Lechter, W.L., see R. Navarro **183**, 73
Ledbetter, H. and M. Lei, Estimated $dT_c/dP$ and $dT_c/d\sigma_{ij}$ for the $Y_1Ba_2Cu_3O_7$ superconductor **177**, 86
Lee, D., see S. Zannella **180**, 373
Lee, D.F., X. Chaud and K. Salama, Transport current density in bulk oriented-grained $YBa_2Cu_3O_x$/silver composites **181**, 81
Lee, P., see M. Qi **174**, 23
Lee, W.H., see K. Chen **173**, 227
Leelaprute, S., see I.M. Tang **175**, 250; **177**, 57
Leelaprute, S., see C. Engkagul **181**, 63
Lees, J.S., see P.J. King **181**, 88
Leese, R., see G. Kozlowski **173**, 195
Legris, A., see F. Rullier-Albenque **175**, 111
Legros-Glédel, C., J.-F. Marucco, E. Vincent, D. Favrot, B. Poumellec, B. Touzelin, M. Gupta and H. Alloul, Influence of the oxygen content on the critical temperature $T_c$ and the thermopower of $Y_{0.7}Ca_{0.3}Ba_2Cu_3O_z$ **175**, 279
Legros-Gledel, C., J.-F. Marucco, B. Touzelin, R. Gabilly, A. Pinatel-Philippot and H. Alloul, Structural and thermodynamic properties of the Zn-substituted YBaCu-oxides **172**, 304
Lei, M., see H. Ledbetter **177**, 86
Leibold, B., see H.-U. Habermeier **180**, 17
Leibold, B., see A. Forkl **180**, 155
Leiderer, P., see P. Brüll **182**, 339
Lejay, P., see F. Rullier-Albenque **175**, 111
Lejay, P., see D. Braithwaite **177**, 213
Lelental, M., see T.N. Blanton **173**, 152; **184**, 119
Lemmens, P., P. Fröning, S. Ewert, J. Pankert, G. Marbach and A. Comberg, Ultrasonic attenuation by the vortex lattice of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$ **174**, 289
Lemmens, P., see J. Pankert **182**, 291
Lengfellner, H. and A. Schnellbögl, Nernst effect in high-$T_c$ superconductors **174**, 373
Lengfellner, H., see W. Andrä **180**, 188
Leoni, R., see C. Romeo **180**, 77
Leotin, J., see M.S. Osofsky **182**, 257
LePage, Y., see J.M. Tarascon **172**, 13
Lepeschkin, P.V., see V.N. Trofimov **183**, 135
Lera, F., see R. Navarro **183**, 73
Levchenko, G.G., see V.P. Djakonov **178**, 221
Levet, J.C., see X. Bozec **179**, 22
Levet, J.C., see M. Saint-Paul **180**, 394
Levin, K., see Q. Si **172**, 481
Levin, K., J.H. Kim, J.P. Lu and Q. Si, Normal state properties in the cuprates and their Fermi based interpretation **175**, 449
Levin, K., see J.P. Lu **179**, 191
Levinson, M., see S.R. Su **178**, 81
Li, B., see Y. Wang **178**, 287
Li, C., M. Pompa, A. Congiu-Castellano, S. Della Longa and A. Bianconi, One-electron excitations and shake up satellites in Cu K-edge X-ray absorption near edge structure (XANES) of $La_2CuO_4$ by full multiple scattering analysis in real space **175**, 369
Li, C., M. Pompa, S. Della Longa and A. Bianconi, Electronic structure of $La_2CuO_4$ by joint analysis of O K and Cu K and $L_3$ edge X-ray absorption spectra **178**, 421
Li, C., L. Liu and Q. Yao, (Bi,Pb)–Sr–Ca–Cu–O superconducting films prepared by chemical spray deposition **181**, 160
Li, C., see M. Pompa **184**, 51, 102
Li, H.C., see C.A. Wang **181**, 296
Li, J., see X. Qiu **179**, 176
Li, J.N., Z. Tarnawski and J.J.M. Franse, Angle-dependent broadening and anomalies of the resistivity transition in $YBa_2Cu_3O_7$ single crystal **180**, 411
Li, J.W., see C.A. Wang **181**, 296
Li, L., see B. Zhao **176**, 409; **179**, 138
Li, L., see Y. Wang **178**, 287
Li, L., see X. Qiu **179**, 176
Li, L., see C.A. Wang **181**, 296
Li, N., see X. Qiu **179**, 176
Li, R., Z. Chen and Y. Qian, Structure and properties of the 123-related compound $LaBaPrCu_3O_{7+\delta}$ **172**, 335
Li, R., see M. Qi **174**, 23
Li, R., R. Weimer and R. Feile, Anomalous intensity of the 335 $cm^{-1}$ phonon in $YBa_2Cu_3O_{7-\delta}$ **175**, 89
Li, R., Y. Zhu, Y. Qian and Z. Chen, The preparation and structure of a new layered cuprate: $TaSr_2(NdCe)_2Cu_2O_y$, the Ta analog of the Tl-1222 phase **176**, 19
Li, S., M. Greenblatt, Y. Jeon, J. Chen, G. Liang and M. Croft, X-ray absorption measurements on $Tl_{1-x}Bi_xSr_2CuO_5$ and $Tl_{0.5}Bi_{0.5}Sr_2CaCu_2O_7$. Valences of Bi, Tl and Cu **173**, 239
Li, S., see X. Qiu **179**, 176
Li, S.X., see C.T. Lin **176**, 285
Li, T., see P. McGinn **176**, 203
Li, T.W., see C.J. Zhou **179**, 369
Li, Y., R. Ma and G. Cao, Mössbauer study of quadrupole interaction at the different Cu sites in the Bi-system superconductor **177**, 36
Li, Y.-M., see Y.-R. Li **176**, 477

Li, Y.-R., Y.-M. Li and G.-Y. Hong, An analysis of a new superconducting phase in the BiSrCaCuO system **176**, 477
Li, Y.-Z., see A. Sanchez **175**, 33
Li, Y.F., see Y. Xin **184**, 185
Li, Z.Y., see J.L. Peng **177**, 79
Liang, G., see S. Li **173**, 239
Liang, R., see T. Nakamura **181**, 233
Liang, W.Y., see C.T. Lin **176**, 285
Licci, F., see L. Cristofolini **181**, 121
Lichti, R.L., C. Boekema, J.C. Lam, D.W. Cooke, S.F.J. Cox, S.T. Ting and J.E. Crow, Disruption of antiferromagnetic order in Zn-doped $La_2CuO_4$ **180**, 358
Lightfoot, P., see F. Izumi **172**, 166
Lightfoot, P., see Y. Yamada **173**, 185
Likholetov, Yu.V., see O.G. Vendik **179**, 91
Lin, C.H., see L.H. Perng **175**, 667
Lin, C.T., S.X. Li, W. Zhou, A. Mackenzie and W.Y. Liang, Cobalt-doped YBCO single crystals and their accurate characterisation **176**, 285
Lin, F., see Q.G. He **184**, 295
Lin, I.N., see L.H. Perng **175**, 667
Lin, J.C., see H.-C.I. Kao **177**, 367
Lin, J.G., K. Matsuishi, Y.Q. Wang, Y.Y. Xue, P.H. Hor and C.W. Chu, Pressure effect on the superconducting transition temperature of $Tl_2Ca_{n-1}Ba_2Cu_nO_{2n+4-\delta}$ **175**, 627
Lindau, I., see H. Bernhoff **180**, 120
Lindemer, T.B., F.A. Washburn, C.S. MacDougall and O.B. Cavin, Synthesis of Y–Ba–Cu–O superconductors in subatmospheric oxygen **174**, 135
Lindemer, T.B., F.A. Washburn, C.S. MacDougall, R. Feenstra and O.B. Cavin, Decomposition of $YBa_2Cu_3O_{7-x}$ and $YBa_2Cu_4O_8$ for $p_{O_2} \leqslant 0.1$ MPa **178**, 93
Linker, G., see F. Vassenden **175**, 566
Linker, G., see J. Geerk **180**, 11
Linker, G., see R.L. Wang **180**, 65
Liou, S.H., see H.S. Kwok **175**, 573
Liou, S.H., see D.J. Werder **179**, 430
Lippold, B., see S.L. Ginzburg **174**, 109
Liu, C.J., see C. Schlenker **180**, 148
Liu, G., see X. Qiu **179**, 176
Liu, H.B., D.E. Morris, A.P.B. Sinha and X.X. Tang, Superconductivity in $La_{2-x}Sr_xCaCu_2O_6$ at 60 K. Investigation of doping and high pressure annealing **174**, 28
Liu, H.B., see H.J. Bornemann **182**, 132
Liu, H.B., see X.L. Mao **183**, 167
Liu, H.K., see S.X. Dou **172**, 63, 295
Liu, H.K., see Y. Zhao **179**, 85
Liu, H.K., see J. Wang **180**, 307
Liu, J.Q., see D. Braithwaite **177**, 213
Liu, J.Z., see H.A. Blackstead **174**, 394
Liu, J.Z., see L. Zhang **174**, 431
Liu, J.Z., see J. Chen **175**, 634
Liu, J.Z., see E.K. Moser **176**, 235
Liu, J.Z., see J. Shu **176**, 503
Liu, L., see C. Li **181**, 160
Liu, M., see X. Qiu **179**, 176
Liu, R.S., see F.J. Blunt **175**, 539
Liu, R.S., see M.R. Presland **176**, 95
Liu, R.S., see A. Maignan **177**, 461
Liu, R.S. and P.P. Edwards, Synthesis of monophasic $Tl_2Ba_2Ca_2Cu_3O_{10}$ ($T_c = 120$ K) superconductor **179**, 353
Liu, R.S., J.D. Johnson and P.P. Edwards, Electrical and magnetic properties of the Tl–Sr–V–O system **181**, 303
Liu, R.S., J.L. Tallon and P.P. Edwards, An efficient and reproducible approach for attaining superconductivity at 128 K in $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$ **182**, 119
Liu, S.H., see R.A. Klemm **176**, 189
Liu, W.H., see L. Luo **178**, 11
Lo, W., see T.B. Tang **174**, 463
Löbe, K., see R. Boyn **181**, 75
Loberg, B., see S.X. Dou **172**, 63
Locquet, J.-P., see T. Schneider **179**, 125
Loegel, B., D. Bolmont and A. Mehdaoui, The influence of thermal treatments, fabrication methods and shapes on the magnetic transition of high temperature superconducting compounds **179**, 15
Lofland, S., see M.A. Manheimer **183**, 324
Logothetis, E.M., see W. Win **172**, 217, 233
Logvenov, G.Yu., V.V. Ryazanov, A.V. Ustinov and R.P. Huebener, Peltier effect in the mixed state of high-$T_c$ superconductors **175**, 179
Logvenov, G.Yu., see A.E. Koshelev **177**, 129
Logvinova, G.Yu., see S.L. Ginzburg **174**, 109
Lombardi, E., see L. Jansen **182**, 17
Lopez, J., see I.S. Gergis **175**, 603
Lopez, J., see P.H. Kobrin **176**, 121
Lorenz, M., S. Becker, H.-J. Dietze, W. Schmitz, B. Brunner and K.F. Renk, On the phase formation of laser deposited Bi–Sr–Ca–Cu–O films on MgO, $ZrO_2$ and silicon with YSZ buffer layers **182**, 114
Lösch, S., H. Budin, O. Eibl, M. Hartmann, T. Rentschler, M. Rygula, S. Kemmler-Sack and R.P. Huebener, Structural analysis and superconducting properties of Pb-free $Bi_2Sr_2Ca_3Cu_4O_y$ ($n$», nominal composition) **177**, 271
Loughran, R.J. and R.B. Goldfarb, Anisotropic weak-link properties and intergranular lower critical field of grain-aligned $YBa_2Cu_3O_x$ **181**, 138
Loveday, J.S., see R.J. Nelmes **172**, 311
Lovtsov, S.V. and V.Yu. Yushankhai, Effective singlet-triplet model for $CuO_2$ plane in oxide superconductors: the charge fluctuation regime **179**, 159
Loy, D., see B. Morosin **184**, 21
Lozano, L., see A. Tressaud **177**, 330
Lu, G., see H.-U. Habermeier **180**, 17
Lu, J.P., see Q. Si **172**, 481
Lu, J.P., see K. Levin **175**, 449
Lu, J.P., Q. Si, J.H. Kim and K. Levin, Microscopic Fermi liquid theory of NMR relaxation and neutron scattering in the metallic copper oxides **179**, 191
Lu, Q., see G.L. Larkins Jr. **173**, 201
Lu, S.W., see K. Chen **173**, 227
Lucía, M.L., see A. Gauzzi **182**, 57
Ludwig, F., see M. Forsthuber **177**, 401

Ludwig, F., V. Hinkel, T. Schurig, J.-P. Müller, U. Stösslein, H.-U. Müller and H. Koch, Preparation of YBCO thin films by means of a hollow cathode discharge sputtering device **180**, 85
Lundgren, L., see P. Svedlindh **176**, 336
Lundgren, L., see G. Forgacs **177**, 67
Luo, L., Y.H. Zhang, S.H. Hu, W.H. Liu, G.L. Zhang and W.X. Hu, Gamma radiation effects on some properties of YBCO **178**, 11
Lupi, S., see P. Calvani **180**, 116; **181**, 289
Lusk, J., see J.L. Tallon **174**, 345
Lüthi, B., see P. Thalmeier **175**, 61
Luzyanin, I.D., see S.L. Ginzburg **174**, 109
Lynn, J.W., see T.W. Clinton **174**, 487
Lyubovskaya, R.N., see A.V. Skripov **172**, 340
Lyubutin, I.S., A model for the local structure of twin domains and domain boundaries in doped $YBa_2(Cu_{1-x}M_x)_3O_y$ superconductors **182**, 315

Ma, B.H., see K. Zhang **179**, 405
Ma, R., see Y. Li **177**, 36
Maartense, I., see G. Kozlowski **173**, 195
Maartense, I., A.K. Sarkar and G. Kozlowski, Effects of quenching on the superconductive properties of the $YBa_2Cu_4O_8$ (124) system **181**, 25
Maaskant, W.J.A., see F.J.M. Benschop **184**, 311
MacCrone, R.K., see J.G. Darab **173**, 213
MacDougall, C.S., see T.B. Lindemer **174**, 135; **178**, 93
Machi, T., I. Tomeno, T. Miyatake, N. Koshizuka, S. Tanaka, T. Imai and H. Yasuoka, Nuclear spin–lattice relaxation and Knight shift in $YBa_2Cu_4O_8$ **173**, 32
Mackenzie, A., see C.T. Lin **176**, 285
Mackenzie, A.P., Accurate metal and oxygen analyses of cuprate single crystals by electron probe microanalysis **178**, 365
Maclean, T.S.M., see Y. Huang **180**, 267
MacManus, J.L., D.J. Fray and J.E. Evetts, Fluorination of $Y_1Ba_2Cu_3O_{7-x}$ by a solid state electrochemical method **184**, 172
Madar, R., see O. Thomas **180**, 42
Maeda, T., K. Sakuyama, F. Izumi, H. Yamauchi, H. Asano and S. Tanaka, Structural changes accompanying oxygen incorporation in $(Pb_{0.65}Cu_{0.35})Sr_2(Y_{0.7}Ca_{0.3})Cu_2O_{7+\delta}$ **175**, 393
Maeda, T., K. Sakuyama, N. Sakai, H. Yamauchi and S. Tanaka, Synthesis and structural analysis of the superconducting lead cuprates, (Pb, Cu) (Sr, R)$_2$(R′, Ce)$_2$Cu$_2$O$_z$ (R, R′: rare-earth element) **177**, 337
Maeda, T., see M. Kosuge **182**, 157
Maeno, Y., A. Odagawa, N. Kakehi, T. Suzuki and T. Fujita, Structural, normal-state, and superconducting properties of $(La_{1-x}Ba_{x-y}Sr_y)_2CuO_4$ **173**, 322
Maeno, Y., see M. Kato **176**, 533
Mahesh, R., see D. Pandey **173**, 476; **184**, 135
Maignan, A., T. Rouillon, D. Groult, J. Provost, M. Hervieu, C. Michel, B. Raveau, R.S. Liu and P.P. Edwards, Oxygen pressure, the key factor for optimization of superconductivity in the 1212-phase $Pb_{1-x}Sr_2Ca_{0.5}Y_{0.5}Cu_{2+x}O_{7+\delta}$ **177**, 461
Maignan, A., see C. Michel **178**, 29
Maignan, A., see C. Martin **179**, 1
Maignan, A., see M. Huve **179**, 229
Maignan, A., see E. Suard **182**, 219
Majoros, M., see E.S. Vlakhov **175**, 335
Makrovich, V.I., see V.P. Djakonov **178**, 221
Maksimov, E.G., see S.V. Shulga **178**, 266
Maksimov, L.A., see A.F. Barabanov **176**, 511
Male, S., see R. Dupree **175**, 269
Maletta, H., T. Chattopadhyay and P.J. Brown, Reply to the comment by Clinton and Lynn **174**, 489
Mali, M., see I. Mangelschots **172**, 57
Mali, M., I. Mangelschots, H. Zimmermann and D. Brinkmann, Nuclear magnetic resonance of plane Cu in paramagnetic $YBa_2Cu_3O_6$ **175**, 581
Malik, S.K., see R.A. Gunasekaran **172**, 325; **180**, 324
Malozemoff, A.P., see L.T. Baczewski **175**, 363
Manako, T., see Y. Kitaoka **179**, 107
Manako, T., see E. Iguchi **179**, 393
Manako, T., see C. Murayama **183**, 277
Manako, T., see K. Fujiwara **184**, 207
Mandal, P., see A.J. Pal **181**, 186
Manfredini, T., see E. Bonetti **179**, 381
Mangelschots, I., M. Mali, J. Roos, H. Zimmermann, D. Brinkmann, S. Rusiecki, J. Karpinski, E. Kaldis and E. Jilek, Evidence for Ca substituting Ba in $YBa_{2-x}Ca_xCu_4O_{8\pm y}$. A nuclear quadrupole resonance investigation **172**, 57
Mangelschots, I., see M. Mali **175**, 581
Manheimer, M.A., S. Lofland, A. Gould, S.M. Bhagat, B. Halsey, S.M. Green and S. Tyagi, Enhanced microwave absorption near $T_c$ in micron-size powders of cuprate superconductors **183**, 324
Manivannan, V., see D. Kovatcheva **173**, 444
Manivannan, V., see C.N.R. Rao **174**, 11
Maniwa, Y., T. Mituhashi, K. Mizoguchi and K. Kume, The magnetic field at the surface of high-$T_c$ superconducting oxides by nuclear magnetic resonance. Critical current density and magnetic penetration depth **175**, 401
Mantovani, S., see E. Bonetti **179**, 381
Manuel, P., see S. Senoussi **175**, 202
Manuel, P., C. Aguillon and S. Senoussi, Exponential decay of critical current in Y–Ba–Cu–O: relationship with the pinning potential profile and its physical origin **177**, 281
Mao, H.K., see J. Shu **176**, 503
Mao, X.L., P. Berdahl, R.E. Russo, H.B. Liu and J.C. Ho, Bi–Pb–Sb–Sr–Ca–Cu–O superconducting thin films deposited on Ni-based alloy with yttria-stabilized zirconia intermediate layers **183**, 167
Maple, M.B., see C.C. Almasan **174**, 93
Maple, M.B., see J.C. Garland **181**, 381
Maple, M.B., see S.T. Weir **184**, 1
Maple, M.B., see M.C. de Andrade **184**, 378
Marbach, G., see P. Lemmens **174**, 289
Marcon, R., see E. Silva **173**, 145

Marcon, R., see L. Dimesso **176**, 216
Marcon, R., see M. Giura **180**, 212
Marcus, P., see M.J. Casanove **175**, 285
Maret, V., see S. Hayashi **174**, 329
Marezio, M., see H. Renevier **172**, 183
Marezio, M., see C. Chaillout **175**, 293; **181**, 325
Marezio, M., see D. Braithwaite **178**, 75
Marin, C., see V.V. Moshchalkov **175**, 407
Marinelli, M., see G. Balestrino **180**, 46
Maritato, L., see A. Andreone **180**, 272
Markiewicz, R.S., Van Hove singularity and high-$T_c$ superconductivity VI. Interlayer coupling **177**, 171
Markiewicz, R.S., Hall density and de Haas–van Alphen effect near the Van Hove singularity in the high-$T_c$ superconductors **177**, 445
Markiewicz, R.S., Van Hove excitons and high-$T_c$ superconductivity VII. Gap equation with pair breaking **183**, 303
Markl, J., see M. Klauda **173**, 109
Marks, T.J., see D.H. Kim **177**, 431
Marone, M., see T.M. Tritt **178**, 296
Marquestaut, E., see J.-C. Grenier **173**, 139
Marsh, P., see R.J. Cava **172**, 138
Marsh, P.M., see R.M. Fleming **173**, 37
Marshall, J.H., see M.P. Siegal **172**, 282
Marsiglio, F., see J.E. Hirsch **172**, 265
Martin, C., see C. Michel **178**, 29
Martin, C., see F. Studer **178**, 324
Martin, C., A. Maignan, M. Huve, M. Hervieu, C. Michel and B. Raveau, $TlBa_{2-x}La_{2+x}Cu_2O_{9\pm\delta}$: a new 42 K superconductor, intergrowth of "1201" and "0201" structures **179**, 1
Martin, C., see M. Huve **179**, 229
Martinez, G., see D. Braithwaite **177**, 213; **178**, 75
Martovitsky, V.P. and V.V. Rodin, Lattice monoclinization of $YBa_2Cu_3O_{7-x}$ films **182**, 269
Marucco, J.-F., see C. Legros-Gledel **172**, 304
Marucco, J.-F., see C. Legros-Glédel **175**, 279
Masaki, N., see A. Iwase **174**, 321
Mase, S., see B. Zhao **176**, 409; **179**, 138
Maselli, P., see P. Calvani **180**, 116; **181**, 289
Mashtakov, O.Yu., see V.V. Kabanov **176**, 559
Mason, T.O., see A.K. Gangopadhyay **178**, 64
Massidda, S., J. Yu, K.T. Park and A.J. Freeman, Normal state transport properties of $YBa_2Cu_4O_7$ and $YBa_2Cu_4O_8$ superconductors; predictions and comparison with experiments **176**, 159
Massing, S., see J. Geerk **180**, 11
Masur, L., see K.H. Sandhage **177**, 45
Matacotta, F.C., see T. Mertelj **183**, 11
Mateev, D.M., M.N. Iliev, L.N. Bozukov, V.G. Hadjiev and P. Stastny, Raman spectrum of the double-layer superconductor $La_{2-x}Sr_xCaCu_2O_{6-\delta}\pi(0.2\leqslant x\leqslant 0.4)$ **179**, 295
Matlak, M., see J. Zieliński **175**, 639
Matsuda, A., see T. Ishii **179**, 39
Matsuda, M., see T. Kamiyama **172**, 120
Matsuda, M., Y. Endoh and Y. Hidaka, Crystal growth and characterization of $Pr_{2-x}Ce_xCuO_4$ **179**, 347
Matsuda, S., see M. Morita **172**, 383
Matsuda, S., see M. Kurisu **179**, 358
Matsuda, S.-P., see T. Doi **183**, 67
Matsuda, Y., see Y. Bando **180**, 3
Matsui, Y., see K. Yanagisawa **183**, 197
Matsuishi, K., see J.G. Lin **175**, 627
Matsumoto, T., see F. Izumi **172**, 166
Matsumoto, T., see Y. Yamada **173**, 185
Matsumoto, T., see K. Yanagisawa **183**, 197
Matsumoto, T., see C. Murayama **183**, 277
Matsuo, M., see M. Kimura **174**, 263
Matsushita, T., E.S. Otabe and B. Ni, Effect of reversible fluxoid motion on AC susceptibility of high temperature superconductors **182**, 95
Matsuura, T., see K. Miura **179**, 411
Matthews, D.N., see J. Wang **180**, 307
Matuda, S., see Y. Kuwasawa **175**, 187
Maury, R., see X. Bozec **179**, 22
May, D., see N.D. Kataria **180**, 61
Mayer, B., see R. Gross **180**, 235
Maza, J., see F. Miguélez **176**, 49
Mazaki, H., see M. Kakihana **173**, 377
Mazaki, H., see H. Yasuoka **175**, 192
McCarron, E.M., see C.C. Torardi **176**, 347
McGinn, P., N. Zhu, W. Chen, S. Sengupta and T. Li, Microstructure and critical current density of zone melt textured $YBa_2Cu_3O_{6+x}$ with $Y_2BaCuO_5$ additions **176**, 203
McGinn, P., W. Chen, N. Zhu, C. Varanasi, L. Tan and D. Balkin, Microstructure and magnetic properties of zone melt textured $YBa_2Cu_3O_{6+x}$ with $BaSnO_3$ additions **183**, 51
McGinn, P.J., see H.A. Blackstead **174**, 394; **175**, 534
McGinn, P.J., see E.K. Moser **176**, 235
McGuire, A., see Y.J. Zhao **184**, 144
McHenry, M.E., see K.H. Johnson **183**, 319
McIntyre, G.J., see C. Chaillout **175**, 293
McKenzie, D.R., see G.B. Smith **183**, 172
McKinnon, W.R., see J.M. Tarascon **172**, 13
Meason, J.M., see Z.Z. Sheng **172**, 43
Mehbod, M., see T. Krekels **173**, 361
Mehbod, M., see E. Vanlathem **177**, 207
Mehdaoui, A., see B. Loegel **179**, 15
Meingast, C., R. Ahrens, B. Blank, H. Bürkle, B. Rudolf and H. Wühl, Thermal-expansion, specific-heat, and pressure dependence of $T_c$ in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$: M = Fe and Zn **173**, 309
Mejías, M., J.M. Aponte and M. Octavio, Fabrication of high quality Bi–Sr–Ca–Cu–O thin films by multiple source evaporation **179**, 437
Melis, A.F.J., see P.E. Mijnarends **176**, 113
Mendiratta, R.G., see S. Bansal **173**, 260
Meng, R.L., see Z.J. Huang **175**, 595
Meng, R.L., Y.Y. Sun, P.H. Hor and C.W. Chu, Grain growth in monolithic $YBa_2Cu_3O_7$ with high $J_c$ **179**, 149

Menovsky, A.A., see P. Thalmeier **175**, 61
Menovsky, A.A., see P.E. Mijnarends **176**, 113
Menushenkov, A.P., see A.A. Ivanov **180**, 69
Merkle, K.L., see Y. Gao **173**, 487; **174**, 1
Merrien, N., see F. Studer **178**, 324
Mertelj, T., P. Šťastný, F.C. Matacotta, P. Ganguly, C.U. Segre and D. Mihailović, Superconductivity and charge transfer compensation by direct doping in the $La_{1+x}Ca_yBa_{2-x-y}Cu_3O_{7+\delta}$ system **183**, 11
Mesot, J., see A. Podlesnyak **175**, 587
Messi, R., see P. Cikmach **180**, 160
Metzger, R.M., see J.B. Torrance **182**, 351
Meyer, C., F. Hartmann-Boutron, Y. Gros and P. Strobel, Room temperature Mössbauer spectra of $^{57}$Fe-doped $La_2SrCu_2O_6$, $La_2CaCu_2O_6$ and $La_{1.6}Sr_{0.4}CaCu_2O_6$. Structural implications **181**, 1
Meyer, C.A., see R.H. Arendt **182**, 73
Meyer, O., see J. Geerk **180**, 11
Meyer, O., see R.L. Wang **180**, 65
Meylan, M., see R.G. Buckley **174**, 383
Mi, Y., R. Schaller, H. Berger, W. Benoit and S. Sathish, Low temperature internal friction spectrum of $YBa_2Cu_3O_x$ **172**, 407
Michalke, W., see W. Andrä **180**, 184
Michalke, W., see M. Siegel **180**, 288
Michel, C., see A. Maignan **177**, 461
Michel, C., E. Suard, V. Caignaert, C. Martin, A. Maignan, M. Hervieu and B. Raveau, Neutron diffraction structure determination of the "1212"-series $TlBa_2Ca_{1-x}Nd_xCu_2O_{7-\delta}$ **178**, 29
Michel, C., see F. Studer **178**, 324
Michel, C., see C. Martin **179**, 1
Michel, C., see M. Huve **179**, 229
Michels, G., see S. Ruppel **174**, 233
Michels, G., see D. Wohlleben **174**, 242
Midgley, P.A., see J. Ryder **173**, 9
Mielke, A., see H. Knau **182**, 39
Miguélez, F., J. Maza and F. Vidal, Low-frequency AC electrical resistivity of granular $Y_1Ba_2Cu_3O_{7-\delta}$ compounds **176**, 49
Mihailović, D., see T. Mertelj **183**, 11
Mijnarends, P.E., see A. Bansil **172**, 175
Mijnarends, P.E., A.F.J. Melis, A.W. Weeber, A.A. Menovsky and K. Kadowaki, Positron annihilation 2D-ACAR measurements in the incommensurately modulated high-$T_c$ superconductor $Bi_2Sr_2CaCu_2O_{8+x}$ **176**, 113
Mika, K., see J. Hauck **175**, 386
Mikhailov, A.A., see V.N. Trofimov **183**, 135
Mikhalyov, K.N., see Iu.I. Zhdanov **183**, 247
Milani, E., see G. Balestrino **180**, 46
Miller, B., see J.M. Rosamilia **182**, 285
Miller, D.J., see K.E. Gray **174**, 340
Minami, F., see T. Honma **176**, 209
Minami, F., see T. Watanabe **176**, 274
Mineev-Weinstein, M.B., Exact calculations of $T_c$ from Eliashberg equation for simultaneous action of different channels of pairing **182**, 322
Miner, W.A., see J.P. Franck **172**, 90
Miraglia, S., see K. Donnelly **172**, 207
Mirebeau, I., see E. Vanlathem **177**, 207
Mirebeau, I., C. Bellouard, M. Hennion, G. Jéhanno, V. Caignaert, A.J. Dianoux, T.E. Phillips and K. Moorjani, Coexistence of antiferromagnetic order and spin glass freezing in $YBa_2(Cu_{0.88}Fe_{0.12})_3O_{6.5}$ **184**, 299
Mirmelstein, A., see A. Podlesnyak **175**, 587
Mironov, O.A., S.V. Chistyakov, I.M. Zaritskii, A.A. Konchits, S.P. Kolesnik, V.A. Stephanovich, A.Yu. Sipatov and A.I. Fedorenko, The nature of magnetic field hysteretic microwave absorption in the HTSC thin films and HTSC models epitaxial superlattices PbTe–PbS **180**, 196
Mironova, G.M., see A.M. Balagurov **172**, 331
Mishra, P.K., see G. Ravikumar **182**, 252
Misra, A., see Y. Song **172**, 1
Misra, D.S. and S.B. Palmer, Laser ablated thin films of $Y_1Ba_2Cu_3O_{7-\delta}$: the nature and origin of the particulates **176**, 43
Mitchell, D.F., see J.P. Franck **172**, 90
Mitrović, B., see A. Brass **177**, 138
Mitsugi, K., see Y. Yamaguchi **179**, 447
Mittag, M., R. Job and M. Rosenberg, Magnetic relaxation and flux creep in ceramic (Bi, Pb)-2223 HTSC **174**, 101
Mituhashi, T., see Y. Maniwa **175**, 401
Mitzi, D.B., see J. Yazyi **184**, 254
Miura, K., T. Matsuura and Y. Kuroda, Quasi-particle interaction in strongly correlated systems. Degenerate Anderson lattice **179**, 411
Miura, T., see S. Takeno **176**, 151; **181**, 143
Miyamoto, K., see M. Morita **172**, 383
Miyamoto, Y., see G. Er **181**, 206
Miyatake, T., see T. Machi **173**, 32
Miyatake, T., see J.O. Willis **175**, 81
Miyazaki, T., see Y. Horie **175**, 93; **176**, 521
Mizoguchi, K., see Y. Maniwa **175**, 401
Mlayah, A., see A. Gold **181**, 374
Mogro-Campero, A. and L.G. Turner, High quality thin films of $YBa_2Cu_3O_7$ by post-annealing at low oxygen partial pressure **176**, 429
Mohamed, M.A.-K., see J.P. Franck **172**, 90
Mohan, S., see M.G. Krishna **175**, 623
Moizhes, B.Ya., see L. Kornblit **176**, 295
Molenda, J., A. Stokłosa and T. Bąk, Transport properties of $YBa_2Cu_3O_{7-y}$ at high temperatures **175**, 555
Molotkov, S.N., S.S. Nazin, I.S. Smirnova and V.V. Tatarskii, Electronic properties of substitutions in the $YBa_2Cu_3O_7$ anionic sublattice **172**, 149
Momono, N., M. Ido, M. Oda, N. Yamada, A. Onodera, Y. Okajima and K. Yamaya, Low-temperature crystal structure and superconductivity in $La_{2-x}Ba_xCuO_4$ **183**, 241
Monceau, P., see H. Raffy **184**, 159
Mong, Q., see Y. Wang **178**, 287
Monnereau, O., see J.-R. Gavarri **172**, 213
Moodera, J.S., see A. Kussmaul **177**, 415
Moorjani, K., see I. Mirebeau **184**, 299
Morán, E., see M.A. Señarís-Rodrígue **172**, 477

Morgan, G.J., see M.A. Howson **173**, 51
Morgan, P.E.D., R.M. Housley, J.R. Porter and J.J. Ratto, Low level mobile liquid droplet mechanism allowing development of large platelets of high-$T_c$ "Bi-2223" phase within a ceramic **176**, 279
Môri, N., see C. Murayama **183**, 277
Mori, T., see H. Yamamoto **181**, 133
Morikawa, H., see M. Kimura **174**, 263
Morishita, T., see H. Takahashi **175**, 381; **179**, 291
Morishita, T., see M. Kamei **182**, 123
Morita, M., K. Miyamoto, K. Doi, M. Murakami, K. Sawano and S. Matsuda, Processing and superconducting properties of high-$J_c$ bulk YBaCuO prepared by melt process **172**, 383
Morita, M., see M. Kimura **174**, 263
Morosin, B., D.S. Ginley, E.L. Venturini, R.J. Baughman and C.P. Tigges, Structure studies on Tl-2122 and Tl-2223 superconductors **172**, 413
Morosin, B., see J.E. Schirber **172**, 465
Morosin, B., E.L. Venturini and D.S. Ginley, Annealing study on single crystal Tl-2223 superconductors **175**, 241
Morosin, B., E.L. Venturini and D.S. Ginley, Tl–O charge reservoir changes on annealing Tl-1223 crystals **183**, 90
Morosin, B., P.P. Newcomer, R.J. Baughman, E.L. Venturini, D. Loy and J.E. Schirber, On the "orthorhombic form of $C_{60}$". Molecular crystals containing $CS_2$ **184**, 21
Morris, D.E., see H.B. Liu **174**, 28
Morris, D.E., M.R. Chandrachood and A.P.B. Sinha, Synthesis of high quality thallium superconductors at elevated oxygen pressure **175**, 156
Morris, D.E., see H.J. Bornemann **182**, 132
Moser, E.K., W.J. Tomasch, P.J. McGinn and J.Z. Liu, Microwave magneto-dissipation in crystalline $YBa_2Cu_3O_{6+x}$ and $Bi_2Sr_2CaCu_2O_9$ **176**, 235
Moser, N., see Th. Schuster **179**, 269
Moshchalkov, V.V., J.Y. Henry, C. Marin, J. Rossat-Mignod and J.F. Jacquot, Anisotropy of the first critical field and critical current in $YBa_2Cu_3O_{6.9}$ single crystals **175**, 407
Mossang, E., see O. Thomas **180**, 42
Mostoller, M., see G.H. Kwei **175**, 135
Motta, N., see A. Balzarotti **180**, 101
Motta, N., see F. Arciprete **180**, 132
Mouget, C., see P. Strobel **172**, 193
Muenchausen, R.E., see R. Ramesh **173**, 163
Mukhin, S.I., D. Reefman and L.J. de Jongh, Specific heat of the local-pair superconductor **174**, 455
Müller, G., see H. Chaloupka **180**, 259
Müller, H., see Y. Kopelevich **183**, 345
Müller, H.-U., see F. Ludwig **180**, 85
Muller, J., see G. Triscone **176**, 247
Muller, J., see J.-Y. Genoud **177**, 315
Müller, J.-P., see F. Ludwig **180**, 85
Müller, K.-H., see B.W. Ricketts **183**, 17
Muller, O., see S.K. Agarwal **180**, 203
Müller, P., see R. Sieburger **181**, 335
Müller, R., see N. Knauf **173**, 414
Müller, W.F., see P.A. van Aken **174**, 63
Muñoz, J.S., see A. Sanchez **175**, 33
Murakami, M., see M. Morita **172**, 383
Murakami, M., see L.T. Sagdahl **172**, 495
Murakoshi, Y., S. Kambe and M. Kawai, Dramatic changes in the Bi and Cu valences of Bi 2201 phase annealing in absence of oxygen **178**, 71
Muralidhar, G.K., see M.G. Krishna **175**, 623
Murata, K., see N.A. Fortune **178**, 437
Murayama, C., Y. Iye, T. Enomoto, N. Môri, Y. Yamada, T. Matsumoto, Y. Kubo, Y. Shimakawa and T. Manako, Correlation between the pressure-induced changes in the Hall coefficient and $T_c$ in superconducting cuprates **183**, 277
Murayama, N., Y. Kodama, S. Sakaguchi, F. Wakai and Y. Torii, Influence of magnetic field on transport current path in Bi–Pb–Sr–Ca–Cu–O granular superconductor **174**, 335
Murayama, N., Y. Kodama, S. Sakaguchi and F. Wakai, Anisotropy and anomalous temperature dependence of Josephson lower critical field in grain-oriented Bi–Pb–Sr–Ca–Cu–O superconductor **177**, 135
Murayama, N., Y. Kodama, S. Sakaguchi and F. Wakai, Two step dependence of critical temperature on oxygen content for the Bi–Pb–Sr–Ca–Cu–O superconductor **181**, 331
Murduck, J.M., see K.E. Gray **174**, 340
Murray, B.G., see M.S. Raven **178**, 275
Murray, H., see G. Poullain **182**, 143
Murtas, F., see C. Romeo **180**, 77
Musaev, O.R. and V.L. Popov, Moving of flux lines through a random net of pinning centers **174**, 81
Myasoedov, A.B., see Iu.I. Zhdanov **183**, 247
Myhra, S., see A. Crossley **176**, 106
Myhra, S., see P.R. Graves **181**, 265

Nagaev, K.E., Theory of excess noise in superconductors above $T_c$ **184**, 149
Nagase, K., see S. Nakajima **182**, 89
Nagoshi, M., see A. Tokiwa **172**, 155; **181**, 311
Nagoshi, M., see Y. Fukuda **181**, 320
Nakajima, S., M. Kikuchi, Y. Syono, T. Oku, K. Nagase, N. Kobayashi, D. Shindo and K. Hiraga, Iodometric determination of oxygen contents of the Tl single layer system and their relevance to superconductivity **182**, 89
Nakamura, S., see Y. Iye **174**, 227
Nakamura, S., see T. Ishida **176**, 24
Nakamura, S., see S. Takeno **176**, 151; **181**, 143
Nakamura, T., R. Liang, H. Kawaji, M. Itoh, R. Aoki and K. Sakai, A simple relation between the pair-interaction parameter and optical absorption edge in oxide superconductors **181**, 233
Nakano, S., see Y. Kuwasawa **175**, 187
Nakano, T., see M. Oda **183**, 234
Nakazawa, Y., see I. Das **173**, 331
Nakazawa, Y., J. Takeya and M. Ishikawa, Effects of oxygen stoichiometry and Zn(Al) substitution on low temperature specific heat anomaly of the $Ba_2YCu_3O_y$ system **174**, 155
Napoli, F., see T. Aste **182**, 307

Nara, A., see T. Wada **179**, 455
Nara, A., see H.W. Zandbergen **183**, 149
Narlikar, A.V., see S.B. Samanta **178**, 171
Narukawa, Y., see Y. Sawai **176**, 147
Narumi, E., see L.W. Song **174**, 303; **181**, 239
Nasrazadani, S., see Y. Xin **176**, 179
Natarajan, S., see U. De **183**, 83
Nath, A., see Z. Homonnay **174**, 223
Nava, R., see M. Saint-Paul **183**, 257
Navarro, R., F. Lera, A. Badía, C. Rillo, J. Bartolomé, W.L. Lechter and L.E. Toth, Critical current model analysis of inter- and intra-grain effects in a high density sintered Tl–Ba–Ca–Cu–O ceramic **183**, 73
Naveh, Y., see M. Golosovsky **176**, 379; **180**, 164
Nazin, S.S., see S.N. Molotkov **172**, 149
Nazzal, A.I., see F. Deslandes **179**, 207
Neimark, E.I., see D.I. Khomskii **173**, 342
Nellis, W.J., see S.T. Weir **184**, 1
Nelmes, R.J., J.S. Loveday, E. Kaldis and J. Karpinski, The crystal structure of $YBa_2Cu_4O_8$ as a function of pressure up to 5 GPa **172**, 311
Nelson, M.R., Dynamics of flux-line liquids in high-$T_c$ superconductors **174**, 40
Neminsky, A.M., see V.F. Gantmakher **177**, 469
Nevřiva, M., E. Pollert, J. Hejtmánek, S. Durčok, M. Šimečková and P. Diko, Growth and characterization of $Y_{1-y}Pr_yBa_2Cu_3O_{7-x}$ single crystals **179**, 253
Newcomer, P.P., see B. Morosin **184**, 21
Nguyen, E., D. Castello, J. Fontcuberta and X. Obradors, High frequency diamagnetic screening in $EuBa_2Cu_3O_7$ ceramics **184**, 34
Ni, B., see T. Matsushita **182**, 95
Niarchos, D., see G. Kallias **174**, 316
Niarchos, D., see M. Pissas **176**, 227
Nichols, T.R., see J.O. Willis **175**, 81
Nick, B., see J. Kircher **174**, 377
Nicoletti, S., see M. Bianconi **180**, 94
Niemeyer, J., see N.D. Kataria **180**, 61
Nieuwendijk, B., see H.W. Zandbergen **179**, 43
Nigro, A., see A. Andreone **180**, 272
Nihira, T., see A. Iwase **174**, 321
Nipoti, R., see M. Bianconi **180**, 94
Nirmala, R., see C.S. Gopinath **177**, 27
Nishihara, Y., see N.A. Fortune **178**, 437
Nishikawa, H., see E. Iguchi **179**, 393
Nishino, T., see M. Suga **182**, 25
Nishizaki, T., T. Aomine, I. Fujii, K. Yamamoto, S. Yoshii, T. Terashima and Y. Bando, Transport critical currents and flux pinning mechanisms in single-crystalline thin films of $YBa_2Cu_3O_{7-\delta}$ **181**, 223
Nishizaki, T., see T. Fukami **184**, 65
Niskanen, K., see P. Svedlindh **176**, 336
Nkum, R.K., see P.K. Ummat **180**, 407
Noël, H., see X. Bozec **179**, 22
Noël, H., see M. Saint-Paul **180**, 394
Nogar, N.S., see R. Ramesh **173**, 163
Noguchi, M., see Y. Iwai **181**, 261
Nojima, T. and T. Fujita, Universality of magnetization curves in superconducting Bi–Sr–Ca–Cu–O and Y–Ba–Cu–O films **178**, 140
Nordblad, P., see P. Svedlindh **176**, 336
Nordblad, P., see H. Ohlsén **180**, 73
Norling, P., see P. Svedlindh **176**, 336
Norton, M.G. and C.B. Carter, On the optimization of the laser ablation process for the deposition of $YBa_2Cu_3O_{7-\delta}$ thin films **172**, 47
Norton, M.G. and C.B. Carter, Effect of substrate temperature and oxygen pressure on the microstructure of thin $YBa_2Cu_3O_{7-\delta}$ film deposited on MgO by pulsed-laser ablation **182**, 30
Norton, M.L., see Z.J. Huang **180**, 331
Novoa, J.J., see U. Geiser **174**, 475
Nücker, N., see M. Knupfer **182**, 62
Nyholm, R., see H. Bernhoff **180**, 120

Oashi, T., see T. Ishida **176**, 24
Oberly, C.E., see G. Kozlowski **173**, 195
Obien, J.M., see W. Win **172**, 217
Obradors, X., see E. Nguyen **184**, 34
O'Bryan, H.M., see J.E. Graebner **173**, 135
Ockenfuß, G., F. Baudenbacher, W. Prusseit-Elffroth, K. Hirata, P. Berberich and H. Kinder, Preparation and growth of YSZ buffer layers and $YBa_2Cu_3O_7$ films on silicon (100) **180**, 30
O'Connor, M., see S.R. Su **178**, 81
Octavio, M., see M. Mejías **179**, 437
Oda, M., T. Nakano, Y. Kamada and M. Ido, Electronic states of doped holes and magnetic properties in $La_{2-x}M_xCuO_4$ (M=Sr, Ba) **183**, 234
Oda, M., see N. Momono **183**, 241
Oda, Y. and M. Yamada, New superconducting phases in $La_2CuO_{4+\delta}$ annealed in high-pressure oxygen gas **178**, 158
Odagawa, A., see Y. Maeno **173**, 322
Odier, P., see F. Barriquand **177**, 230
Oganesyan, A.P., see V.A. Gasparov **178**, 445
Ogata, N., see K. Ishida **179**, 29
Ogawa, N., I. Hirabayashi and S. Tanaka, Preparation of a high-$J_c$ YBCO bulk superconductor by the platinum doped melt growth method **177**, 101
Ogawa, R., see K. Shibutani **173**, 398
Ogawa, R., see S. Hayashi **174**, 329
Ogorevc, B., see G. Tavčar **175**, 607
Oguchi, T., T. Sasaki and K. Terakura, Electronic band structure of $YBa_2Cu_4O_8$ **172**, 277
Ohashi, N., H. Ikawa, O. Fukunaga, M. Kobayashi and J. Tanaka, Carrier behavior in the T*-phase of $(Ln_{1-x-y}Ln'_xSr_y)_2CuO_{4-\delta}$ **177**, 377
Ohata, K., see H. Takahashi **179**, 291
Oh-Ishi, K., see T. Kajitani **178**, 397
Ohkubo, H., see B. Zhao **176**, 409; **179**, 138
Ohlsén, H., J. Hudner, L. Stolt, P. Nordblad and T. Larsson, Thin films of Y–Ba–Cu–O prepared on low loss substrates **180**, 73
Ohtani, T., K. Kobatake and T. Takehara, Thermoelectric

power of the high-$T_c$ oxide superconductors at elevated temperatures **179**, 376
Oikawa, T., see A. Tokiwa **172**, 155
Ojima, Y., see J. Sugiyama **173**, 103; **179**, 131
Okada, M., see T. Doi **183**, 67
Okajima, Y., see T. Yagi **173**, 453
Okajima, Y., see N. Momono **183**, 241
Okayasu, S., see T. Ishida **178**, 301
Okomel'kov, A.V., see G.M. Genkin **182**, 171
Oku, T., see A. Tokiwa **172**, 155; **181**, 311
Oku, T., see S. Nakajima **182**, 89
Okui, S., see T. Ishida **176**, 24
Oliver, W.C., see A. Goyal **183**, 221
Olson, W.L., see R.P. Vasquez **177**, 223
Onari, S., see H. Yamamoto **181**, 133
Onodera, A., see N. Momono **183**, 241
Oppenheim, U.P., M. Katz, G. Koren, E. Polturak and M.R. Fishman, High temperature superconducting bolometer **178**, 26
O'Reilly, A., see E. Altendorf **175**, 47
Orlandi, P. and A. Rigamonti, Magnetically induced radiofrequency absorption in copper-oxide superconductors **178**, 197
Osamúra, K., see W. Zhang **174**, 126
Osborn, R., see A. Podlesnyak **175**, 587
Osofsky, M.S., H. Rakoto, J.C. Ousset, J.P. Ulmet, J. Leotin, S. Askenazy, D.B. Chrisey, J.S. Horwitz, E.F. Skelton and S.A. Wolf, Classical two-dimensional magnetoresistance in the normal state of $YBa_2Cu_3O_{7-\delta}$ **182**, 257
Osquiguil, E., see J. Vanacken **183**, 163
Otabe, E.S., see T. Matsushita **182**, 95
Otto, A. and J.B. Vander Sande, The length dependence of locally variable critical current **181**, 191
Otto, H.H., see R. Schönberger **173**, 159
Otto, H.H., see J.C. Jol **175**, 12
Ousset, J.-C., see J.-F. Bobo **180**, 168
Ousset, J.C., see M.S. Osofsky **182**, 257
Overmyer, D.L., see J.E. Schirber **172**, 465; **178**, 137
Overmyer, D.L., see U. Geiser **174**, 475
Overmyer, D.L., see N.D. Shinn **179**, 303
Owens, F.J., Z. Iqbal, A.A. Zakhidov and I.I. Khairullin, Paramagnetic resonance of $Cu^{2+}$ defects in mixed $n=2$ and $n=3$ phase $Bi_{1.5}Pb_{0.5}SrCa_{n-1}Cu_nO_{2n+4}$ superconductor **174**, 309
Owens, F.J., Microwave absorption observation of melting of vortex lattice in $Tl_2Ba_2Ca_2Cu_3O_x$ **178**, 456
Oyola, D., see M.A. González **180**, 220
Ozaki, H., see J.S. Shin **173**, 93
Ozhogin, V.I., see Iu.I. Zhdanov **183**, 247

Pace, S. and R. de Luca, Penetration depth of high-$T_c$ granular superconductors in the low-field reversible regime **180**, 176
Padiou, J., see M.G. Karkut **179**, 262
Padmanaban, V.P.N. and K. Shahi, Fluctuation induced paraconductivity in $YBa_2Cu_3O_{7-\delta}$ **172**, 427
Pagano, R.P., see A.J. Hill **176**, 64
Pai, S.P., see R. Pinto **175**, 310
Pal, A.J., P. Mandal, A. Poddar and B. Ghosh, Infrared studies of $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ and correlation between Cu–O distance derived from X-ray and IR **181**, 186
Palmer, S.B., see D.S. Misra **176**, 43
Pan, M.-H. and M. Greenblatt, The relationship of oxygen content and $T_c$ in $Tl_{0.5}Pb_{0.5}Sr_2CuO_{5\pm\delta}$ **176**, 80
Pan, M.-H. and M. Greenblatt, Synthesis, structure and transport properties in the superconducting $Tl_{1-x}Bi_xSr_2CuO_{5\pm\delta}$ system **184**, 235
Pan, V.M., V.G. Prokhorov, A.L. Kasatkin and C.G. Tretiatchenko, Influence of planar defects on mixed state dynamics of high-$T_c$ epitaxial films **180**, 199
Pan, W. and Q.Q. Zheng, Effect of Ni or Zn substitution on the electronic structure of $YBa_2Cu_3O_7$ **183**, 32
Pandey, D., A.K. Singh, R. Mahesh, V.S. Tiwari and S.K. Kak, The effect of semi-wet synthesis of the formation of the 2223 phase in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$ composition **173**, 476
Pandey, D., R. Mahesh, A.K. Singh, V.S. Tiwari and S.K. Kak, Preparation of nearly single phase 2223 in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$ composition by a semi-wet route using $Pb_{0.2}SrCa(CO_3)_{2.2}$ precursor **184**, 135
Pankert, J., see P. Lemmens **174**, 289
Pankert, J., A. Comberg, P. Lemmens, P. Fröning and S. Ewert, Magnetoacoustic determination of pinning energies in high-$T_c$ superconductors **182**, 291
Pannetier, B., see M. Saint-Paul **183**, 257
Paoletti, A., see G. Balestrino **180**, 46
Papa, A.R.R., see E. Altshuler **172**, 361
Papaconstantopoulos, D.A., see D.J. Singh **175**, 329
Paracchini, C., L. Romanó and L. Francesio, A comparison of $I$–$V$ characteristics in YBCO and BSCCO **175**, 324
Paracchini, C. and L. Romanó, Ohmic–non-ohmic characteristics in YBCO single crystals **184**, 29
Parise, J.B., see C.C. Torardi **176**, 347
Paritsky, L.G., see A.S. Kheifets **174**, 86
Park, C.H. and K.J. Chang, Electronic pairing mechanism and superconducting gap in high-$T_c$ superconductors **184**, 81
Park, J.C., see J.-C. Grenier **173**, 139
Park, J.C., P.V. Huong, M. Rey-Lafon, J.-C. Grenier, A. Wattiaux and M. Pouchard, Infra-red and Raman spectroscopic studies of superconducting electrochemically oxidized $La_2CuO_4$ **177**, 487
Park, K.T., see J. Yu **172**, 467
Park, K.T., see S. Massidda **176**, 159
Parodi, F. and R. Vaccarone, The critical state and the flux dynamics in squid arrays **173**, 56
Paroli, P., see G. Balestrino **180**, 46
Paschen, U., see G. Goll **177**, 351
Pashin, S.F., see A.I. Kuzmenkov **182**, 228
Pashkevich, Yu.G., see I.M. Vitebskii **178**, 189
Patella, F., see A. Balzarotti **180**, 101
Patella, F., see F. Arciprete **180**, 132
Paterno, G., see C. Romeo **180**, 77
Patlagan, L., see B. Fisher **176**, 75
Paul, D.M., see R. Dupree **175**, 269
Paul, D.McK., see G. Balakrishnan **177**, 310

Paul, D.McK., see R. Dupree **179**, 311
Paul, D.Mck., see Z.P. Han **181**, 355
Paul, W. and Th. Baumann, Inductive measurements of intergranular critical currents in ceramic rings. A comparison between sintered and melt processed Y-, Bi- and Tl-based superconductors **175**, 102
Paulikas, A.P., see G.T. Seidler **183**, 333
Paulikas, A.P., see B.W. Veal **184**, 321
Paumier, E., see F. Rullier-Albenque **175**, 111
Pavlyuk, A.D., see V.P. Djakonov **178**, 221
Pavuna, D., see A. Gauzzi **182**, 57
Payne, D.A., see A. Asthana **174**, 33
Peacor, S.D., see C. Uher **177**, 23
Peck Jr., W.F., see R.J. Cava **172**, 138; **177**, 115
Peck Jr., W.F., see H.W. Zandbergen **179**, 213
Pederson, D.O., see Y. Xin **177**, 183; **184**, 185
Pei, S., see F. Izumi **172**, 166
Pei, S., see Y. Yamada **173**, 185
Pejovnik, S., see G. Tavčar **175**, 607
Pekker, S., A. Jánossy and A. Rockenbauer, Ordering of oxygen into chains and distribution of hole density in $YBa_2Cu_3O_{6+x}$ **181**, 11
Pekker, S., see B. Janossy **181**, 51
Peluso, G., see A. Andreone **180**, 272
Peña, O., see C. Rossel **181**, 363
Peng, J.L. and R.L. Greene, Flux creep and irreversibility in electron-doped $Pr_{1.85}Th_{0.15}CuO_{4-y}$ **172**, 143
Peng, J.L., Z.Y. Li and R.L. Greene, Growth and characterization of high-quality single crystals of $R_{2-x}Ce_xCuO_{4-y}$ (RØd, Sm) **177**, 79
Penna, M., see C. Romeo **180**, 77
Pernet, M., see O. Thomas **180**, 42
Perng, L.H., T.S. Chin, C.H. Lin, I.N. Lin, S.J. Yang and S.E. Hsu, Preparation of high-$T_c$ (Bi, Pb)–Sr–Ca–Cu–O superconducting films on MgO(100) by a crucibleless melt growth method **175**, 667
Perrin, A., see M.G. Karkut **179**, 262
Perry, A.R., see F.J. Blunt **175**, 539
Peterson, D.E., see K.A. Kubat-Martin **172**, 75
Phillips, J.M., see M.P. Siegal **172**, 282
Phillips, T.E., see I. Mirebeau **184**, 299
Picard, C., see P. Gerdanian **182**, 11
Pickett, W.E., see D.J. Singh **175**, 329
Pillai, K.T., see R.V. Kamat **181**, 245
Pinatel-Philippot, A., see C. Legros-Gledel **172**, 304
Piñol, S., see G. Balakrishnan **177**, 310
Piñol, S., see M.A. Crusellas **180**, 313
Pinto, R., J.I. Poothra, S.P. Pai, L.C. Gupta, R. Vijayaraghavan, D. Kumar and M. Sharon, Substrate bias effects during in-situ growth of $Y_1Ba_2Cu_3O_{7-\delta}$ thin films by RF magnetron sputtering **175**, 310
Piotrowski, K., see L.T. Baczewski **175**, 363
Pissas, M., see G. Kallias **174**, 316
Pissas, M., A. Simopoulos, A. Kostikas and D. Niarchos, Mössbauer studies of the series $Bi_{2-x}Pb_xSr_2Bi_{n-1}Fe_nO_y$ for $x=0.5$, 1 and $n\infty$, 3 **176**, 227
Plakida, N.M., see V.Yu. Yushankhai **174**, 401
Plakida, N.M., see T. Galbaatar **176**, 496
Plecháček, V., see J. Dominec **177**, 373
Pleizier, G., see J.M. Tarascon **172**, 13
Plewa, J., see J. Hauck **178**, 405
Plummer, K.H., see W. Win **172**, 217
Poddar, A., see A.J. Pal **181**, 186
Podhájecký, P. and F.P. Dousek, Coulometric determination of $Cu^{III}$ **173**, 99
Podlesnyak, A., V. Kozhevnikov, A. Mirmelstein, P. Allenspach, J. Mesot, U. Staub, A. Furrer, R. Osborn, S.M. Bennington and A.D. Taylor, Neutron spectroscopic studies of crystalline electric fields in high-$T_c$ $ErBa_2Cu_3O_7$ doped with Zn and Ni **175**, 587
Pogrebnyakov, A.V., L.D. Yu, T. Freltoft and P. Vase, In-plane paraconductivity in *c*-oriented epitaxial $YBa_2Cu_3O_{7-x}$ films above $T_c$ **183**, 27
Pohl, J.E., see P.J. King **181**, 88
Polák, M., V. Windte, W. Schauer, J. Reiner, A. Gurevich and H. Wühl, Contactless measurement of voltage–current characteristics of high-$T_c$ thin film superconductors **174**, 14
Polak, M., see E.S. Vlakhov **175**, 335
Pollert, E., see M. Nevřiva **179**, 253
Polturak, E., see U.P. Oppenheim **178**, 26
Pompa, M., see C. Li **175**, 369; **178**, 421
Pompa, M., C. Li, A. Bianconi, A. Congiu Castellano, S. Della Longa, A.M. Flank, P. Lagarde and D. Udron, Full multiple scattering analysis of linearly polarized Cu $L_3$-edge XANES of $La_2CuO_4$ **184**, 51
Pompa, M., P. Castrucci, C. Li, D. Udron, A.-M. Flank, P. Lagarde, H. Katayama-Yoshida, S. Della Longa and A. Bianconi, On the orbital angular momentum of Cu 3d hole states in superconducting $La_{2-x}Sr_xCuO_4$ **184**, 102
Pooke, D.M., see R.G. Buckley **174**, 383
Poothra, J.I., see R. Pinto **175**, 310
Popov, V.L., see O.R. Musaev **174**, 81
Popov, V.N. and V.L. Valchinov, Phonon spectra of the $Nd_{1.85}Ce_{0.15}CuO_4$ superconductor **172**, 260
Poppe, U., see C.L. Jia **172**, 81; **182**, 163
Porter, J., see M.A. Howson **173**, 51
Porter, J.R., see P.E.D. Morgan **176**, 279
Potel, M., see X. Bozec **179**, 22
Potel, M., see M. Saint-Paul **180**, 394
Pouchard, M., see J.-C. Grenier **173**, 139
Pouchard, M., see F. Arrouy **175**, 342
Pouchard, M., see J.C. Park **177**, 487
Poullain, G., T. Brousse, V. Chauvel-Kokabi, J.-F. Hamet and H. Murray, In-situ growth of Li-doped $Bi_2Sr_2CaCu_2O_8$ thin films by laser deposition **182**, 143
Poulsen, H.F., see N.H. Andersen **172**, 31
Poulsen, H.F., N.H. Andersen and B. Lebech, Twin-domain size and bulk oxygen in-diffusion kinetics of $YBa_2Cu_3O_{6+x}$ studied by neutron powder diffraction and gas volumetry **173**, 387
Poumellec, B., see C. Legros-Glédel **175**, 279
Pourtier, F., see M. Saint-Paul **183**, 257
Presland, M.R., see J.L. Tallon **174**, 345

Presland, M.R., see R.G. Buckley **174**, 383
Presland, M.R., J.L. Tallon, R.G. Buckley, R.S. Liu and N.E. Flower, General trends in oxygen stoichiometry effects on $T_c$ in Bi and Tl superconductors **176**, 95
Presland, M.R. and J.L. Tallon, Superconductivity at 105 K in $Tl_{0.5}Pb_{0.5}CaSr_{2-x}La_xCu_2O_7$ **177**, 1
Press, M.R. and S.S. Jha, Calculation of the normal state intraband electronic Raman scattering cross-section and the dielectric tensor in YBCO **178**, 305
Prieto, P., see M.A. González **180**, 220
Prokhorov, V.G., see V.M. Pan **180**, 199
Prost, D., see B. Janossy **181**, 51
Provost, J., see A. Maignan **177**, 461
Provost, J., see V. Hardy **178**, 255
Provost, J., see M. Huve **179**, 229
Pruß, N., see R. Boyn **181**, 75
Prusseit-Elffroth, W., see G. Ockenfuß **180**, 30
Przewoźnik, J., see Z. Tomkowicz **184**, 244
Psyharis, V., see G. Kallias **174**, 316
Puchert, M., see G.B. Smith **183**, 172
Pulling, D.B., see H.A. Blackstead **174**, 394; **175**, 534
Pureur, P., J. Schaf, M.A. Gusmão and J.V. Kunzler, Resistive transition and fluctuations of the conductivity in $YBa_2Cu_3O_7$, $EuBa_2Cu_3O_7$ and $GdBa_2Cu_3O_7$ superconductors. Effect of inhomogeneities **176**, 357

Qi, M., P. Lee, R. Li, P. Coppens and J.H. Wang, Effect of hydrogen reduction on the structure and conductivity of $YBa_2Cu_3O_y$ **174**, 23
Qi, M. and J.H. Wang, Enhancement of the critical current of $Ag_8Tl_2Ba_2Ca_2Cu_3O_{10}$ by compressive reorientation **176**, 38
Qi, M., see Z.F. Ren **184**, 24
Qian, Y., see R. Li **172**, 335; **176**, 19
Qiu, X., see B. Zhao **176**, 409; **179**, 138
Qiu, X., C. Cui, S. Li, M. Liu, J. Li, Y. Zhang, Y. Zhao, P. Xu, L. Li, L. Chen, P. Chen, N. Li and G. Liu, Resistive transition and pinning potential in $YBa_2Cu_3O_7$ thin film **179**, 176
Querubin Jr., A., see Y. Song **172**, 1
Qvarford, M., see H. Bernhoff **180**, 120

Raffy, H., see M. Golosovsky **176**, 379
Raffy, H., S. Labdi, O. Laborde and P. Monceau, Scaling of the mixed state magnetoresistance of high-$T_c$ superconductors in terms of two-dimensional superconducting fluctuations **184**, 159
Rajagopal, A.K. and S.S. Jha, Generalized pairing theory of superconductivity in layered crystals **174**, 161
Rajagopal, A.K., see P.P. Divakaran **176**, 457
Rajagopal, H., see A. Sequeira **173**, 267
Rajagopal, H., see I.K. Gopalakrishnan **182**, 67
Rajan, K., see J.G. Darab **173**, 213
Rajarajan, A.K., see A. Sundaresan **178**, 193
Rajarajan, A.K., see D.G. Kuberkar **182**, 149
Rakoto, H., see J.-F. Bobo **180**, 168
Rakoto, H., see M.S. Osofsky **182**, 257
Ramakrishnan, T.V., see C. Dasgupta **183**, 62
Ramanujachary, K.V., see H.T. Shih **176**, 87
Ramesh, R., see J.M. Tarascon **172**, 13
Ramesh, R., T.S. Ravi, D.M. Hwang, C.C. Chang, A. Inam, T. Venkatesan, X.D. Wu, R.E. Muenchausen, S. Foltyn and N.S. Nogar, Microstructural evolution of laser deposited superconducting Y–Ba–Cu–O films. Effect of deposition rate **173**, 163
Ramesh, R., see K. Remschnig **175**, 261
Rammer, J., Temperature and field dependence of the vortex structure in high-$T_c$ superconductors **177**, 421
Rammer, J., On the vortex structure in pure niobium **181**, 99
Rangavittal, N., see D. Kovatcheva **173**, 444
Rangavittal, N., see R. Vijayaraghavan **179**, 183
Rao, C.N.R., see D. Kovatcheva **173**, 444
Rao, C.N.R., J. Gopalakrishnan, A.K. Santra and V. Manivannan, Relation between $T_c$ and hole concentration in superconducting cuprates **174**, 11
Rao, C.N.R., see R. Vijayaraghavan **179**, 183
Rao, G.M., see M.G. Krishna **175**, 623
Rao, K.N., see M.G. Krishna **175**, 623
Rao, K.V.R. and K.B. Garg, MS-XANES analysis of Cu K-edge spectra of $YBa_2Cu_3O_{7-y}$ with variable oxygen content **178**, 352
Ratto, J.J., see P.E.D. Morgan **176**, 279
Ratzel, F., see J. Geerk **180**, 11
Rauschenbach, B., see J. Geerk **180**, 11
Raveau, B., see A. Maignan **177**, 461
Raveau, B., see C. Michel **178**, 29
Raveau, B., see V. Hardy **178**, 255
Raveau, B., see F. Studer **178**, 324
Raveau, B., see C. Martin **179**, 1
Raveau, B., see M. Huve **179**, 229
Raveau, B., see E. Suard **182**, 219
Raven, M.S., E.E. Inameti, B.G. Murray and Y.M. Wan, Quasi-static impedance and penetration depth of YBCO thin films **178**, 275
Ravi, S. and V. Seshu Bai, Fluctuation induced excess conductivity in the $Bi_{1.2}Pb_{0.3}Sr_{1.5}Ca_2Cu_3O_y$ compound **182**, 345
Ravi, T.S., see R. Ramesh **173**, 163
Ravikumar, G. and P.K. Mishra, Effect of magnetic history on transport critical currents **182**, 252
Ray II, R.D. and E.E. Hellstrom, Ag-clad Bi–Sr–Ca–Cu–O wires. I. Phase study of fully processed 2:2:1:2 wires **172**, 435
Ray II, R.D. and E.E. Hellstrom, Ag-clad Bi–Sr–Ca–Cu–O wires. II. Important factors in supersolidus phase studies **175**, 255
Razavi, F.S. and H.-U. Habermeier, Preparation of thin films of BiPbSrCaCuO using the laser deposition technique **180**, 81
Redoulès, J.P., see X. Bozec **179**, 22
Reefman, D., see S.I. Mukhin **174**, 455
Reefman, D., see J.C. Jol **175**, 12
Reefman, D. and H.B. Brom, Numerical simulations on two-dimensional vortex lattices **183**, 212

Rehn, L.E., see R.P. Sharma **174**, 409
Reinen, D. and J. Wegwerth, Local and cooperative bonding effects in $K_2NiF_4$-type copper superconductors. Structural, spectroscopic and magnetic investigations on mixed crystals $La_{1+x}Sr_{1-x}Ga_{1-x}Cu_xO_4$ **183**, 261
Reiner, J., see M. Polák **174**, 14
Reiner, J., see J. Geerk **180**, 11
Reiner, J., see R.L. Wang **180**, 65
Reith, W., see S. Klotz **172**, 423
Remillard, S.K., P.N. Arendt and N.E. Elliott, Electrophoretic deposition of Tl–Ba–Ca–Cu–O and $Bi_2Sr_2CaCu_2O_x$ thick films **177**, 345
Remmel, J., see J. Geerk **180**, 11
Remmel, J., see R.L. Wang **180**, 65
Remova, A.A. and B.Ya. Shapiro, The polaron structure in the conducting layers of the high-temperature superconductors **172**, 105
Remschnig, K., see J.M. Tarascon **172**, 13
Remschnig, K., J.M. Tarascon, R. Ramesh and G.W. Hull, Growth and properties of large area $Bi_{2+x}Sr_{2-x}CuO_{6+y}$ single crystals **175**, 261
Ren, H., see H. Zhang **174**, 355
Ren, Z.F., M. Qi and J.H. Wang, Enhancement of critical current density in Tl–Ba–Ca–Cu–O type superconductors by the addition of $SnO_2$ **184**, 24
Renevier, H., J.L. Hodeau, T. Fournier, P. Bordet and M. Marezio, Gold effect on chemical bonding in $YBa_2(Cu_{1-y}, Au_y)_3O_{6+x}$ **172**, 183
Renk, K.F., see R. Schönberger **173**, 159
Renk, K.F., see J.C. Jol **175**, 12
Renk, K.F., see W. Andrä **180**, 188
Renk, K.F., see M. Lorenz **182**, 114
Rentschler, T. and S. Kemmler-Sack, Superconducting properties of ceramics in the 2212 system $Bi_{2-w}Pb_wSr_{2-x}Ca_{1-y}Nd_{x+y}Cu_2O_{8+z}$ **176**, 445
Rentschler, T., see S. Lösch **177**, 271
Revenaz, S., J. Dumas and A. Gerber, Harmonic generation by field modulation of the microwave absorption of $YBa_2Cu_3O_7$ and granular lead thin films **180**, 180
Reydet, P.L., see M.J. Casanove **175**, 285
Rey-Lafon, M., see J.C. Park **177**, 487
Rezchikov, K.B., see A.V. Bazhenov **176**, 35
Rhyner, J., see F. Stucki **181**, 385
Ri, H.-C., see R.P. Huebener **181**, 345
Rice, D.E., see E. Takayama-Muromachi **177**, 195
Richards, D.R., see S.J.L. Billinge **179**, 279
Richeson, D.S., see D.H. Kim **177**, 431
Richter, F., J. Appel and P. Hertel, On the motion of an extra electron in an antiferromagnetic $CuO_2$ layer **172**, 127
Ricketts, B.W., K.-H. Müller and R. Driver, Flux pinning in tubes of a ceramic superconductor **183**, 17
Rigamonti, A., see P. Orlandi **178**, 197
Rijnders, A.J.H.M., see J. Gao **177**, 384
Rillo, C., see R. Navarro **183**, 73
Rinderer, L., see T. Fukami **184**, 65
Rink, W.J., see J.B. Schlenoff **180**, 387
Ritschel, C., see J. Geerk **180**, 11
Rizgalla, M.A., see M. ElMassalami **183**, 143
Roas, B., see H. Watanabe **179**, 75
Robin, C., see B. Chevalier **175**, 435
Robin, C., see A. Tressaud **177**, 330
Rockenbauer, A., see S. Pekker **181**, 11
Roden, B., see N. Knauf **173**, 414
Roden, B., see S. Ruppel **174**, 233
Rodin, V.V., see V.P. Martovitsky **182**, 269
Rogalla, H., see J. Gao **177**, 384
Rogalla, H., see E.P. Houwman **183**, 339
Rogers Jr., J.W., see N.D. Shinn **179**, 303
Rojek, A., G. Wasilewska, A. Bohdziewicz, B. Cendlewska and E. Trojnar, 115 K superconductivity of Bi(Pb/Sb)–Sr–Ca–Cu–O thick films **183**, 130
Romanó, L., see C. Paracchini **175**, 324; **184**, 29
Romano, L.T., O.F. Schilling and C.R.M. Grovenor, Characterization of melt grown $Y_1Ba_2Cu_3O_{7-x}$ containing barium titanate inclusions II **178**, 41
Romano, P., see A.M. Cucolo **180**, 208
Romanyukha, A.A., see Yu.N. Shvachko **174**, 447
Romberg, H., see M. Knupfer **182**, 62
Romeo, C., V. Boffa, S. Bollanti, G. Paterno, C. Alvani, M. Penna, S. Barbanera, P. Castrucci, R. Leoni and F. Murtas, Superconducting properties of Y–Ba–Cu–O thin films grown in situ by laser ablation **180**, 77
Ron, X.S., see C.A. Wang **181**, 296
Roos, J., see I. Mangelschots **172**, 57
Rosamilia, J.M., S.H. Glarum, R.J. Cava, B. Batlogg and B. Miller, Anodic synthesis and characterization of millimeter crystals of $Ba_{0.6}K_{0.4}BiO_3$ **182**, 285
Rosenbaum, T.F., see G.T. Seidler **183**, 333
Rosenberg, M., see R. Job **172**, 391
Rosenberg, M., see M. Mittag **174**, 101
Rossat-Mignod, J., see V.V. Moshchalkov **175**, 407
Rossel, C., see P. Svedlindh **176**, 336
Rossel, C., O. Peña, H. Schmitt and M. Sergent, On the irreversibility line in the Chevrel phase superconductors **181**, 363
Rossoni, P.G., see S.R. Su **178**, 81
Rotella, F.J., see R.P. Sharma **174**, 409
Rotella, F.J., see R.H. Arendt **182**, 73
Rothwarf, A., see M.H. Jiang **183**, 39
Roucau, C., see M.J. Casanove **175**, 285
Roughani, B., see L.C. Sengupta **175**, 17
Rouillon, T., see A. Maignan **177**, 461
Routledge, D., see K.L. Westra **181**, 30
Roys, W.B., see P.J. King **181**, 88
Roytburd, A.L., see M.J. Turchinskaya **182**, 297
Rudnickij, L.A., see A.M. Balagurov **172**, 331
Rudolf, B., see C. Meingast **173**, 309
Rullier-Albenque, F., A. Legris, S. Bouffard, E. Paumier and P. Lejay, Irradiation of $YBa_2Cu_3O_{7-\delta}$ single crystals by 5.6 GeV xenon ions **175**, 111
Ruppel, S., G. Michels, H. Geus, J. Kalenborn, W. Schlabitz, B. Roden and D. Wohlleben, The equilibrium magnetization of granular high temperature

superconductors in low fields. I. The Meissner effect of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-y}$ **174**, 233
Ruppel, S., see D. Wohlleben **174**, 242
Rupp Jr., L.W., see C.H. Chen **175**, 301
Rusiecki, S., see I. Mangelschots **172**, 57
Rusiecki, S., see D. Braithwaite **178**, 75
Rusiecki, S., see T. Krekels **178**, 383
Rusiecki, S., see M. Knupfer **182**, 62
Russell, G.J., see J. Wang **180**, 307
Russo, R.E., see X.L. Mao **183**, 167
Rutter, J., see B.W. Statt **183**, 57
Ryazanov, V.V., see V.M. Krasnov **174**, 440
Ryazanov, V.V., see G.Yu. Logvenov **175**, 179
Ryazanov, V.V., see A.E. Koshelev **177**, 129
Ryder, J., P.A. Midgley, R. Exley, R.J. Beynon, D.L. Yates, L. Afalfiz and J.A. Wilson, Characteristics of mixed phase superconductivity in oxygenated $La_2CuO_{4+\delta}$ **173**, 9
Rygula, M., see S. Lösch **177**, 271

Sabatani, E., see Y. Scolnik **174**, 273
Sadowski, W., see M. Affronte **172**, 131
Saemann-Ischenko, G., see M. Klauda **173**, 109
Saemann-Ischenko, G., see H. Watanabe **179**, 75
Saemann-Ischenko, G., see X.F. Zhang **183**, 379
Sagdahl, L.T., T. Lægreid, K. Fossheim, M. Murakami, H. Fujimoto, S. Gotoh, K. Yamaguchi, H. Yamauchi, N. Koshizuka and S. Tanaka, Restricted reversible region and strongly enhanced pinning in MPMG $YBa_2Cu_3O_7$ with $Y_2BaCuO_5$ inclusions **172**, 495
Sagoi, M., see S. Takeno **176**, 151; **181**, 143
Saint-Paul, M., H. Noël, J.C. Levet, M. Potel and P. Gougeon, Magnetic field dependence of ultrasound velocity in $YBaCu_3O_7$ single crystals **180**, 394
Saint-Paul, M., F. Pourtier, B. Pannetier, J.C. Villegier and R. Nava, Acoustic anomalies in $YBa_2Cu_3O_{7-\delta}$ thin films **183**, 257
Saito, H., see Y. Iwai **181**, 261
Sakaguchi, S., see N. Murayama **174**, 335; **177**, 135; **181**, 331
Sakai, K., see T. Nakamura **181**, 233
Sakai, N., see T. Maeda **177**, 337
Sakurai, T., T. Yamashita, J.O. Willis, H. Yamauchi, S. Tanaka and G.H. Kwei, Combined X-ray and neutron powder diffraction study of the structure of $La_{1.8}Sr_{0.2}CaCu_2O_6$. Cation ordering and oxygen stoichiometry **174**, 187
Sakuyama, K., see J. Sugiyama **173**, 103
Sakuyama, K., see T. Maeda **175**, 393; **177**, 337
Sakuyama, K., see M. Kosuge **182**, 157
Salama, K., see V. Selvamanickam **178**, 147
Salama, K., see S. Zannella **180**, 373
Salama, K., see D.F. Lee **181**, 81
Salamon, M.B., see F. Zuo **176**, 541
Salomon, R., see E.L. Brosha **184**, 353
Salomons, G., see J.P. Franck **172**, 90
Samanta, S.B., P.K. Dutta, V.P.S. Awana, E. Gmelin and A.V. Narlikar, High resolution STM/STS studies of Bi–O redox layers and superconductivity in pure and substituted Bi-2122 high-$T_c$ cuprate **178**, 171
Samoilov, A.V., see N.V. Zavaritsky **180**, 417
Sampathkumaran, E.V., see I. Das **173**, 331
Sanada, N., see Y. Fukuda **181**, 320
Sanchez, A., D.-X. Chen, J.S. Muñoz and Y.-Z. Li, Local-field-dependent critical-current density for high-$T_c$ $YBa_2Cu_3O_{7-\delta}$ superconductors **175**, 33
Sanchez, D., see J.-Y. Genoud **177**, 315
Sanchez, E., see E.L. Brosha **184**, 353
Sanchez Balmaseda, M., see M. Bianconi **180**, 94
Sandhage, K.H., W. Carter, L. Masur, C. Joshi, H. Hsu and G.J. Yurek, Synthesis of a Ba–Pb–Bi–O/Ag superconducting composite by the oxidation of a Ba–Pb–Bi–Ag metallic precursor **177**, 45
Santoro, A., see R.J. Cava **172**, 138
Santra, A.K., see C.N.R. Rao **174**, 11
Sarkar, A.K., see I. Maartense **181**, 25
Sasaki, T., see T. Oguchi **172**, 277
Sasaki, T., see N. Toyota **178**, 339
Sastry, P.V.P.S.S., see A. Sequeira **173**, 267
Sastry, P.V.P.S.S., J.V. Yakhmi, R.M. Iyer, C.K. Subramanian and R. Srinivasan, Superconductivity of Bi-2201 ($n^{\sim}$) as influenced by the substitution of Pb and/or rare-earths (R = La, Nd and Pr) **178**, 110
Satchell, J.S., R.G. Humphreys, N.G. Chew, S.W. Goodyear, J.A. Edwards and M.N. Keene, Strongly coupled high-$T_c$ edge junctions **180**, 247
Sathish, S., see Y. Mi **172**, 407
Sato, H., see N. Toyota **178**, 339
Sato, M., see H. Fujishita **175**, 165
Sato, S., see T. Watanabe **176**, 274
Sato, T., see Y. Bando **180**, 3
Satoh, T., see T. Yoshitake **174**, 144
Satoh, T., J. Fujita, T. Yoshitake and H. Igarashi, Microsctructure of $Bi_2(Sr,Ca)_3Cu_2O_x/Bi_2Sr_2CuO_y/Bi_2(Sr,Ca)_3Cu_2O_x$ trilayer films fabricated by ion beam sputtering **183**, 286
Sauerzopf, F.M., see W. Kritscha **179**, 59
Saul, A., see M. Weissmann **180**, 381
Savvides, N., see S.X. Dou **172**, 295
Savvides, N., A. Katsaros and S.X. Dou, Critical current density and flux pinning in silver/superconductor composites and tapes **179**, 361
Sawai, Y., K. Ishizaka, M. Takata and Y. Narukawa, Stability of $YBa_2Cu_3O_7$, $Y_2Ba_4Cu_7O_{15}$ and $YBa_2Cu_4O_8$ superconductors under varying oxygen partial pressure, total gas pressure and temperature **176**, 147
Sawano, K., see M. Morita **172**, 383
Sawano, K., see M. Kimura **174**, 263
Sawano, K., see M.J. Turchinskaya **182**, 297
Schaf, J., see P. Pureur **176**, 357
Schaller, R., see Y. Mi **172**, 407
Schartman, R.R. and E.E. Hellstrom, The low-temperature synthesis of $YBa_2Cu_3O_{7-\delta}$ under reduced oxygen pressure **173**, 245
Schauer, W., see M. Polák **174**, 14
Scheidl, S., see G. Hackenbroich **181**, 163
Scheuermann, M.R., see R.P. Huebener **181**, 345

Schieber, M., see M. Golosovsky **176**, 379
Schilling, J.S., see S. Klotz **172**, 423
Schilling, J.S., see R. Sieburger **173**, 403; **181**, 335
Schilling, O.F., see L.T. Romano **178**, 41
Schirber, J.E., D.L. Overmyer, R.J. Baughman and B. Morosin, Search for high temperature superconductivity in $LiPdH_x$ **172**, 465
Schirber, J.E., see U. Geiser **174**, 475
Schirber, J.E., D.L. Overmyer, H.H. Wang, J.M. Williams, K.D. Carlson, A.M. Kini, U. Welp and W.-K. Kwok, Pressure dependence of the superconducting transition temperature of potassium fullerene, $K_xC_{60}$ **178**, 137
Schirber, J.E., see N.D. Shinn **179**, 303
Schirber, J.E., see B. Morosin **184**, 21
Schlabitz, W., see S. Ruppel **174**, 233
Schleger, P., W.N. Hardy and B.X. Yang, Thermodynamics of oxygen in $Y_1Ba_2Cu_3O_x$ between 450°C and 650°C **176**, 261
Schlenker, C., C.J. Liu, R. Buder, J. Schubert and B. Stritzker, Magnetic properties and critical currents in $YBa_2Cu_3O_7$ thin films **180**, 148
Schlenker, C., see S.K. Agarwal **180**, 203
Schlenoff, J.B., W.J. Rink and L. Seger, Electrochemical reduction of $Bi_2Sr_2Ca_1Cu_2O_8$ superconductor single crystals **180**, 387
Schlötterer, J., see M. Klauda **173**, 109
Schmidl, F., see M. Siegel **180**, 288
Schmidt, H., see O. Eibl **177**, 89
Schmidt, H., K. Hradil, G. Gieres, W. Hösler and O. Eibl, Sputtered $YBa_2Cu_3O_y$ thin films on sapphire and silicon substrates using yttria stabilized $ZrO_2$ buffer layers **180**, 34
Schmiedel, H., see S.L. Ginzburg **174**, 109
Schmitt, H., see C. Rossel **181**, 363
Schmitt, M., see A. Walkenhorst **177**, 165
Schmitt, M., see M. Huth **178**, 203
Schmitt, P., see X.F. Zhang **183**, 379
Schmitz, W., see M. Lorenz **182**, 114
Schneemeyer, L.F., see R.M. Fleming **173**, 37
Schneemeyer, L.F., see R.J. Cava **177**, 115
Schneemeyer, L.F., see A.M. Cucolo **179**, 69
Schneemeyer, L.F., see C. Chaillout **181**, 325
Schneider, R., see N.D. Kataria **180**, 61
Schneider, T. and J.-P. Locquet, Dimensional crossover and finite size effects in superconducting films **179**, 125
Schneider, U., Analysis of high-$T_c$ superconducting thin films by means of secondary neutral mass spectrometry **180**, 124
Schnellbögl, A., see H. Lengfellner **174**, 373
Scholz, G.A., J.C. Bennett and F.W. Boswell, Reversible electrochemically induced $\rho(T)$ and $T_c$ changes in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **173**, 220
Schönberger, R., H.H. Otto, B. Brunner and K.F. Renk, Evidence for filamentary superconductivity up to 220 K in oriented multiphase Y–Ba–Cu–O thin films **173**, 159
Schönmann, K., B. Seebacher and K. Andres, *a–b* anisotropy properties of millimeter-sized monodomain $YBa_2Cu_3O_{7-x}$ single crystals **184**, 41
Schubert, J., see C.L. Jia **175**, 545; **182**, 163
Schubert, J., see C. Schlenker **180**, 148
Schubert, J., see S.K. Agarwal **180**, 203
Schuhl, A., see R. Cabanel **180**, 38
Schuhl, A., see S. Tyč **180**, 243
Schuller, I.K., see J. Guimpel **175**, 197
Schulman, L.S., see G. Forgacs **177**, 67
Schulte, O., see F. Arrouy **184**, 74
Schultz, A.J., see U. Geiser **174**, 475
Schultz, L., see X.F. Zhang **183**, 379
Schumann, R., see R. Hayn **174**, 199
Schüppel, W., see W. Andrä **180**, 184
Schurig, T., see F. Ludwig **180**, 85
Schuster, Th., M.R. Koblischka, N. Moser and H. Kronmüller, Observation of nucleation and annihilation of flux-lines with opposite sign in high-$T_c$ superconductors **179**, 269
Schwab, P. and D. Bäuerle, Pulsed-laser deposition of Y–Ba–Cu–O in $O_2$ and $N_2O$ atmospheres **182**, 103
Schwarz, M., see Ch. Lang **182**, 79
Ściężor, T., see A. Kozłowski **184**, 113
Scoles, K.J., see M.H. Jiang **183**, 39
Scolnik, Y., E. Sabatani and D. Cahen, Chemical diffusion coefficient of oxygen in polycrystalline $YBa_2Cu_3O_{7-x}$ at room temperature **174**, 273
Seaman, C.L., see C.C. Almasan **174**, 93
Seaman, C.L., see S.T. Weir **184**, 1
Seebacher, B., see G. Zorn **177**, 494
Seebacher, B., see K. Schönmann **184**, 41
Seehra, M.S., see J. Zhao **178**, 432
Seger, L., see J.B. Schlenoff **180**, 387
Segre, C.U., see K. Zhang **179**, 405
Segre, C.U., see T. Mertelj **183**, 11
Seibt, E.W., see U. De **183**, 83
Seidel, P., M. Siegel and E. Heinz, Microwave-induced steps in high-$T_c$ Josephson junctions **180**, 284
Seidel, P., see M. Siegel **180**, 288
Seider, E., see W. Zimmermann **183**, 99
Seidler, G., see K. Zhang **179**, 405
Seidler, G.T., T.F. Rosenbaum, D.L. Heinz, J.W. Downey, A.P. Paulikas and B.W. Veal, Scaling of the irreversibility line with superconducting transition temperature in oxygen deficient $YBa_2Cu_3O_{7-\delta}$ **183**, 333
Selvamanickam, V., K. Forster and K. Salama, Critical current anisotropy in liquid phase processed $YBa_2Cu_3O_x$ superconductors **178**, 147
Señarís-Rodríguez, M.A., A.M. Chippindale, A. Várez, E. Morán and M.A. Alario-Franco, A novel "126" phase of the family of $Y_2Ba_4Cu_{6+n}O_{14+n}$ high-temperature superconducting materials **172**, 477
Senateur, J.P., see O. Thomas **180**, 42
Senatorov, A.V., see M.A. Baranov **179**, 52
Sengupta, L.C., B. Roughani, J.L. Aubel, S. Sundaram and W.C.H. Joiner, Effect of substitutional doping on the 1.7 eV electronic transition of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ for M = Co, Fe, Ni and Zn **175**, 17
Sengupta, S., see P. McGinn **176**, 203
Senoussi, S., C. Aguillon and P. Manuel, The origin of the low

field peak in the hysteresis cycle of high-$T_c$ oxides and the influence of magnetic pinnings **175**, 202
Senoussi, S., C. Aguillon and S. Hadjoudj, The contribution of the intergrain currents to the low field hysteresis cycle of granular superconductors and the connection with the micro- and macro-structures **175**, 215
Senoussi, S., see P. Manuel **177**, 281
Senz, S., see H. Knau **182**, 39
Sequeira, A., H. Rajagopal, P.V.P.S.S. Sastry, J.V. Yakhmi and R.M. Iyer, A neutron diffraction study of the structure of $Bi_{1.6}Pb_{0.4}Ca_1Sr_2Cu_2O_y$ **173**, 267
Sequeira, A., see I.K. Gopalakrishnan **182**, 67
Sera, M., see H. Fujishita **175**, 165
Sergeenkov, S.A., Memory effects in high-$T_c$ superconductive glass model **174**, 195
Sergent, M., see M.G. Karkut **179**, 262
Sergent, M., see C. Rossel **181**, 363
Servidori, M., see M. Bianconi **180**, 94
Seshu Bai, V., see S. Ravi **182**, 345
Setsune, K., see S. Adachi **175**, 523
Setsuwan, P., see I.M. Tang **177**, 57
Setty, A.K. and K.K. Singh, Exact treatment of some phenomenological models of layered high-$T_c$ superconductors **180**, 401
Sgarlata, A., see A. Balzarotti **180**, 101
Sgarlata, A., see F. Arciprete **180**, 132
Shahi, K., see V.P.N. Padmanaban **172**, 427
Shang, S., see X. Wang **182**, 333
Shao, H.M., see L.W. Song **174**, 303
Shapiro, B.Ya., see A.A. Remova **172**, 105
Sharma, R.P., F.J. Rotella, J.D. Jorgensen and L.E. Rehn, Neutron diffraction and ion-channeling investigations of atomic displacements in $YBa_2Cu_3O_{7-\delta}$ between 10 and 300 K **174**, 409
Sharon, M., see R. Pinto **175**, 310
Sharon, M., see A. Sundaresan **178**, 193
Shaw, D.T., see L.W. Song **174**, 303; **181**, 239
Shaw, G., G. Agrawala and S.M. Bhagat, Equation of "state" for thermoremanent magnetization in micron-size powders of copper oxide superconductors **175**, 27
Shechtman, V.Sh., see S.I. Bredikhin **179**, 286
Sheinin, S.S., see S.C. Cheng **184**, 385
Shelton, R.N., see L. Zhang **174**, 431
Shen, Y.Q., see P. Vase **180**, 90
Shen, Z.X., see M.A. Angadi **177**, 479
Sheng, Z.Z., Y. Xin, J.M. Meason and L.A. Burchfield, Superconductivity above 100 K in the Ca-free Tl–Pb–Sr–Pr–Cu–O system **172**, 43
Sheng, Z.Z., see Y. Xin **176**, 179; **177**, 183; **184**, 185
Shewchun, J., see C. Uher **177**, 23
Shi, J.B., see G.H. Kwei **174**, 180
Shibata, H., see K. Kinoshita **176**, 433
Shibutani, K., S. Hayshi, R. Ogawa and Y. Kawate, Investigation of heat treating conditions for silver-sheathed $Y_{1-x}Ca_xBa_2Cu_4O_8$ ($x=0$ and 0.1) superconductors **173**, 398
Shibutani, K., see S. Hayashi **174**, 329
Shigaki, I., see S. Hayashi **174**, 329
Shih, H.T., K.V. Ramanujachary and M. Greenblatt, Structural and transport properties of $Bi_2Sr_{2-x}M_xCuO_{6\pm\delta}$ (M = Bi and Pb) **176**, 87
Shimada, M., see J. Tanaka **176**, 170
Shimakawa, Y., see Y. Kitaoka **179**, 107
Shimakawa, Y., see C. Murayama **183**, 277
Shimakawa, Y., see K. Fujiwara **184**, 207
Shimizu, M., see J. Tanaka **176**, 170
Shimura, K., see Y. Bando **180**, 3
Shimura, K., see K. Kamigaki **183**, 252
Shin, J.S. and H. Ozaki, Superconducting Bi–Sr–Ca–Cu–O films prepared by the liquid phase epitaxial method **173**, 93
Shindo, D., see A. Tokiwa **172**, 155
Shindo, D., see S. Nakajima **182**, 89
Shinn, N.D., M.E. Bartram, J.E. Schirber, J.W. Rogers Jr., D.L. Overmyer, Z. Fisk and S.-W. Cheong, Interstitial doping and oxygen exchange in superconducting $La_2CuO_{4+\delta}$ **179**, 303
Shovkun, D.V., see V.F. Gantmakher **177**, 469
Shu, J., J. Akella, J.Z. Liu, H.K. Mao and L.W. Finger, High pressure DAC studies on undoped $La_2CuO_4$ **176**, 503
Shulga, S.V., O.V. Dolgov and E.G. Maksimov, Electronic states and optical spectra of HTSC with electron–phonon coupling **178**, 266
Shustov, L.D., see Iu.I. Zhdanov **183**, 247
Shvachko, Yu.N., A.A. Koshta, A.A. Romanyukha, V.V. Ustinov and A.I. Akimov, Detection of the flux-line lattice in high-$T_c$ superconductors by ESR-probe decoration **174**, 447
Si, Q., J.P. Lu and K. Levin, Magnetic interactions in the metallic phase of the copper oxides. A Fermi liquid description **172**, 481
Si, Q., see K. Levin **175**, 449
Si, Q., see J.P. Lu **179**, 191
Sieburger, R. and J.S. Schilling, Marked anomalies in the pressure dependence of the superconducting transition temperature in $Tl_2Ba_2CuO_{6+y}$ as a function of oxygen content **173**, 403
Sieburger, R., P. Müller and J.S. Schilling, Pressure dependence of the superconducting transition temperature in $Bi_2Sr_2CaCu_2O_{8+y}$ as a function of oxygen content **181**, 335
Siegal, M.P., J.M. Phillips, Y.-F. Hsieh and J.H. Marshall, Growth of epitaxial $Ba_2YCu_3O_{7-x}$ films on $LaAlO_3$ (0 0 1) **172**, 282
Siegel, M., see J. Geerk **180**, 11
Siegel, M., see P. Seidel **180**, 284
Siegel, M., F. Schmidl, K. Zach, E. Heinz, J. Borck, W. Michalke and P. Seidel, Noise properties of DC-SQUIDs on $Y_1Ba_2Cu_3O_{7-x}$ thin films **180**, 288
Siegrist, T., see R.J. Cava **177**, 115
Siegrist, T., see C. Chaillout **181**, 325
Silva, E., R. Fastampa, M. Giura and R. Marcon, Study of microwave surface resistance of ceramic Y–Ba–Cu–O and Bi–Sr–Ca–Cu–O systems **173**, 145
Silva, E., see L. Dimesso **176**, 216

Silva, E., see M. Giura **180**, 212
Šimečková, M., see M. Nevřiva **179**, 253
Simonov, A.Yu., see A.I. Buzdin **175**, 143
Simopoulos, A., see M. Pissas **176**, 227
Singh, A.K., see D. Pandey **173**, 476; **184**, 135
Singh, D.J., D.A. Papaconstantopoulos, H. Krakauer, B.M. Klein and W.E. Pickett, Electronic structure of doped $Sr_2VO_4$ **175**, 329
Singh, K.K., see A.K. Setty **180**, 401
Sinha, A.P.B., see H.B. Liu **174**, 28
Sinha, A.P.B., see D.E. Morris **175**, 156
Sipatov, A.Yu., see O.A. Mironov **180**, 196
Skelton, E.F., see M.S. Osofsky **182**, 257
Skove, M.J., see T.M. Tritt **178**, 296
Skove, M.J., see X.-F. Chen **181**, 340
Skripov, A.V., A.P. Stepanov, I. Heinmaa, A. Vainrub, R.N. Lyubovskaya and M.Z. Aldoshina, Nuclear spin relaxation in the organic superconductors (BEDT–TTF)$_4Hg_{2.78}Cl_8$ and (BEDT–TTF)$_4Hg_{2.89}Br_8$ **172**, 340
Skumryev, V., M.R. Koblischka and H. Kronmüller, Sample size dependence of the AC-susceptibility of sintered $YBa_2Cu_3O_{7-\delta}$ superconductors **184**, 332
Slater, P.R., see C. Greaves **175**, 172
Slater, P.R. and C. Greaves, Synthesis and structural characterisation of $YSr_2Cu_{3-x}M_xO_{7+y}$ (M=Fe,Ti,Al,Co,Ga,Pb; $0.5<x<1$), and the non-existence of the parent phase $YSr_2Cu_3O_7$ **180**, 299
Slater, P.R., A.J. Wright and C. Greaves, The effects of partial substitutions of Zn and Fe on the Cu sites in $LaBa_2Cu_3O_{7\pm x}$, and a comparison with similar substitutions in $YBa_2Cu_3O_{7-x}$ **183**, 111
Smal, A.N., see S.N. Smirnov **182**, 261
Smedskjaer, L.C., see A. Bansil **172**, 175
Smilga, V.P., see V.I. Fesenko **176**, 551
Smirnov, S.N., S.M. Vatnik, A.N. Smal and Yu.A. Grishin, Induced flux creep as a novel technique for detecting alternating magnetic fields. Study of $Yba_2Cu_3O_{7-x}$ thin film at 0.006–100 MHz **182**, 261
Smirnova, I.S., see S.N. Molotkov **172**, 149
Smirnova, O.K., see V.V. Alexandrov **173**, 458
Smith, G.B., D.R. McKenzie, M. Puchert, S.W. Filipczuk and D.J.H. Cockayne, Anomalous voltage–current characteristics in the sputtering of YBaCuO **183**, 172
Smith, J.C., see D.H. Kim **177**, 431
Smith, J.L., see G.H. Kwei **175**, 615
Smith, M.E., see R. Dupree **175**, 269
Smithey, R., see J. Geerk **180**, 11
Soankwan, C., see I.M. Tang **175**, 250
Soares, V., see T. Fukami **184**, 65
Sobolev, V.L., see I.M. Vitebskii **178**, 189
Soderholm, L., C.W. Williams and U. Welp, The superconductor-related oxides $Cm_2CuO_4$ and $Cm_{1.83}Th_{0.17}CuO_4$ **179**, 440
Söderholm, S., see H. Bernhoff **180**, 120
Sodtke, E., C. Andrzejak, D. Guggi and Y. Xu, Preparation of *a*-axis oriented $YBa_2Cu_3O_7$ and $PrBa_2Cu_{3-x}Ga_xO_7$ thin films **180**, 50
Soeta, A., see T. Doi **183**, 67
Soga, N., see M. Yoshimoto **181**, 284
Soifer, K.Ya., see A.E. Koshelev **177**, 129
Sokolov, A.I., Specific heat anomalies in high temperature superconductors. Critical behaviour or gaussian fluctuations? **174**, 208
Solek, B., see G. Jung **180**, 192
Soltis, R.E., see W. Win **172**, 217, 233
Soltner, H., see C.L. Jia **172**, 81; **182**, 163
Song, L.M., see B.W. Statt **183**, 372
Song, L.W., E. Narumi, F. Yang, H.M. Shao, D.T. Shaw and Y.H. Kao, Transport properties of $YBa_2(Cu_{0.98}M_{0.02})_3O_y$ (M=Fe, Co, Ni) superconducting thin films **174**, 303
Song, L.W., E. Narumi, M. Yang, F. Yang, D.T. Shaw and Y.H. Kao, Scaling behavior of flux-pinning force in doped Y–Ba–Cu–O thin films **181**, 239
Song, Y., A. Misra, Y. Cao, A. Querubin Jr., X.-D. Chen, P.P. Crooker and J.R. Gaines, $1/f$ noise power measurements on $Tl_2Ba_2Ca_{n-1}Cu_nO_{4+2n}$ ($n=2$ and 3) **172**, 1
Sood, D.D., see R.V. Kamat **181**, 245
Soret, J.C. and L. Ammor, Scaling behaviour and crossover of resistive transition in $YBa_2Cu_3O_{7-x}$ **177**, 95
Sorrell, C.C., see S.X. Dou **172**, 63, 295
Sosulnikov, M.I., see S.M. Butorin **177**, 8
Soubeyroux, J.L., see K. Donnelly **172**, 207
Souletie, B., see P. Strobel **172**, 193
Souletie, B., see D. Kovatcheva **174**, 280
Sovero, E.A., see I.S. Gergis **175**, 603
Sparpaglione, M., see L. Bonoldi **177**, 73
Sproule, G.I., see J.P. Franck **172**, 90
Spyker, R., see G. Kozlowski **173**, 195
Srinivasan, R., see P.V.P.S.S. Sastry **178**, 110
Srivastava, C.M., Theory of the normal state of Cu-O high temperature superconductors **176**, 481
Staines, M.P., see R.G. Buckley **174**, 383
Staines, M.P., see M.E. Ziaei **176**, 242
Staneva, A., see E.S. Vlakhov **175**, 335
Šťastný, P., see T. Mertelj **183**, 11
Stastny, P., see D.M. Mateev **179**, 295
Statt, B.W., Z. Wang, S. Bagheri and J. Rutter, Magnetic field alignment of $(Bi,Pb)_2Ca_2Sr_2Cu_3O_{10}$ **183**, 57
Statt, B.W. and L.M. Song, Copper quadrupolar site assignments for $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10}$ **183**, 372
Staub, U., see A. Podlesnyak **175**, 587
Steeb, S., see A. Kottmann **178**, 125
Steele, B.C.H., see S.I. Bredikhin **179**, 286
Steenbeck, K., see W. Andrä **180**, 184, 188
Stepanov, A.P., see A.V. Skripov **172**, 340
Stephanovich, V.A., see O.A. Mironov **180**, 196
Stier, H.E., see H. Knau **182**, 39
Stokłosa, A., see J. Molenda **175**, 555
Stolt, L., see H. Ohlsén **180**, 73
Stölzel, C., see A. Walkenhorst **177**, 165
Stösslein, U., see F. Ludwig **180**, 85
Strangfeld, Th., K. Westerholt and H. Bach, Electronic charge

transport and magnetism of the system $(La_{1-x}Sr_x)_2NiO_{4+\delta}$ **183**, 1
Strehlau, B., see J. Geerk **180**, 11
Stritzker, B., see C. Schlenker **180**, 148
Ströbel, J.P., see M. Klauda **173**, 109
Strobel, P., B. Bonnet, C. Mouget and B. Souletie, Optimization of hole density and $T_c$ in $Bi_2(Sr, Ca)_3Cu_2O_{8+y}$ by lithium electrochemical reduction **172**, 193
Strobel, P., see D. Kovatcheva **174**, 280
Strobel, P., see C. Meyer **181**, 1
Stucki, F., J. Rhyner and G. Blatter, Analysis of the low field critical state in ceramic high-$T_c$ superconductors **181**, 385
Studer, F., N. Merrien, C. Martin, C. Michel, B. Raveau and A. Fontaine, Valence states of thallium and copper in some substituted thallium high-$T_C$ superconductors by XAS and their influence on the critical temperature **178**, 324
Studer, F., see H. Tolentino **179**, 387
Stupka, D.L., see U. Geiser **174**, 475
Su, S.R., M. O'Connor, M. Levinson and P.G. Rossoni, Microstructural effects on superconducting properties of sintered $YBa_2Cu_3O_{7-x}$ wires **178**, 81
Suard, E., see C. Michel **178**, 29
Suard, E., V. Caignaert, A. Maignan and B. Raveau, The important role of pyramidal copper layers of the 123-structure in superconductivity. The oxides $Ba_2Y_{1-x}Ca_xCu_{3-x}Fe_xO_7$ and $Ba_2Y_{1-x}Ca_xCu_{3-x}Fe_xO_6$ **182**, 219
Subramaniam, C.K., see G. Balakrishnan **177**, 310
Subramanian, C.K., see P.V.P.S.S. Sastry **178**, 110
Subramanian, S., see C.S. Gopinath **176**, 331; **177**, 27
Sudbø, A., see E.H. Brandt **180**, 426
Suga, M., T. Nishino, Y. Tarutani and K. Takagi, Tunneling study on copper oxide N–S bi-layer system **182**, 25
Sugiyama, J., Y. Ojima, T. Takata, K. Sakuyama and H. Yamauchi, Superconductivity in $Nd_2CuO_{4-x}F_x$ **173**, 103
Sugiyama, J., M. Kosuge, Y. Ojima, H. Yamauchi and S. Tanaka, TEM observation and Hall measurements on superconductive $Nd_2CuO_{4-x}F_x$ **179**, 131
Sun, Y., see H. Zhang **174**, 355
Sun, Y.Y., see Z.J. Huang **174**, 253; **175**, 595
Sun, Y.Y., see R.L. Meng **179**, 149
Sundaram, S., see L.C. Sengupta **175**, 17
Sundaresan, A., A.K. Rajarajan, L.C. Gupta, M. Sharon and R. Vijayaraghavan, Studies of the superconducting behaviour of $TlBa_{2-x}La_xCuO_{5-y}$ **178**, 193
Sunshine, S.A., see R.M. Fleming **173**, 37
Sushkov, O.P., see V.V. Flambaum **175**, 347
Suwanasri, C., see I.M. Tang **182**, 127
Suzuki, S., see T. Watanabe **176**, 274
Suzuki, S., see Y. Fukuda **181**, 320
Suzuki, T., see Y. Maeno **173**, 322
Suzuki, T., see M. Kurisu **179**, 358
Svedlindh, P., C. Rossel, K. Niskanen, P. Norling, P. Nordblad, L. Lundgren and G.V. Chandrashekhar, Non-logarithmic magnetic relaxation in $Bi_{2.2}Sr_{1.7}CaCu_2O_8$ single crystals; evidence for collective flux pinning **176**, 336
Svedlindh, P., see G. Forgacs **177**, 67
Swartzendruber, L.J., see M.J. Turchinskaya **182**, 297
Syono, Y., see A. Tokiwa **172**, 155; **181**, 311
Syono, Y., see T. Kajitani **178**, 397
Syono, Y., see Y. Fukuda **181**, 320
Syono, Y., see S. Nakajima **182**, 89
Syono, Y., see S.T. Weir **184**, 1
Szotek, Z., G.Y. Guo and W.M. Temmerman, Effects of structure and doping on the electronic properties of $La_2CuO_4$ and $Nd_2CuO_4$ **175**, 1
Szymczak, H., see L.T. Baczewski **175**, 363
Szymczak, R., see L.T. Baczewski **175**, 363
Szytuła, A., see Z. Tomkowicz **184**, 244
Szytułła, A., see Z. Tomkowicz **174**, 71

Tachiki, M., see T. Koyama **172**, 501; **176**, 567
Tachiki, M., see Y. Fukuda **181**, 320
Tai, K., see J.O. Willis **175**, 81
Takada, S., see H. Akoh **180**, 227
Takagi, H., see T. Kamiyama **172**, 120
Takagi, H., see R.J. Cava **177**, 115
Takagi, H., see C.H. Chen **183**, 121
Takagi, K., see M. Suga **182**, 25
Takahashi, H., Y. Aoki, T. Usui, R. Fromknecht, T. Morishita and S. Tanaka, Crystal growth of $YBa_2Cu_3O_{7-x}$ at the MgO(100) surface steps **175**, 381
Takahashi, H., T. Hase, H. Izumi, K. Ohata, T. Morishita and S. Tanaka, Effect of an oxygen pressure on crystal growth of *a*-axis oriented $YBa_2Cu_3O_{7-x}$ films prepared by pulsed laser deposition **179**, 291
Takahashi, T., see T. Ishida **176**, 24; **178**, 231
Takahashi, T., see T. Watanabe **176**, 274
Takahashi, T., see Y. Fukuda **181**, 320
Takano, M., M. Azuma, Z. Hiroi, Y. Bando and Y. Takeda, Superconductivity in the Ba–Sr–Cu–O system **176**, 441
Takata, M., see Y. Sawai **176**, 147
Takata, M., see Y. Iwai **181**, 261
Takata, T., see J. Sugiyama **173**, 103
Takayama-Muromachi, E., see T. Kamiyama **172**, 120
Takayama-Muromachi, E., see F. Izumi **172**, 166
Takayama-Muromachi, E., Monte Carlo simulation of oxygen disordering in the $YBa_2(Cu_{1-x}M_x)_3O_y$ (M=Al, Fe, Co, Ga) system **172**, 199
Takayama-Muromachi, E. and D.E. Rice, Oxygen deficiency in the superconducting oxides $(La_{1-x}M_x)_2CuO_4$ (M=r, Ba) **177**, 195
Takeda, Y., see M. Takano **176**, 441
Takehara, T., see T. Ohtani **179**, 376
Takekawa, S., see T. Honma **176**, 209
Takekawa, S., see T. Watanabe **176**, 274
Takeno, S., S. Nakamura, M. Sagoi and T. Miura, Defect structure study of $YBa_2Cu_3O_{7-x}$ epitaxial thin films on $SrTiO_3$(100) and (110) substrates **176**, 151
Takeno, S., S. Nakamura, M. Sagoi and T. Miura, A structural study on the crystal regularity of $YBa_2Cu_3O_{7-x}$ thin films composed of several types of oriented domains **181**, 143
Takeya, J., see Y. Nakazawa **174**, 155

Takezawa, N., see T. Koyama **172**, 501; **176**, 567
Tallon, J.L., J. Lusk and M.R. Presland, Pressure dependence of $T_c$ in superconducting cuprates **174**, 345
Tallon, J.L., see R.G. Buckley **174**, 383
Tallon, J.L., see M.R. Presland **176**, 95; **177**, 1
Tallon, J.L., Time-dependent charge transfer and the superconducting phase diagram for $YBa_2Cu_3O_{7-\delta}$ **176**, 547
Tallon, J.L., see R.S. Liu **182**, 119
Talvacchio, J., see D.H. Kim **177**, 431
Tamegai, T., see Y. Iye **174**, 227
Tamenori, A., see E. Iguchi **179**, 393
Tan, L., see P. McGinn **183**, 51
Tan, Z., S.M. Heald, S.-W. Cheong, H.Y. Hwang, A.S. Cooper and J.I. Budnick, Cation ordering and oxygen stoichiometry in $LaRSrCu_2O_{6+\delta}$ (R = La, Pr, Nd, Sm and Gd) **184**, 229
Tanabe, S., see M. Yoshimoto **181**, 284
Tanaka, I., see B. Janossy **176**, 517
Tanaka, J., M. Shimada, M. Shimizu and Y. Tanaka, Pair potentials of cuprate superconductors **176**, 170
Tanaka, J., see N. Ohashi **177**, 377
Tanaka, J., see M. Yoshimoto **181**, 284
Tanaka, M., see M. Kimura **174**, 263
Tanaka, S., see L.T. Sagdahl **172**, 495
Tanaka, S., see T. Machi **173**, 32
Tanaka, S., see T. Sakurai **174**, 187
Tanaka, S., see J.O. Willis **175**, 81
Tanaka, S., see H. Takahashi **175**, 381; **179**, 291
Tanaka, S., see T. Maeda **175**, 393; **177**, 337
Tanaka, S., see T. Wada **175**, 529; **179**, 455
Tanaka, S., see M. Kosuge **176**, 373; **182**, 157
Tanaka, S., see N. Ogawa **177**, 101
Tanaka, S., see T. Kaneko **177**, 153; **178**, 377
Tanaka, S., see J. Sugiyama **179**, 131
Tanaka, S., see M. Kamei **182**, 123
Tanaka, S., A note on the mechanism of high-$T_c$ superconductivity from the experimental point of view **182**, 137
Tanaka, S., see H.W. Zandbergen **183**, 149
Tanaka, Y., see J. Tanaka **176**, 170
Tang, H.Y., see Z.J. Huang **180**, 331
Tang, I.M., see C.H. Eab **174**, 149
Tang, I.M., S. Leelaprute, C. Soankwan and N. Chiengpratoom, Lanthanide substitution into low hole concentration bismuth superconductors **175**, 250
Tang, I.M., S. Leelaprute and P. Setsuwan, Optimization of the hole concentration in the two-layer bismuth superconductors **177**, 57
Tang, I.M., see C. Engkagul **181**, 63
Tang, I.M. and C. Suwanasri, On the isotope effect and critical temperatures of high temperature layered superconductors **182**, 127
Tang, T.B. and W. Lo, Oxygen diffusion in YBCO: an isothermal thermogravimetric study **174**, 463
Tang, X.X., see H.B. Liu **174**, 28
Tanner, L., see T. Krekels **173**, 361
Tao, D.L., see C.J. Zhou **180**, 365
Tarascon, J.M., W.R. McKinnon, Y. LePage, K. Remschnig, R. Ramesh, R. Jones, G. Pleizier and G.W. Hull, Superconductivity at 27 K in modulation-free $Bi_{2-x}Pb_xSr_{2-y}La_yCuO_6$ phases with $x \simeq y+0.2$ **172**, 13
Tarascon, J.M., see K. Remschnig **175**, 261
Tarnawski, Z., see J.N. Li **180**, 411
Tarnawski, Z., see A. Kozłowski **184**, 113
Tarutani, Y., see M. Suga **182**, 25
Tătarskii, V.V., see S.N. Molotkov **172**, 149
Tavčar, G., B. Ogorevc, V. Hudnik and S. Pejovnik, Confirmation of the presence of trivalent copper and peroxidic oxygen in superconducting $YBa_2Cu_3O_{7-x}$ materials and approval of their dependence on annealing procedure **175**, 607
Taylor, A.D., see A. Podlesnyak **175**, 587
Taylor, A.D., see M. Arai **181**, 45
Taylor, K.N.R., see J. Wang **180**, 307
Tedrow, P.M., see A. Kussmaul **177**, 415
Temmerman, W.M., see Z. Szotek **175**, 1
Terakura, K., see T. Oguchi **172**, 277
Terashima, T., see H. Yasuoka **175**, 192
Terashima, T., see Y. Iye **177**, 393; **184**, 362
Terashima, T., see Y. Bando **180**, 3
Terashima, T., see T. Nishizaki **181**, 223
Terashima, T., see K. Kamigaki **183**, 252
Terauchi, H., see Y. Bando **180**, 3
Terauchi, H., see K. Kamigaki **183**, 252
Tešanović, Z., see S. Dukan **183**, 355
Tesker, A.M., see A.I. Kuzmenkov **182**, 228
Tessema, G.X., see T.M. Tritt **178**, 296
Tessema, G.X., see X.-F. Chen **181**, 340
Testa, A.M., see L. Dimesso **176**, 216
Testa, A.M., see E. Agostinelli **180**, 172
Teterin, Yu.A., see S.M. Butorin **177**, 8
Tewordt, L., see S. Wermbter **183**, 365
Thalmeier, P., B. Wolf, D. Weber, G. Bruls, B. Lüthi and A.A. Menovsky, Elastic constant anomalies and the superconducting $B$–$T$ phase diagrams of $UPT_3$ and $URi_2Si_2$ **175**, 61
Theuss, H. and H. Kronmüller, The influence of a point defect structure on the magnetic properties of $YBa_2Cu_3O_{7-\delta}$ polycrystals **177**, 253
Theuss, H. and H. Kronmüller, Paramagnetic properties of oxygen deficient $YBa_2Cu_3O_{7-\delta}$ polycrystals **178**, 37
Thomas, A., see E.L. Brosha **184**, 353
Thomas, H., see H.J. Hug **175**, 357
Thomas, O., E. Mossang, J. Fick, F. Weiss, R. Madar, J.P. Senateur, M. Ingold, P. Germi, M. Pernet, F. Labrize and L. Hubert, Structure and morphology of $YBa_2Cu_3O_{7-x}$ LPCVD layers **180**, 42
Thompson, J.D., see M.F. Hundley **172**, 455
Thompson, J.D., see G.H. Kwei **176**, 57
Tiefel, T.H., see S. Jin **173**, 75; **177**, 189; **181**, 57
Tietz, L.A. and C.B. Carter, Special grain boundaries in $YBa_2Cu_3O_{7-x}$ thin films **182**, 241
Tigges, C.P., see B. Morosin **172**, 413
Ting, S.T., see R.L. Lichti **180**, 358

Tiwari, V.S., see D. Pandey **173**, 476; **184**, 135
Tkaczyk, J.E., see R.H. Arendt **176**, 131
Tokiwa, A., T. Oku, M. Nagoshi, D. Shindo, M. Kikuchi, T. Oikawa, K. Hiraga and Y. Syono, Synthesis and crystal structure of $Pb(Ba, Sr)_2(Ln, Ce)_2Cu_3O_y$ (Ln: lanthanoid, $y=9-10.4$), a new member of the Pb system **172**, 155
Tokiwa, A., T. Oku, M. Nagoshi and Y. Syono, Synthesis and crystal structure of $Pb_2Sr_2(Ln, Ce)_nCu_3O_{6+2n+\delta}$ and $Pb(Ba, Sr)_2(Ln, Ce)_nCu_3O_{5+2n+\delta}$ (Ln=Y, $n=3$, 4, ... and $0 \leqq \delta \leqq 2.0$), layered structure compounds with multiple fluorite layers **181**, 311
Tokumoto, M., see Y. Yamaguchi **179**, 447
Tokura, Y., see T. Kamiyama **172**, 120
Tolentino, H., A. Fontaine, A.M. Flank, P. Lagarde and F. Studer, Reverse model of metallization for $La_2CuO_4$/$Nd_2CuO_4$ by impurity hole/electron levels in the band gap **179**, 387
Tomasch, W.J., see E.K. Moser **176**, 235
Tomeno, I., see T. Machi **173**, 32
Tomeno, I., see J.O. Willis **175**, 81
Tomè-Rosa, C., see A. Walkenhorst **177**, 165
Tomkowicz, Z., K. Łątka, A. Szytułła, A. Bajorek, M. Bałanda, R. Kmieć, R. Kruk and A. Zygmunt, Superconductivity in the $(Gd_{1-x}Pr_x)Ba_2Cu_3O_{7-\delta}$ system **174**, 71
Tomkowicz, Z., J. Żukrowski, J. Przewoźnik, A. Szytuła, M. Bałanda and A. Bajorek, Mössbauer study of $PrBa_2(Cu_{0.992}{}^{57}Fe_{0.008})_3O_{7-\delta}$ in the aspect of superconductivity absence **184**, 244
Tomy, C.V., see R.A. Gunasekaran **172**, 325; **180**, 324
Tong, L., C. Zhang, H. Chen and S. Yan, Anisotropic vortex structure in $YBa_2Cu_3O_7$ thin films at liquid nitrogen temperature **174**, 352
Torardi, C.C., E.M. McCarron, P.L. Gai, J.B. Parise, J. Ghoroghchian, D.B. Kang, M.-H. Whangbo and J.C. Barry, Lead-doped $Bi_2Sr_2CuO_6$: a superconductor free of modulation and superstructure **176**, 347
Torii, Y., see N. Murayama **174**, 335
Torrance, J.B., see F. Deslandes **179**, 207
Torrance, J.B., P. Lacorre, C. Asavaroengchai and R.M. Metzger, Why are some oxides metallic, while most are insulating? **182**, 351
Tosaka, T., see Y. Kuwasawa **175**, 187
Toth, L.E., see R. Navarro **183**, 73
Touzeau, M., see R. Cabanel **180**, 38
Touzelin, B., see C. Legros-Gledel **172**, 304
Touzelin, B., see C. Legros-Glédel **175**, 279
Touzelin, B., see P. Gerdanian **182**, 11
Toyota, N., T. Sasaki, H. Sato and Y. Watanabe, Anomalies in static spin susceptibility and hydrogen bonding in high-$T_c$ $\chi$-$(BEDT\text{-}TTF)_2Cu(NCS)_2$: possible valence mixing of Cu ions **178**, 339
Treechairusme, K., see C. Engkagul **181**, 63
Trefilov, A.V., see Yu.N. Gornostyrev **179**, 119
Tressaud, A., see B. Chevalier **175**, 435
Tressaud, A., C. Robin, B. Chevalier, L. Lozano and J. Etourneau, Superconductivity in chlorine-treated $La_2CuO_4$ **177**, 330
Tretiatchenko, C.G., see V.M. Pan **180**, 199
Triscone, G., J.-Y. Genoud, T. Graf, A. Junod and J. Muller, Variation of the superconducting properties of $Bi_2Sr_2CaCu_2O_{8+x}$ with oxygen content **176**, 247
Triscone, G., see J.-Y. Genoud **177**, 315
Triscone, J.-M., see O. Eibl **172**, 365
Triscone, J.M., see O. Eibl **172**, 373
Tritt, T.M., M. Marone, X.-F. Chen, M.J. Skove, A.C. Ehrlich, G.X. Tessema, D.J. Gillespie, J.P. Franck and J. Jung, Measure of the magnitude of Young's modulus in whisker-like samples of the Bi-based high-$T_c$ materials $Bi_2Sr_2CaCu_2O_x$ and $Bi_2Sr_2Ca_2Cu_3O_x$ **178**, 296
Trofimov, V.N., A.V. Kuznetsov, P.V. Lepeschkin, K.A. Bolschinskov, A.A. Ivanov and A.A. Mikhailov, Transverse field penetration paradox in thin films and magnetic properties of $Nd_{1.85}Ce_{0.15}CuO_{4-x}$epitaxial films **183**, 135
Trojnar, E., see A. Rojek **183**, 130
Tsuei, C.C., see R.P. Huebener **181**, 345
Tsukamoto, A., M. Hiratani and S. Akamatsu, Role of microwave oxygen plasma in the low-temperature growth of $HoBa_2Cu_3O_x$ thin films **181**, 369
Turchinskaya, M.J., A.L. Roytburd, L.H. Bennett, L.J. Swartzendruber and K. Sawano, Determination of thermoactivation parameters of vortex mobility in $YBa_2Cu_3O_7$ using only magnetic measurements **182**, 297
Turner, L.G., see A. Mogro-Campero **176**, 429
Tyagi, S., see M.H. Jiang **183**, 39
Tyagi, S., see M.A. Manheimer **183**, 324
Tyč, S., see R. Cabanel **180**, 38
Tyč, S., A. Schuhl, B. Ghyselen and R. Cabanel, Proximity effect in DyBaCuO/Ag bilayers as seen by lateral current measurements **180**, 243

Uchida, S., see T. Kamiyama **172**, 120
Uchiyama, A., see Y. Kuwasawa **175**, 187
Udron, D., see M. Pompa **184**, 51, 102
Uher, C., S.D. Peacor and J. Shewchun, Thermal conductivity of $Tl_2Ba_2Ca_2Cu_3O_{10}$ ceramics from 300 K down to 0.1 K **177**, 23
Ullakko, K.M., see O.K. Antson **173**, 65
Ulmet, J.P., see M.S. Osofsky **182**, 257
Ummat, P.K., R.K. Nkum and W.R. Datars, The effect of gallium substitution on the superconductivity of the BiSrCaCuO system **180**, 407
Urban, K., see C.L. Jia **172**, 81; **175**, 545; **182**, 163
Urban, K., see H. Watanabe **179**, 75
Urban, K., see X.F. Zhang **183**, 379
Usoskin, A.I., see N.T. Cherpak **180**, 280
Ustinov, A.V., see G.Yu. Logvenov **175**, 179
Ustinov, V.V., see Yu.N. Shvachko **174**, 447
Usui, T., see H. Takahashi **175**, 381

V. Löhneysen, H., see G. Goll **177**, 351
Vaccarone, R., see F. Parodi **173**, 56
Vacquier, G., see J.-R. Gavarri **172**, 213
Vaglio, R., see A. Andreone **180**, 272

Vaidya, V.N., see R.V. Kamat **181**, 245
Vainrub, A., see A.V. Skripov **172**, 340
Valchinov, V.L., see V.N. Popov **172**, 260
Valles Jr., J.M., see A.M. Cucolo **179**, 69
Vallet-Regí, M., M. Labeau, E. García, M.V. Cabañas, J.M. González-Calbet and G. Delabouglise, Thin films of magnesium oxide by modified CVD: a buffer layer for HTSC films **180**, 57
Vanacken, J., see J. Guimpel **175**, 197
Vanacken, J., E. Osquiguil and Y. Bruynseraede, Irreversibility line and critical currents in oxygen deficient $YBa_2Cu_3O_x$ ceramics **183**, 163
Van Aken, P.A. and W.F. Müller, Superstructure formation in the electron-doped superconducting system $Nd_{2-x}Ce_xCuO_{4-\delta}$. A transmission electron microscopical study **174**, 63
Van Bentum, P.J.M., see D. Braithwaite **177**, 213
Van der Marel, D., H.-U. Habermeier, D. Heitmann, W. König and A. Wittlin, Infrared study of the superconducting phase transition in $YBa_2Cu_3O_{7-x}$ **176**, 1
Van der Marel, D., A. Wittlin, H.-U. Habermeier and D. Heitmann, Non-BCS behaviour of the superconducting order parameter in $YBa_2Cu_3O_7$ studied with infrared spectroscopy **180**, 112
Vander Sande, J.B., see W. Gao **181**, 105
Vander Sande, J.B., see A. Otto **181**, 191
Van Dover, R.B., see R.M. Fleming **173**, 37
Van Dover, R.B., see S. Jin **177**, 189
Vaneldik, J.F., see K.L. Westra **181**, 30
Vanlathem, E., see T. Krekels **173**, 361
Vanlathem, E., M. Mehbod, R. Deltour, M. Hennion, I. Mirebeau and G. Coddens, Neutron scattering study of the dynamics of iron spins in iron doped $Bi_2CaSr_2Cu_2O_8$ superconducting compounds **177**, 207
Van Tendeloo, G., see T. Krekels **173**, 361; **178**, 383
Van Tendeloo, G. and S. Amelinckx, Long-period shear structure in oxygen deficient $La_2CuO_{4-\delta}$ **176**, 575
Varanasi, C., see P. McGinn **183**, 51
Vareka, W.A., see N. Kijima **181**, 18; **184**, 127
Várez, A., see M.A. Señarís-Rodrígue **172**, 477
Varma, A., see J.-P. Lebrat **184**, 220
Varsamis, C.P., see P. Calvani **181**, 289
Vase, P., Y.Q. Shen and T. Freltoft, Magnetic and electrical characterization of $YBa_2Cu_3O_7$ thin films made by laser ablation **180**, 90
Vase, P., see A.V. Pogrebnyakov **183**, 27
Vasquez, R.P. and R.M. Housley, Study of chemically-etched $Bi_2Sr_{2-x}Ca_{1+x}Cu_2O_{8+\delta}$ surfaces **175**, 233
Vasquez, R.P. and W.L. Olson, X-ray photoelectron spectroscopy study of chemically etched $Tl_2Ba_2CaCu_2O_{8+x}$ thin film surfaces **177**, 223
Vassenden, F., G. Linker and J. Geerk, Growth direction control in YBCO thin films **175**, 566
Vatnik, S.M., see S.N. Smirnov **182**, 261
Veal, B.W., see G.T. Seidler **183**, 333
Veal, B.W. and A.P. Paulikas, Dependence of hole concentration on oxygen vacancy order in $YBa_2Cu_3O_{7-\delta}$. A chemical valence model **184**, 321
Veidt, B.G., see K.L. Westra **181**, 30
Veinger, A.I., see A.S. Kheifets **174**, 86; **177**, 289
Velichko, A.V., see N.T. Cherpak **180**, 280
Vendik, O.G., Yu.V. Likholetov, S.F. Karmanenko, S.G. Kolesov and A.F. Konson, A two-layer simulation of the $YBa_2Cu_3O_{7-x}$ film microwave surface resistance **179**, 91
Venegas, V., see E. Altshuler **172**, 361
Venkatesan, T., see R. Ramesh **173**, 163
Ventrice Jr., C.A., see M.H. Jiang **183**, 39
Venturini, E.L., see B. Morosin **172**, 413; **175**, 241; **183**, 90; **184**, 21
Verkhovskii, S.V., see Iu.I. Zhdanov **183**, 247
Vettier, C., see J.-R. Gavarri **172**, 213
Vicent, J.L., see M.A. González **180**, 220
Vidal, F., see F. Miguélez **176**, 49
Vijayaraghavan, R., see I. Das **173**, 331
Vijayaraghavan, R., see R. Pinto **175**, 310
Vijayaraghavan, R., see G. Balakrishnan **177**, 310
Vijayaraghavan, R., see A. Sundaresan **178**, 193
Vijayaraghavan, R., N. Rangavittal, G.U. Kulkarni, E. Grantscharova, T.N. Guru Row and C.N.R. Rao, Structure and superconducting properties of $Tl_{1-y}Pb_yY_{1-x}Ca_xSr_2Cu_2O_7$. Dependence of $T_c$ on hole concentration **179**, 183
Vijayaraghavan, R., see D.G. Kuberkar **182**, 149
Villegier, J.C., see M. Saint-Paul **183**, 257
Vincent, E., see C. Legros-Glédel **175**, 279
Vinokur, V.M., see A.E. Koshelev **173**, 465
Vitale, S., see G. Jung **180**, 276
Vitebskii, I.M., A.V. Yeremenko, Yu.G. Pashkevich, V.L. Sobolev and S.A. Fedorov, One-magnon light scattering in exchange-noncollinear $Nd_2CuO_4$ **178**, 189
Vittal Rao, T.V., see R.V. Kamat **181**, 245
Vlakhov, E.S., V.T. Kovachev, M. Polak, M. Majoros, Y.B. Dimitriev, S. Jambazov, E. Kashchieva and A. Staneva, The influence of Ag and Te additions on the magnetization of hollow cylinder shaped YBCO ceramics **175**, 335
Volin, K.J., see S.J.L. Billinge **179**, 279
Volkov, A.F., see Yu.I. Latyshev **182**, 47
Volkov, A.F., Josephson-like vortices in a layered superconductor. An analytically solvable model **183**, 177
Voloshin, I.F., see V.V. Alexandrov **173**, 458
Vom Hedt, B., K. Westerholt and H. Bach, Magnetic order and electronic charge transport in the system $(Sr_{1-x}Eu_x)_2VO_4$ **172**, 23
Von Dreele, R.B., see G.H. Kwei **176**, 57
Voronin, G.F. and S.A. Degterov, Thermodynamics of superconducting phases in the Y–Ba–Cu–O system **176**, 387
Voronin, G.F., see S.A. Degterov **178**, 213
Vujičić, G.M., see T. Galbaatar **176**, 496

Wada, T., K. Hamada, A. Ichinose, T. Kaneko, H. Yamauchi

and S. Tanaka, New Tl-based copper oxide containing double-$MO_2$-unit fluorite block: (Tl, Cu)$Sr_2$(R, Ce)$_3Cu_2O_{11}$ (R: rare earth element) **175**, 529
Wada, T., see T. Kaneko **177**, 153
Wada, T., A. Ichinose, F. Izumi, A. Nara, H. Yamauchi, H. Asano and S. Tanaka, Neutron powder diffraction study of the Pb-based copper oxide containing thick fluorite blocks: (Pb,Cu)$Sr_2$(Ho,Ce)$_3Cu_2O_{11+z}$ **179**, 455
Wada, T., see H.W. Zandbergen **183**, 149
Wagener, D., see M. Buchgeister **178**, 105
Wagner, G., see H.-U. Habermeier **180**, 17
Wahid, S.F. and N.K. Jaggi, Analytic solution of a generalized critical state model of type II superconductors **184**, 88
Wakai, F., see N. Murayama **174**, 335; **177**, 135; **181**, 331
Wali, M., see W. Win **172**, 217
Walkenhorst, A., C. Tomè-Rosa, C. Stölzel, G. Jakob, M. Schmitt and H. Adrian, Anisotropy of the depinning field and the pinning force density of thin epitaxial $YBa_2Cu_3O_7$ films **177**, 165
Wan, Y.M., see M.S. Raven **178**, 275
Wang, C.A., R.L. Wang, H.C. Li, J.W. Li, H.R. Yi, X.S. Ron, B. Yin, P. Xu and L. Li, The microstructure and superconductivity of $GdBa_2Cu_3O_{7-x}$ thin films **181**, 296
Wang, C.M., see H.-C.I. Kao **177**, 367
Wang, F., see J. Geerk **180**, 11
Wang, G., see L. Wang **172**, 267
Wang, H., see X. Wang **182**, 333
Wang, H.H., see U. Geiser **174**, 475
Wang, H.H., see J.E. Schirber **178**, 137
Wang, J., see S.X. Dou **172**, 63
Wang, J., K.N.R. Taylor, D.N. Matthews, H.K. Liu, G.J. Russell and S.X. Dou, Magnetoresistance relaxation and flux creep in high-$T_c$ superconductors **180**, 307
Wang, J.H., see M. Qi **174**, 23; **176**, 38
Wang, J.H., see Z.F. Ren **184**, 24
Wang, L., J. He and G. Wang, Electromotive force across a point-contact junction of Y–Ba–Cu–O irradiated by a laser beam **172**, 267
Wang, R.L., see J. Geerk **180**, 11
Wang, R.L., J. Reiner, J. Remmel, E. Brecht, J. Geerk, O. Meyer and G. Linker, Growth characterization of a-axis oriented "1–2–3" films **180**, 65
Wang, R.L., see C.A. Wang **181**, 296
Wang, W.C., see Q.G. He **184**, 295
Wang, W.X., see S.X. Dou **172**, 295
Wang, X., X. Jin and X. Yao, Effect of thermal fluctuation on the critical current of RF-SQUID in the dispersive mode **175**, 577
Wang, X., H. Wang, M. Jiang, S. Shang, Z. Wang, S. Dong and W. Yu, Formation of monoclinic phase and its effect on the superconductivity of 2212 phase and 2223 phase in the Bi-based system **182**, 333
Wang, X.-Z., see K. Kellner **173**, 208
Wang, X.Z. and D. Bäuerle, High-$T_c$ superconductivity in $GdBaSrCu_3O_7$ **176**, 507
Wang, Y., L. Li, B. Li, Y. He and Q. Mong, Anomalous Hall effect in *C*-oriented high-$T_c$ phase BiPbSrCaCuO thin film **178**, 287
Wang, Y.Q., see Z.J. Huang **175**, 595
Wang, Y.Q., see J.G. Lin **175**, 627
Wang, Z., see X. Wang **182**, 333
Wang, Z., see B.W. Statt **183**, 57
Wang Keqin, see Yang Hongshun **172**, 71
Ward, T.L., see S. Jin **181**, 57
Wasa, K., see S. Adachi **175**, 523
Washburn, F.A., see T.B. Lindemer **174**, 135; **178**, 93
Wasilewska, G., see A. Rojek **183**, 130
Waszczak, J.V., see R.J. Cava **172**, 138; **177**, 115
Waszczak, J.V., see R.M. Fleming **173**, 37
Watanabe, H., B. Kabius, K. Urban, B. Roas, S. Klaumünzer and G. Saemann-Ischenko, The influence of 173 MeV Xe-ion irradiation on the microstructure of $YBa_2Cu_3O_7$ thin films **179**, 75
Watanabe, T., T. Takahashi, S. Suzuki, S. Sato, H. Katayama-Yoshida, A. Yamanaka, F. Minami and S. Takekawa, Angle-resolved inverse photoemission study of $Bi_2Sr_2CaCu_2O_8$. Existence of two $CuO_2$ bands across the Fermi level **176**, 274
Watanabe, T., see T. Ishii **179**, 39
Watanabe, Y., see N. Toyota **178**, 339
Watkins, D.M., see U. Geiser **174**, 475
Wattiaux, A., see J.-C. Grenier **173**, 139
Wattiaux, A., see F. Arrouy **175**, 342
Wattiaux, A., see J.C. Park **177**, 487
Weber, D., see P. Thalmeier **175**, 61
Weber, H.W., see K.E. Gray **174**, 340
Weber, H.W., see W. Kritscha **179**, 59
Weeber, A.W., see P.E. Mijnarends **176**, 113
Weeks, D.E., W. Kiehl, C. Dong and A.M. Hermann, Thermopower of $Tl_2Ba_2CuO_{6-x}$ bulk superconductors **176**, 368
Wegner, S., see R. Kuentzler **184**, 316
Wegwerth, J., see D. Reinen **183**, 261
Wei, T.P., see H.-C.I. Kao **177**, 367
Wei, Y., see Z. Homonnay **174**, 223
Weidinger, A., see G. Dortmann **180**, 54
Weimer, R., see R. Li **175**, 89
Weir, S.T., W.J. Nellis, C.L. Seaman, E.A. Early, M.B. Maple, M. Kikuchi and Y. Syono, Shock consolidation of crystallographically aligned $Bi_2Sr_2CaCu_2O_8$ powders **184**, 1
Weiss, F., see O. Thomas **180**, 42
Weissmann, M. and A. Saul, Alloy model for high-temperature superconductors **180**, 381
Welp, U., see J.E. Schirber **178**, 137
Welp, U., see L. Soderholm **179**, 440
Welti, A., see H. Knau **182**, 39
Wen, Z., see I. Iguchi **178**, 1
Wenger, L.E., see W. Win **172**, 217, 233
Werder, D.J., C.H. Chen and G.P. Espinosa, Origin of the $2\sqrt{2}\ a \times 2\sqrt{2}\ a$ superstructure in Y–Ba–Cu–O **173**, 285
Werder, D.J., see C.H. Chen **175**, 301; **183**, 121

Werder, D.J. and S.H. Liou, Epitaxial $Tl_2Ba_2Ca_2Cu_3O_{10}$ on (0,0,1)$LaAlO_3$ substrates **179**, 430
Wermbter, S. and L. Tewordt, Theory of thermal conductivity and nuclear relaxation rate for high temperature superconductors **183**, 365
Westerholt, K., see B. vom Hedt **172**, 23
Westerholt, K., see R. Kubiak **173**, 232
Westerholt, K., see Th. Strangfeld **183**, 1
Westra, K.L., B.G. Veidt, J.F. Vaneldik, D. Routledge and M.J. Brett, Fabrication of NbN/MgO/NbN tunnel junctions **181**, 30
Whangbo, M.-H., see U. Geiser **174**, 475
Whangbo, M.-H., see C.C. Torardi **176**, 347
White, A.E., see S. Jin **177**, 189
White, T.J., see P.R. Graves **181**, 265
Wicker, A., see Y. Yan **175**, 651
Widmer, Ch., see K. Kwasnitza **184**, 341
Williams, C.W., see L. Soderholm **179**, 440
Williams, G.V.M., see R.G. Buckley **174**, 383
Williams, J.M., see U. Geiser **174**, 475
Williams, J.M., see J.E. Schirber **178**, 137
Williams, R.K., see K. Doverspike **172**, 486
Willis, J.O., see T. Sakurai **174**, 187
Willis, J.O., I. Tomeno, T. Miyatake, T.R. Nichols, T. Itoh, K. Tai, N. Koshizuka and S. Tanaka, Specific heat and magnetic susceptibility measurements of $YBa_2Cu_4O_8$. A study of the density of electronic states **175**, 81
Wilson, J.A., see J. Ryder **173**, 9
Wilson, J.A., $Rb_3C_{60}$ seen as a further example of chemical "negative-U" high temperature superconductivity. Comparison and contrast with the bismuthates and cuprates **182**, 1
Win, W., M. Wali, J.M. Obien, M.S. Bhullar, L.E. Wenger, J.T. Chen, E.M. Logothetis, R.E. Soltis and K.H. Plummer, Electrical and magnetic studies of $YBa_2Cu_3O_7$:$Y_2BaCuO_5$ composites **172**, 217
Win, W., L.E. Wenger, J.T. Chen, E.M. Logothetis and R.E. Soltis, Nonlinear magnetic response of the complex AC susceptibility in the $YBa_2Cu_3O_7$ superconductors **172**, 233
Windte, V., see M. Polák **174**, 14
Winn, R., see S.X. Dou **172**, 295
Wittlin, A., see D. van der Marel **176**, 1; **180**, 112
Woermann, E., see M. Boekholt **176**, 420
Wohlleben, D., see N. Knauf **173**, 414
Wohlleben, D., see S. Ruppel **174**, 233
Wohlleben, D., G. Michels and S. Ruppel, The equilibrium magnetization of granular high temperature superconductors in low fields. II. The model **174**, 242
Wohlleben, D., see V. Kataev **184**, 165
Wolf, B., see P. Thalmeier **175**, 61
Wolf, H., see N.D. Kataria **180**, 61
Wolf, S.A., see M.S. Osofsky **182**, 257
Wolf, T., see O. Dobbert **177**, 17
Wolfe, J.C., see Y.J. Zhao **184**, 144
Wright, A.J., see P.R. Slater **183**, 111
Wu, C.Y., see X.W. Cao **182**, 153
Wu, P.T., see K. Chen **173**, 227
Wu, S.F., see C. Chiang **172**, 271
Wu, W.M., see S.X. Dou **172**, 295
Wu, X.D., see R. Ramesh **173**, 163
Wu, X.J., Y. Ikeno, K. Kakimoto and S. Horiuchi, Microstructures of Ag-sheathed Y–Ba–Cu–O superconducting tapes **174**, 423
Wu, Z., see Y. Huang **180**, 267
Wühl, H., see C. Meingast **173**, 309
Wühl, H., see M. Polák **174**, 14

Xiang, X.-D., see N. Kijima **181**, 18; **184**, 127
Xiao, L., see H. Zhang **174**, 355
Xin, Y., see Z.Z. Sheng **172**, 43
Xin, Y., Z.Z. Sheng and S. Nasrazadani, Comparison of Pb, Pb–Sb, Pb–V, Pb–Mo and Pb–W substituted Bi–Sr–Ca–Cu–O **176**, 179
Xin, Y., Z.Z. Sheng, D.X. Gu and D.O. Pederson, Formation and superconductivity of 1212-type phase $TlSr_2(Sr_{0.5}R_{0.5})Cu_2O_{7-\delta}$ with R=c, Y and lanthanides **177**, 183
Xin, Y., Y.F. Li, D.X. Gu, D.O. Pederson and Z.Z. Sheng, Optimum preparation and elemental addition for Tl-based 2223 phase $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$ **184**, 185
Xu, P., see B. Zhao **176**, 409; **179**, 138
Xu, P., see X. Qiu **179**, 176
Xu, P., see C.A. Wang **181**, 296
Xu, Y., see E. Sodtke **180**, 50
Xu, Y. and W. Guan, Nonmagnetic–magnetic transition of Pr ion in $(R_{1-x}Pr_x)Ba_2Cu_3O_{7-y}$ systems (R=Er, Y, Dy, Gd, Eu) **183**, 105
Xu, Z., see A. Asthana **174**, 33
Xue, Y.Y., see Z.J. Huang **174**, 253; **175**, 595; **176**, 195; **180**, 331; **184**, 371
Xue, Y.Y., see J.G. Lin **175**, 627
Xue, Y.Y., see L. Gao **177**, 438

Yablonsky, D.A., Magnetic order and natural inversion of the exchange and acoustic modes in high temperature superconductors with the $R_2CuO_4$ structure **182**, 105
Yacoby, E., see I. Felner **173**, 337
Yagi, T., M. Domon, Y. Okajima and K. Yamaya, Effect of oxygen deficiency on the normal and superconducting properties of $CaLaBaCu_3O_y$ **173**, 453
Yakhmi, J.V., see R.A. Gunasekaran **172**, 325; **180**, 324
Yakhmi, J.V., see I.K. Gopalakrishnan **172**, 450; **175**, 183; **182**, 67
Yakhmi, J.V., see A. Sequeira **173**, 267
Yakhmi, J.V., see P.V.P.S.S. Sastry **178**, 110
Yakubovskii, A.Yu., see Iu.I. Zhdanov **183**, 247
Yamada, K., see T. Kamiyama **172**, 120
Yamada, K., see M. Arai **181**, 45
Yamada, M., see Y. Oda **178**, 158
Yamada, N., see N. Momono **183**, 241
Yamada, T., see K. Kinoshita **176**, 433
Yamada, Y., see F. Izumi **172**, 166
Yamada, Y., J.D. Jorgensen, S. Pei, P. Lightfoot, Y. Kodama, T. Matsumoto and F. Izumi, Structural changes of

superconducting $YBa_2Cu_4O_8$ under high pressure **173**, 185
Yamada, Y., see K. Yanagisawa **183**, 197
Yamada, Y., see C. Murayama **183**, 277
Yamaguchi, K., see L.T. Sagdahl **172**, 495
Yamaguchi, Y., M. Tokumoto and K. Mitsugi, Low-frequency AC losses near lower critical field of high-$T_c$ superconductors **179**, 447
Yamaji, K., Negative-$U$ superconductivity in the two-band model with the pair-transfer interaction **177**, 303
Yamamoto, H., T. Mori, S. Onari and T. Arai, Infrared spectra and Raman scattering of $Y(Ba_{1-x}Sr_x)_2Cu_3O_{6.2}$ **181**, 133
Yamamoto, K., see T. Nishizaki **181**, 223
Yamamoto, T., see T. Fukami **184**, 65
Yamanaka, A., see T. Watanabe **176**, 274
Yamashita, T., see T. Sakurai **174**, 187
Yamauchi, H., see L.T. Sagdahl **172**, 495
Yamauchi, H., see J. Sugiyama **173**, 103; **179**, 131
Yamauchi, H., see T. Sakurai **174**, 187
Yamauchi, H., see T. Maeda **175**, 393; **177**, 337
Yamauchi, H., see T. Wada **175**, 529; **179**, 455
Yamauchi, H., see T. Kaneko **177**, 153; **178**, 377
Yamauchi, H., see M. Kosuge **182**, 157
Yamauchi, H., see H.W. Zandbergen **183**, 149
Yamaya, K., see T. Yagi **173**, 453
Yamaya, K., see T. Honma **176**, 209
Yamaya, K., see N. Momono **183**, 241
Yan, S., see L. Tong **174**, 352
Yan, S., see H. Zhang **174**, 355
Yan, Y., M.G. Blanchin and A. Wicker, HREM studies of stacking faults in $HoBa_2Cu_3O_{7-\delta}$ superconductors **175**, 651
Yanada, E., see B. Zhao **176**, 409; **179**, 138
Yanagisawa, K., Y. Matsui, Y. Kodama, Y. Yamada and T. Matsumoto, High-resolution transmission electron microscope study of effects of cobalt substitution on the stability and perfection of $YBa_2Cu_4O_y$ superconductors **183**, 197
Yang, B.X., see P. Schleger **176**, 261
Yang, F., see L.W. Song **174**, 303; **181**, 239
Yang, F.-A., see J.W. Chen **176**, 257
Yang, M., see L.W. Song **181**, 239
Yang, S.J., see L.H. Perng **175**, 667
Yang Hongshun, Zhan Xiaonong, Zhu Changfei, Wang Keqin, Cao Liezhao and Chen Zhaojia, Study on the specific heat anomalies of $La_{2-x}Sr_xCuO_{4-\delta}$ polycrystalline samples **172**, 71
Yao, Q., see C. Li **181**, 160
Yao, X., see X. Wang **175**, 577
Yaron, U., see I. Felner **173**, 337
Yasuoka, H., see T. Machi **173**, 32
Yasuoka, H., see M. Kakihana **173**, 377
Yasuoka, H., H. Mazaki, T. Terashima and Y. Bando, Optical absorption spectra of single-crystal $YBa_2Cu_3O_y$ films **175**, 192
Yates, D.L., see J. Ryder **173**, 9
Yazyi, J., A. Arribére, C. Durán, F. de la Cruz, D.B. Mitzi and A. Kapitulnik, Inter- and intraplane softening of the vortex structure in $Bi_{2.1}Sr_{1.9}Ca_{0.9}Cu_2O_{8+\delta}$: a two-step transition **184**, 254
Yeremenko, A.V., see I.M. Vitebskii **178**, 189
Yeshurun, Y., see I. Felner **173**, 337
Yi, H.R., see C.A. Wang **181**, 296
Yin, B., see C.A. Wang **181**, 296
Ying, Q.Y., see H.S. Kwok **177**, 122
Yokoyama, Y., see N.A. Fortune **178**, 437
Yoshida, I., see M. Kamei **182**, 123
Yoshii, S., see T. Nishizaki **181**, 223
Yoshimoto, M., H. Koinuma, T. Hashimoto, J. Tanaka, S. Tanabe and N. Soga, $^{151}$Eu Mössbauer spectroscopy and structure of the electron-doped $(Eu,La)_{2-x}Ce_xCuO_{4-y}$ superconductor **181**, 284
Yoshimura, K., see M. Kato **177**, 52
Yoshitake, T., T. Satoh, J. Fujita and H. Igarashi, Dependence of structures and electrical properties on oxygen content in $Nd_{2-x}Ce_xCuO_{4-y}$ films **174**, 144
Yoshitake, T., see T. Satoh **183**, 286
Yoshitomi, T., see K. Ishida **179**, 29
Yoshizaki, R., A classification method for layered copper-oxide superconductors **173**, 89
Yoshizaki, R., see J. Fujikami **174**, 359
Youssef, A.A.A., see Y. Horie **176**, 521
Yu, J., K.T. Park and A.J. Freeman, Electronic structure and properties of $YBa_2Cu_4O_8$ **172**, 467
Yu, J. and A.J. Freeman, Coulomb correlated electronic band structure of cuprate superconductors **173**, 274
Yu, J., see S. Massidda **176**, 159
Yu, L.D., see A.V. Pogrebnyakov **183**, 27
Yu, M.K., see S.C. Cheng **184**, 385
Yu, W., see X. Wang **182**, 333
Yuasa, R., see H. Akoh **180**, 227
Yuasa, T., see T. Doi **183**, 67
Yurek, G.J., see K.H. Sandhage **177**, 45
Yurgens, A.A., see N.V. Zavaritsky **180**, 417
Yushankhai, V.Yu., N.M. Plakida and P. Kalinay, Superconducting pairing in the mean-field approximation for the $t$–$J$ model: numerical analysis **174**, 401
Yushankhai, V.Yu., see S.V. Lovtsov **179**, 159
Yvon, K., see O.V. Alexandrov **172**, 491

Zach, K., see M. Siegel **180**, 288
Zagrodzinski, J., The Josephson junction array as a model of HTSC granular medium **180**, 216
Zahurak, S.M., see R.M. Fleming **173**, 37
Zakhidov, A.A., see F.J. Owens **174**, 309
Zalecki, R., see A. Kozłowski **184**, 113
Zandbergen, H.W., see R.J. Cava **177**, 115
Zandbergen, H.W., J. Kulik and B. Nieuwendijk, Limitations on the monitoring with electron microscopy of the formation of defects in $YBa_2Cu_3O_7$ by neutron irradiation **179**, 43
Zandbergen, H.W., R.J. Cava, J.J. Krajewski and W.F. Peck Jr., HREM study of structural changes at or near the surface of $ErBa_2Cu_4O_8$ upon heating in air at 100–250°C **179**, 213
Zandbergen, H.W., T. Wada, A. Nara, H. Yamauchi and

S. Tanaka, HREM study of planar defects in a layered cuprate with thick fluorite blocks, $(Fe,Cu)Sr_2(Ce,Y)_3Cu_2O_{10+z}$ ($z \approx 1$) **183**, 149
Zander, W., see C.L. Jia **175**, 545
Zangvil, A. and Y.-W. Chang, Direct HVEM observations of transitions in $YBa_2Cu_3O_{7-x}$ in the presence of a controlled oxygen atmosphere **173**, 251
Zannella, S., L. Jansak, D. Lee and K. Salama, AC losses of $YBa_2Cu_3O_{7-x}$ high temperature superconductors **180**, 373
Zaritskii, I.M., see O.A. Mironov **180**, 196
Zavaritsky, N.V., A.V. Samoilov and A.A. Yurgens, Transport coefficients and flux motion in $Bi_2Sr_2CaCu_2O_x$ single crystals **180**, 417
Zetterer, T., see J.C. Jol **175**, 12
Zettl, A., see N. Kijima **181**, 18; **184**, 127
Zhang, C., see L. Tong **174**, 352
Zhang, G.L., see L. Luo **178**, 11
Zhang, H., T. Chen, Y. Sun, H. Ren, L. Xiao, Q. He and S. Yan, Studies of flux-pinning energies in high $J_c$ $YBa_2Cu_3O_7$ prepared by melt-textured growth method **174**, 355
Zhang, K., G. Seidler, B.H. Ma and C.U. Segre, Structure and superconductivity in the single Cu–O layered $(Bi_{2-x}Pb_x)(Sr_{2-y}La_y)CuO_{6+\delta}$ system **179**, 405
Zhang, L., J.Z. Liu, M.D. Lan, P. Klavins and R.N. Shelton, Single crystal growth of $Nd_{2-x}Ce_xCuO_{4-y}$ **174**, 431
Zhang, W. and K. Osamura, Stability and crystal structure of $LnBa_6Cu_3O_x$ phase (Ln = lanthanide) **174**, 126
Zhang, X. and C.R.A. Catlow, Computer simulation studies of defects and valence states in $Ba_{1-x}K_xBiO_3$ **173**, 25
Zhang, X.F., B. Kabius, K. Urban, P. Schmitt, L. Schultz and G. Saemann-Ischenko, A TEM study of $Bi_2CaCu_2O_x$ superconducting thin films on $SrTiO_3$ substrates **183**, 379
Zhang, Y., see B. Zhao **176**, 409; **179**, 138
Zhang, Y., see X. Qiu **179**, 176
Zhang, Y.H., see L. Luo **178**, 11
Zhan Xiaonong, see Yang Hongshun **172**, 71
Zhao, B., S. Kuroumaru, Y. Horie, E. Yanada, T. Aomine, X. Qiu, Y. Zhang, Y. Zhao, P. Xu, L. Li, H. Ohkubo and S. Mase, Anisotropy of $J_c$, $H_{c2}$ and flux pinning in $c$-axis oriented epitaxial $YBa_2Cu_3O_7$ thin film **176**, 409
Zhao, B., S. Kuroumaru, Y. Horie, E. Yanada, T. Aomine, X. Qiu, Y. Zhang, Y. Zhao, P. Xu, L. Li, H. Ohkubo and S. Mase, Flux creep in $c$-axis oriented epitaxial $YBa_2Cu_3O_7$ thin film **179**, 138
Zhao, J., V.S. Babu and M.S. Seehra, Observation of metastable field-cooled magnetization in Y doped Bi(2212) superconductors **178**, 432
Zhao, Y., see B. Zhao **176**, 409; **179**, 138
Zhao, Y., H.K. Liu and S.X. Dou, Effect of co-doping of Ca and Al on hole concentration and superconductivity in the $YBa_2Cu_3O_{7-y}$ system **179**, 85
Zhao, Y., see X. Qiu **179**, 176
Zhao, Y.J., W.K. Chu, M.F. Davis, J.C. Wolfe, S.C. Deshmukh, D.J. Economou and A. McGuire, Radiation damages and flux pinning in $YBa_2Cu_3O_7$ thin films **184**, 144
Zhdanov, Iu.I., B.A. Aleksashin, K.N. Mikhalyov, V.V. Lavrentjev, S.V. Verkhovskii, A.Yu. Yakubovskii, V.I. Ozhogin, L.D. Shustov and A.B. Myasoedov, Interlayer $CuO_2$ antiferromagnetic spin correlations in Tl-based superconducting $Tl_2Ba_2Ca_nCu_{n+1}O_{6+2n}$ and $Tl_{0.5}Pb_{0.5}Sr_2Ca_{0.8}Y_{0.2}Cu_2O_7$ oxides. $^{63}Cu$ and $^{205}Tl$ NMR and spin-lattice relaxation data **183**, 247
Zheng, G.-Q., see K. Asayama **178**, 281
Zheng, J.P., see H.S. Kwok **175**, 573
Zheng, Q.Q., see W. Pan **183**, 32
Zhokhov, A.A., see S.I. Bredikhin **179**, 286
Zhou, C.J., T.W. Li and T.G. Chen, Out-diffusion of oxygen in Bi-system superconducting oxide **179**, 369
Zhou, C.J., D.L. Tao and T.G. Chen, Effect of oxygen on superconductivity and structure of Bi-system superconductor **180**, 365
Zhou, W., see C.T. Lin **176**, 285
Zhu, N., see P. McGinn **176**, 203; **183**, 51
Zhu, Y., see R. Li **176**, 19
Zhu Changfei, see Yang Hongshun **172**, 71
Ziaei, M.E., B.P. Clayman, R.G. Buckley and M.P. Staines, The far-infrared response of the ceramic high temperature superconductor $YBa_2Cu_4O_8$ **176**, 242
Zibold, A., see J. Kircher **174**, 377
Zieliński, J., P. Entel and M. Matlak, Effective interactions among quasiparticles of p-type symmetry in an extended model for $CuO_2$ layers **175**, 639
Zimmermann, H., see I. Mangelschots **172**, 57
Zimmermann, H., see M. Mali **175**, 581
Zimmermann, W., E.H. Brandt, M. Bauer, E. Seider and L. Genzel, Optical conductivity of BCS superconductors with arbitrary purity **183**, 99
Zini, L., see L. Bonoldi **177**, 73
Zoli, M., Anomalous low-temperature specific heat in high-$T_c$ superconductors. Presence of an intrinsic mechanism **178**, 390
Zorn, G., B. Seebacher, B. Jobst and H. Göbel, Investigation of formation reactions in the system Bi–Pb–Sr–Ca–Cu-oxide starting from oxides and carbonates **177**, 494
Zubov, E.E., see V.P. Djakonov **178**, 221
Żukrowski, J., see Z. Tomkowicz **184**, 244
Zuo, F., M.B. Salamon, T. Datta, K. Ghiron, H. Duan and A.M. Hermann, Forward and reverse flux creep in single crystal $Tl_2Ca_2BaCu_2O_x$ superconductors **176**, 541
Zygmunt, A., see Z. Tomkowicz **174**, 71

Physica C, Subject Index Vols. 172–184 (1990/91) 45–54
North-Holland

PHYSICA C

# Analytic Subject Index to Volume 172–184

1/f noise **180**, 276

2223 phase in Bi–Pb–Sr–Ca–Cu–O **173**, 476
2-dimensional system **180**, 168
2D weak localization **177**, 415

3D–2D crossover **180**, 139

*a*-axis orientation **180**, 50, 65
AC Josephson effect **180**, 284
AC modulation technique **178**, 89
AC susceptibility **172**, 217, 233, 253; **173**, 195, 414, 465; **175**, 33; **177**, 52, 469; **180**, 160, 324, 373; **181**, 138, 335, 385, 392; **182**, 95, 219, 228, 333; **183**, 73, 333; **184**, 34, 88, 332
–of $(Bi,Pb)_{2+x}Sr_{2-y}Ca_{2+y}Cu_{3+z}O_{10+\delta}$ **178**, 203
–of $Dy_1Ba_2Cu_3O_{7-\delta}$ **178**, 89
–of $GdBa_2Cu_3O_{7-\delta}$ single crystal **178**, 221
–of $Pr_{1-x}Gd_xBa_2Cu_3O_y$ **173**, 331
–of $TlCaBaSrCu_2O_{7-\delta}$ **172**, 450
–of $YBa_2Cu_3O_7$ **172**, 495
–of $YBa_2Cu_3O_{7-\delta}$ **172**, 423
–of $YBa_2Cu_4O_8$ **173**, 377
AC susceptibility of superconductors **174**, 109; **176**, 137, 285; **179**, 15, 22, 361, 447; **181**, 25; **184**, 165
AF spin correlation **179**, 107
Aging
–in $YBa_2Cu_3O_{7-x}$ **173**, 201
Alloy model **180**, 381
Anderson lattice **179**, 411
Anderson localization **182**, 157
Anderson model **178**, 266
Andreev reflection **182**, 171
Angle-resolved photoemission **176**, 274
Anharmonicity **172**, 491; **175**, 89; **176**, 496
Anisotropic superconductivity **184**, 159
Anisotropic superconductor **172**, 242, 345; **173**, 125, 180, 347; **174**, 161, 227, 352, 377, 455; **175**, 61, 127, 143; **176**, 35, 189, 235, 242, 409, 485, 517, 551; **177**, 213, 310, 393, 431; **178**, 1, 51, 89, 147, 225, 255, 411; **180**, 313, 426; **181**, 51, 138, 223, 273, 340, 345; **182**, 257; **184**, 29, 41, 254
Anisotropic transport
–in $La_2CuO_{4+\delta}$ **172**, 455
Anisotropy **180**, 128, 164, 227
Anodic electrochemical oxidation **173**, 139
Antenna array **180**, 267
Antennas **180**, 259
Antiferromagnetic fluctuations **182**, 307
Antiferromagnetic order **172**, 127; **176**, 533, 559; **179**, 358, 440; **180**, 358; **181**, 303; **182**, 105; **184**, 259, 270, 283
–in $ErBa_2Cu_3O_7$ **174**, 487
–in $GdBa_2Cu_3O_{7-\delta}$ single crystal **178**, 221
–in $(La_{1-x}Sr_x)_2NiO_{4+\delta}$ **183**, 1
–in $Nd_2CuO_4$ **178**, 189
–in $(Sr_{1-x}Eu_x)_2VO_4$ **172**, 23
–in $Tm_2Fe_3Si_5$ **175**, 58
–in $YBa_2(Cu_{0.88}Fe_{0.12})_3O_{6.5}$ **184**, 299
–in $YBa_2Fe_3O_{7+x}$ **183**, 143
Antiferromagnetic spin fluctuation **178**, 281
Applications of high-$T_c$ superconductors **172**, 63, 435; **173**, 398; **174**, 86; **175**, 255, 357, 573, 600, 603; **176**, 38; **178**, 26, 81; **179**, 361; **181**, 105, 191; **182**, 52; **183**, 257, 339
Atomic absorption **180**, 38
Atomic layer epitaxy **180**, 38
Auger **180**, 132
Auger electron spectroscopy **182**, 57
Auger spectroscopy **183**, 83

$BaF_2$ **180**, 54
Band structure **173**, 173; **174**, 117; **176**, 35, 274; **177**, 8, 171; **182**, 353; **184**, 51
–of $Bi_{2-x}Pb_xSr_2CuO_6$ **176**, 347
–of $La_{2-x}Sr_xCuO_4$ **184**, 102
–of $Rb_3C_{60}$ **182**, 1
–of $YBa_2Cu_3O_7$ **172**, 149, 175
–of $YBa_2Cu_4O_8$ **172**, 277, 467
BCS model **173**, 347; **177**, 421; **183**, 99
BCS theory **181**, 99
Bipolaronic superconductivity **173**, 80; **176**, 511; **182**, 327
Bisoliton **179**, 461
Bi–Sr–Ca–Cu–O **183**, 286
Bi-valence **178**, 71
Bolometers **178**, 26
Bolometric effect **180**, 251
Bond valence **181**, 149
Bose condensation **179**, 317; **181**, 374
Brillouin scattering
–on $Bi_2Sr_2CaCu_2O_{8+\delta}$ **179**, 101
Buffer layers **180**, 11

Campbell model **182**, 95
Carrier concentration **174**, 11, 455; **175**, 250; **176**, 95, 209, 325; **177**, 57, 73, 377; **178**, 29, 345, 414; **179**, 96, 183, 207, 393; **181**, 68; **182**, 62; **183**, 90, 154, 277
–in $La_{2-x}(Sr)_xCuO_4$ **178**, 119
–in $YBa_2Cu_3O_{7-\delta}$ **176**, 547; **184**, 321
–in $YBa_2Cu_4O_8$ **178**, 75
Cation disorder **172**, 413
Cation ordering **184**, 229
Channeling **180**, 65
Charge bags **173**, 293
Charge-density waves **173**, 80, 293; **177**, 445
Charge symmetry **175**, 627
Charge transfer **182**, 157, 353
Charge transfer gap **174**, 199; **181**, 179
Chemical analysis **175**, 607
Chemical etching **180**, 61
Chemical vapor deposition **180**, 42
Chevrel phase **181**, 363
Classification of copper-oxide superconductors **173**, 89
Coevaporation **180**, 73
Coherence length **174**, 208; **182**, 277; **183**, 27
–in $Bi_2Sr_2CaCu_2O_8$ **183**, 39
–in $Y_1Ba_2Cu_3O_7$ **178**, 449
Coherence length $\xi$ **176**, 373
Combustion **184**, 220
Complex conductivity **176**, 121
Composition determination by EPMA **178**, 365
Conductivity **180**, 259
Coulomb interactions **173**, 51, 274, 342, 425; **175**, 347, 639; **176**, 511; **177**, 303; **179**, 393; **182**, 353
Coulometry **173**, 99
Critical current **180**, 90, 148, 184

Critical current density **172**, 253, 361, 383; **173**, 75, 163, 195, 227; **174**, 14, 23, 253, 263, 423, 440; **175**, 33, 102, 187, 202, 215, 335, 363, 401, 407; **176**, 38, 131, 216, 409; **177**, 17, 101, 189, 281, 401, 438, 479; **178**, 11, 41, 64, 203; **179**, 138, 361, 437; **180**, 155, 203; **181**, 57, 81, 105, 191, 223, 245, 385; **182**, 79, 95, 252; **183**, 17, 51, 67, 73, 135, 154, 163, 167, 339; **184**, 13, 65, 144, 165, 332, 362
–in $Bi_2Sr_2CaCu_2O_8$ **184**, 1
–in $Bi_2Sr_2CaCu_2O_x$ **182**, 47
–in $Bi_2Sr_2CaCu_2O_x$ single crystal **174**, 329
–in Bi–Pb–Sr–Ca–Cu–O **172**, 63; **174**, 335
–in $Dy_1Ba_2Cu_3O_{7-\delta}$ **178**, 89
–in $DyBa_2Cu_3O_7$ **184**, 113
–in $La_{2-x}(Sr)_xCuO_4$ **178**, 119
–in Tl–Ba–Ca–Cu–O **175**, 156; **184**, 24
–in $Y_{0.9}Ca_{0.1}Ba_2Cu_4O_8$ **173**, 337
–in $Y_{1-x}Ca_xBa_2Cu_4O_8$ **173**, 398
–in $YBa_2(Cu_{0.98}M_{0.02})_3O_y$ (M=Fe, Co, Ni) **174**, 303
–in $YBa_2Cu_3O_7$ **174**, 355; **177**, 165
–in $YBa_2Cu_3O_{7-\delta}$ **176**, 203
–in $YBa_2Cu_3O_{7-x}$ wires **178**, 81
–in $YBa_2Cu_3O_x$ **178**, 147
–in $YBa_2Cu_4O_8$ **173**, 337
–in Y–Ba–Cu–O **178**, 411
Critical field **180**, 212
Critical phenomena **173**, 180; **174**, 208; **177**, 45, 315; **181**, 127; **184**, 113
–of $La_{2-x}(Sr)_xCuO_4$ **178**, 119
Critical state model **172**, 352; **173**, 56; **174**, 109, 440; **175**, 33, 202, 215, 363, 407; **176**, 300; **177**, 253, 401; **180**, 373; **182**, 252; **183**, 73; **184**, 88, 341
Crossover **180**, 212
Crystal field **173**, 342; **175**, 587; **179**, 393
Crystallographic data **182**, 353
Crystal structure **172**, 155; **175**, 529
–of $(Nd_{1-x}Sr_x)(Nd_{1-y}Ce_y)CuO_{4-z}$ **172**, 166
Cu K edge **178**, 324
–of $Cu_2O$ **178**, 352
–of CuO **178**, 352
–of $La_2CuO_4$ **178**, 421
–of $YBa_2Cu_3O_{7-y}$ **178**, 352
Cu $L_3$ edge
–of $La_2CuO_4$ **178**, 421
$CuO_2$ planes **172**, 127
Cu–O chains **173**, 80, 453; **174**, 223, 280; **176**, 261, 547; **177**, 106, 315; **178**, 105, 405; **181**, 11, 37; **183**, 197
–in $YBa_2Cu_3O_{7-\delta}$ **178**, 37
Cu–O planes **172**, 105; **173**, 342, 453; **174**, 11, 117, 345; **175**, 269, 386, 581, 639; **176**, 511, 559; **177**, 1, 36, 171, 415; **178**, 345, 414; **179**, 159, 393; **180**, 381, 401; **181**, 1, 45, 186, 233, 340, 374; **183**, 39, 57, 372; **184**, 159, 254
–in $Bi_2Sr_2CuO_6$ **173**, 117
Current–voltage characteristics **175**, 315, 324; **184**, 29; **184**, 371
–of BiSCCO **181**, 88
Cu-valence **173**, 239; **173**, 99, 109; **174**, 28; **176**, 481; **178**, 71, 110, 339, 352; **181**, 149, 171; **184**, 321
–in $YBa_2Cu_3O_{7-\delta}$ **175**, 607

DC-SQUID **180**, 288
Debye temperature **175**, 615; **181**, 233; **184**, 316
–of $Bi_2Sr_2CuO_6$ **173**, 117
–of $La_2CuO_4$ **175**, 135
Defect structures **172**, 81, 304, 373; **173**, 213, 487; **174**, 1, 233, 253; **175**, 651; **176**, 151, 575; **177**, 89, 159, 384; **178**, 41, 255, 383; **179**, 43, 119, 227, 279; **181**, 143, 252; **182**, 163, 241; **183**, 111, 121, 149, 221, 379; **184**, 93
–in $Ba_{1-x}K_xBiO_3$ **173**, 25
–in $(Bi,Pb)_2Ca_2Sr_2Cu_3O_{10}$ **183**, 57
–in $Bi_{1.5}Pb_{0.5}Sr_2Ca_{n-1}Cu_nO_{2n+4}$ **174**, 309
–in Tl–Ca–Ba–Cu–O **172**, 413
–in $YBa_2(Cu_{1-x}M_x)_3O_y$ (M=Al,Fe,Co,Ga) **172**, 199
–in $YBa_2Cu_3O_{7-\delta}$ **182**, 30
Degradation
–in $Bi_2Sr_2CaCu_2O_8$ **176**, 106
De Haas–van Alphen oscillations **183**, 355
Depinning field $B_{dp}(T,\varphi)$ **177**, 165
Dielectric tensors
–in Y–Ba–Cu–O **178**, 305
Dissipation **180**, 139
Dissipative effects **180**, 172
Domain boundaries **182**, 315
Domain structure **174**, 263
Doping **177**, 73, 101
D-wave superconductor **173**, 425; **174**, 401; **177**, 145; **178**, 182, 281; **184**, 207
Dynamic Jahn–Teller coupling **183**, 319
Dynamics **180**, 216

Edge junctions **180**, 247
EELS **180**, 132; **181**, 374
–on Ca-doped $YBa_2Cu_4O_8$ **182**, 62
Effective medium approximation **174**, 365
Elastic constants **177**, 86
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **179**, 101
Elasticity
–of $YBa_2Cu_3O_x$ **172**, 407
Elastic moduli **183**, 360
Electrical resistivity **172**, 217; **173**, 125; **173**, 414; **174**, 71, 227, 321; **175**, 111, 250, 261, 310, 555, 623, 634; **176**, 49, 75, 159, 209, 257, 325, 357, 445, 507; **177**, 45, 52, 61, 79, 95, 115, 122, 159, 171, 183, 367, 393, 431; **179**, 85, 96, 347, 358, 369, 405; **180**, 324, 365, 407, 411, 417; **181**, 63, 88, 191, 201, 303, 345; **182**, 11, 47, 79, 103, 114, 149, 153, 228, 261, 277, 333; **183**, 234, 333; **184**, 65, 135, 235, 378
–of $Bi_2Sr_2Ca_2Cu_3O_{10}$ **173**, 260
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **173**, 220
–of $Nd_{1.85}Ce_{0.15}CuO_4$ **180**, 313
–of $Nd_{1.85}Ce_{0.15}CuO_{4-y}$ **172**, 229
–of $Pr_{1-x}Gd_xBa_2Cu_3O_y$ **173**, 331
–of $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$ **182**, 119; **184**, 185
–of $TlBa_2CuO_{5-\delta}$ **175**, 183
–of $TlBaSrCuO_{5-\delta}$ **175**, 183
–of $TlCaBaSrCu_2O_{7-\delta}$ **172**, 450
–of $Y_1Ba_2Cu_3O_7$ **178**, 449
–of $YBa_2Cu_3O_{7-\delta}$ **172**, 427
Electrochemical oxidation **175**, 342; **177**, 487
Electrochemical reduction **172**, 193
Electromotive force **172**, 267
Electron beam deposition **180**, 272
Electron beam evaporation **175**, 623; **180**, 54
Electron-doped superconductor **172**, 143, 265; **173**, 357, 409; **174**, 431; **179**, 279; **180**, 313; **181**, 206, 284; **183**, 135
–of $Nd_{2-x}Ce_xCuO_y$ **178**, 437
Electron–electron correlation **174**, 199
Electron–electron umklapp scattering **173**, 425
Electronic charging **180**, 54
Electronic density of states
–in $YBa_2Cu_4O_8$ **175**, 81
Electronic structure **173**, 173, 274, 342; **174**, 117; **176**, 35, 274, 331, 559; **177**, 27, 73; **178**, 266, 324; **179**, 159; **180**, 351, 381; **181**, 75, 252; **182**, 191
–of $A_3C_{60}$ **182**, 17
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **176**, 113
–of $Bi_2Sr_2Ca_{n-1}Cu_nO_{4+2n}$ **175**, 269
–of $Bi_2Sr_{2-x}Ca_{1+x}Cu_2O_{8+\delta}$ **175**, 233
–of $Cu_2O$ **178**, 352
–of CuO **178**, 352
–of $\kappa$-$(BEDT\text{-}TTF)_2CuN(CN)_2X$ (X=Cl, Br, I) **174**, 475
–of $K_xC_{60}$ **181**, 320
–of $La_{1.85}Sr_{0.15}CuO_4$ **173**, 381

–of $La_2CuO_4$ **175**, 1, 369; **178**, 421; **184**, 51
–of $La_2CuO_4/Nd_2CuO_4$ **179**, 387
–of $La_{2-x}M_xCuO_4$ (M=Sr,Ba) **183**, 234
–of $La_{2-x}Sr_xCuO_4$ **175**, 347; **184**, 102
–of $Nd_{1.85}Ce_{0.15}CuO_4$ **173**, 357
–of $Nd_2CuO_4$ **175**, 1
–of $Nd_{2-x-y}Ce_xSr_yCuO_4$ **178**, 345
–of $Pb_2Sr_2(Y,Ca)Cu_3O_{8+\delta}$ **174**, 377
–of $Rb_3C_{60}$ **182**, 1
–of $Sr_2VO_4$ **175**, 329
–of $YBa_2Cu_3O_7$ **178**, 414; **183**, 32
–of $YBa_2Cu_3O_{7-y}$ **178**, 352
Electron microscopy **176**, 43, 441; **179**, 291
Electron–phonon coupling **174**, 215; **175**, 47, 644; **176**, 159, 481, 496; **177**, 445; **178**, 266; **181**, 45, 233; **182**, 137, 327; **183**, 303
–in $Sr_2VO_4$ **175**, 329
Electron probe microanalysis **178**, 64
Eliashberg equations **173**, 51; **176**, 170; **179**, 167; **182**, 322; **184**, 81
Emery model **174**, 199
Encapsulation **178**, 377
Energy gap **175**, 47; **176**, 1, 189, 242; **177**, 213; **178**, 171, 182; **179**, 69; **182**, 191, 307, 322, 345, 353; **183**, 39, 303, 355; **184**, 81
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **175**, 127
–in $HoBa_2Cu_3O_{7-y}$ **182**, 25
–in $La_{1.5}Ba_{1.5}Cu_3O_{7-y}$ **182**, 25
Epitaxial yttria-stabilized $ZrO_2$ **180**, 17
EPR **183**, 261
Erosion plasma flux screening **180**, 69
ESR **174**, 447; **176**, 24; **178**, 231; **181**, 127
–in $Bi_{1.5}Pb_{0.5}Sr_2Ca_{n-1}Cu_nO_{2n+4}$ **174**, 309
–in $Y_{0.999}Gd_{0.001}Ba_2Cu_3O_{6+x}$ **181**, 11
EXAFS **179**, 9; **184**, 229
Excess noise **184**, 149
Exchange-mediated pairing **173**, 409; **174**, 401
Excitonic mechanism **176**, 170; **183**, 303; **184**, 81

Far-infrared spectra **174**, 435; **176**, 242; **181**, 374
Fermi liquid **172**, 481; **178**, 266; **179**, 167, 191
Fermi liquid approach **175**, 449
Fermi liquid corrections **176**, 485
Fermi surface **172**, 277; **173**, 274; **176**, 274; **177**, 223, 445
–of $YBa_2Cu_4O_8$ **172**, 467
Fermi velocity **183**, 39
Filamentary superconductivity **173**, 159
Fluctuation effects **172**, 427; **173**, 180; **174**, 208; **175**, 577; **176**, 357; **177**, 67; **179**, 59, 125; **181**, 163; **182**, 257; **183**, 27, 360; **184**, 113, 149, 159
–in $Bi_{1.2}Pb_{0.3}Sr_{1.5}Ca_2Cu_3O_y$ **182**, 277
–in $Y_1Ba_2Cu_3O_7$ **178**, 449
Fluorination **184**, 172
Flux creep **172**, 143; **174**, 81, 101; **175**, 93; **176**, 137, 409, 521, 541; **177**, 17; **179**, 138, 176, 361; **180**, 199, 307, 411; **182**, 261, 297; **183**, 62; **184**, 341, 371
–in $Bi_2Sr_2CaCu_2O_8$ **178**, 140
–in $Y_{0.9}Ca_{0.1}Ba_2Cu_4O_8$ **173**, 337
–in $YBa_2Cu_3O_{7-\delta}$ **178**, 140
–in $YBa_2Cu_4O_8$ **173**, 337
Flux domains **179**, 269
Flux dynamics **172**, 131; **173**, 465; **174**, 14, 40, 81, 227, 289, 321, 373; **175**, 27, 315, 534; **176**, 195, 541; **177**, 129, 431, 438; **178**, 161, 225; **179**, 22, 269; **180**, 331, 394, 411, 417, 426; **182**, 95, 291; **183**, 99; **184**, 34, 254, 393
–in $Tl_2Ba_2Ca_2Cu_3O_x$ **178**, 456
Flux flow **180**, 199
Flux flow viscosity **180**, 192, 247
Flux jumps **173**, 227
Flux lattice **173**, 180; **174**, 40, 289, 352, 447; **178**, 51; **180**, 426; **181**, 163, 363, 381; **183**, 212, 360
–in $Tl_2Ba_2Ca_2Cu_3O_x$ **178**, 456
Flux line lattice depinning **183**, 345
Flux motion **180**, 164
Flux penetration **176**, 300
Flux pinning **172**, 352, 441, 495, 501; **173**, 458, 465; **174**, 40, 81, 93, 101, 253, 321, 340, 355; **175**, 93, 187, 197, 315, 539; **176**, 195, 235, 336, 409, 517, 521; **177**, 61, 271, 281, 393; **178**, 11, 41; **179**, 15, 59, 75, 269, 361, 447; **180**, 139, 155, 184; **181**, 223, 239, 381; **182**, 47, 261, 291, 297, 339; **183**, 17, 62, 67, 154, 379; **184**, 13, 65, 144, 362, 378, 393
–in (Bi,Pb)-2223 **172**, 391
–in $Bi_2Sr_2CaCu_2O_x$ single crystal **174**, 329
–in Bi–Pb–Sr–Ca–Cu–O **172**, 63
–in $YBa_2Cu_3O_{7-\delta}$ **178**, 225
–in $YBa_2Cu_3O_x$ **178**, 147
Flux pinning, enhancement of **178**, 255
Fraunhofer pattern **180**, 227, 247
Fullerene **178**, 137

Gallium substitution **180**, 50
Gapless superconductor **179**, 29; **183**, 355
Ginzburg–Landau theory **174**, 149; **176**, 551, 567; **178**, 51; **179**, 52, 125; **180**, 401; **182**, 127; **183**, 62
$\gamma$-irradiation effect **178**, 11
Glassy state **174**, 40, 195; **176**, 336, 541; **177**, 438
Grain alignment **172**, 287; **182**, 269
Grain alignment (texturing) **175**, 566; **176**, 131, 203, 216; **177**, 135; **178**, 147; **179**, 149; **180**, 373; **181**, 81, 138; **182**, 203; **182**, 57; **183**, 57; **184**, 1, 119
Grain boundaries **172**, 1, 282; **173**, 213, 487; **174**, 1; **175**, 545; **177**, 271; **179**, 149, 430; **180**, 235; **180**, 337; **181**, 25, 81, 88, 296; **182**, 241; **183**, 17
Granular superconductivity **172**, 217, 233, 253, 352, 361; **173**, 56, 145, 458; **174**, 233, 242, 335, 340, 365, 467; **175**, 215; **176**, 357; **177**, 45, 61, 67, 135, 138, 289, 356, 401, 469; **179**, 15, 52; **180**, 307, 337; **181**, 88, 385, 392; **183**, 73, 83; **184**, 34, 393
–in $(Bi,Pb)_{2+x}Sr_{2-y}Ca_{2+y}Cu_{3+z}O_{10+\delta}$ **178**, 203
–in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ **178**, 432
–in $Bi_2Sr_2CaCu_2O_8$ **178**, 197
–in $YBa_2Cu_4O_7$ **178**, 197
Granular superconductors **177**, 479

Hall effect **172**, 131; **175**, 587; **176**, 24, 159, 209, 373; **177**, 79, 377, 445; **179**, 131; **180**, 220, 417; **181**, 68; **182**, 157; **183**, 277
–in BiPbSrCaCuO thin film **178**, 287
–in $La_2Sr_6Cu_8O_{16+\delta}$ **175**, 165
–in $La_{2-x}Sr_xCuO_4$ **172**, 400
–in $Nd_{2-x}Ce_xCuO_y$ **178**, 437
–in $YBa_2(Cu_{0.98}M_{0.02})_3O_y$ (M=Fe, Co, Ni) **174**, 303
Harmonic generation **176**, 379
Heavy-fermion compounds **175**, 61; **178**, 15; **179**, 411
High energy electron diffraction **179**, 262
High pressure effect **172**, 265, 311; **173**, 409; **175**, 58; **176**, 503; **177**, 86; **179**, 358; **181**, 149; **183**, 277, 319; **184**, 74
–in $(Bi,Pb)_2Sr_2Ca_{n-1}Cu_nO_x$ **181**, 340
–in $Bi_2Sr_2Ca_1Cu_2O_8$ **172**, 213
–in $Bi_2Sr_2CaCu_2O_{8+y}$ **181**, 335
–in $K_xC_{60}$ **178**, 137
–in $La_{1.85}Sr_{0.15}CuO_4$ **173**, 381
–in $La_{2-x}Sr_xCuO_4$ **178**, 281
–in $Nd_{1.85}Ce_{0.15}CuO_4$ **173**, 357
–in $Nd_{2-x-y}Ce_xSr_yCuO_4$ **178**, 345
–in $Tl_{0.5}Pb_{0.5}CaSr_{2-x}La_xCu_2O_7$ **174**, 345
–in $Tl_2Ba_2CuO_{6+y}$ **173**, 403; **178**, 281
–in $Tl_2Ca_{n-1}Ba_2Cu_nO_{2n+4-\delta}$ **175**, 627
–in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Fe and Zn) **173**, 309

–in $YBa_2Cu_3O_{6.9}$ **173**, 232
–in $YBa_2Cu_3O_7$ **178**, 281, 414
–in $YBa_2Cu_3O_{7-\delta}$ **172**, 423
–in $YBa_2Cu_4O_8$ **178**, 75
High pressure synthesis
–of Ba–Sr–Cu–O **176**, 441
–of $Sr_{1-x}La_xCuO_2$ **181**, 206
Hole concentration **173**, 342; **174**, 401; **176**, 247; **177**, 1; **179**, 159; **181**, 335
–in $Bi_2(Sr,Ca)_3Cu_2O_{8+y}$ **172**, 193
–in $Bi_2(Sr_{2-x}Ca_x)(Ca_{0.8}R_{0.2})Cu_2O_{8+y}$ **174**, 359
–in $La_{1.85}Sr_{0.15}CuO_4$ **173**, 381
–in $La_{2-x}Sr_xCuO_4$ **172**, 400
–in $LaCaBaCu_3O_y$ **173**, 453
–in $Tl_{0.5}Pb_{0.5}CaSr_{2-x}La_xCu_2O_7$ **174**, 345
Hole motion **176**, 559
Hollow cathode sputtering **180**, 85
Homogeneity **180**, 85
HREM **172**, 13, 81, 155, 365, 373; **173**, 361, 487; **174**, 1; **175**, 285, 419, 545; **176**, 151, 575; **177**, 89, 115, 384; **178**, 383; **179**, 1, 43, 75, 214, 227; **181**, 143, 311; **182**, 79, 163; **183**, 286, 379; **184**, 385
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ **184**, 93
–of $(Fe,Cu)Sr_2(Ce,Y)_3Cu_2O_{10+z}$ $(z \approx 1)$ **183**, 149
–of $HoBa_2Cu_3O_{7-\delta}$ **175**, 651
HTSC **179**, 52
Hubbard Hamiltonian **172**, 127, 481; **174**, 401; **175**, 639; **176**, 511; **178**, 182; **179**, 159
Hubbard model **174**, 215; **175**, 449
Hydrogenation
–of $PrBa_2Cu_3O_{6.8}$ **178**, 317
–of $YBa_2Cu_3O_{6.3}$ **178**, 317
–of $YBa_2Cu_3O_{7-\delta}$ **172**, 331
Hydrogen bonding **178**, 339
Hysteretic absorption **180**, 196

ICM-sputtering **180**, 11
Impurities **178**, 15
Impurity atoms **182**, 315
Impurity effects **177**, 351
Incipient localization **175**, 449
Indirect exchange pairing **182**, 17
Infrared detectors **178**, 26
Infrared spectroscopy **174**, 365, 435; **176**, 1, 35, 170; **177**, 487; **178**, 11; **180**, 112, 387; **181**, 133, 186, 289
In-situ BISCO growth **180**, 81
Intercalation **181**, 18; **184**, 127
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **173**, 220
Interface **172**, 81; **180**, 101, 120
Interlayer coupling **177**, 171; **179**, 461; **182**, 127
Interlayer pairing **173**, 80; **174**, 161; **176**, 189, 511
Intralayer pairing **174**, 161
Intrinsic Josephson junctions **180**, 192
Intrinsic junctions **180**, 276
Ion channeling **174**, 409
Ion implantation **184**, 295
Ion induced defects **180**, 203
Irradiation effect **172**, 267; **174**, 321, 340; **177**, 189, 253; **179**, 43, 75; **182**, 171; **184**, 144
–in $Tl_2Ba_2Ca_2Cu_3O_{10}$ **178**, 255
–in $Tl_2Ba_2CaCu_2O_8$ **178**, 255
–in $TlBa_2Ca_2Cu_3O_9$ **178**, 255
–in $YBa_2Cu_3O_{7-\delta}$ (single crystal) **175**, 111
–in YBCO **178**, 11
Irreversibility **172**, 495
Irreversibility field **178**, 140
Irreversibility line **175**, 197; **181**, 363, 381; **183**, 163; **184**, 332, 371
–in $Sm_{1.85}Ce_{0.15}CuO_{4-y}$ **174**, 93; **184**, 378
–in $YBa_2Cu_3O_{7-\delta}$ **183**, 333
Isotope effect **173**, 51; **176**, 496; **177**, 303; **181**, 233; **182**, 127; **183**, 303, 319; **184**, 81
–in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10}$ **182**, 132
–in $YBa_2Cu_3O_{7-\delta}$ **172**, 90
Itinerant magnetism **180**, 112

Jahn–Teller effect **180**, 351
Josephson effect **172**, 233; **174**, 467; **175**, 600; **180**, 284; **181**, 30; **183**, 177, 339; **184**, 29
Josephson junction array **180**, 216
Josephson junctions **180**, 227
Josephson lower critical field **177**, 135
Josephson network **172**, 352
Josephson vortices **183**, 177

Knight shift **177**, 230
Kosterlitz–Thouless transition **173**, 125; **175**, 324; **177**, 129; **183**, 212
$K_xC_{60}$ **183**, 319

Lanthanium copper oxide **173**, 139
Large area sputtering **180**, 17
Large area thin films **180**, 85
Laser ablation **180**, 69, 77, 81, 90, 94
Laser deposition **183**, 167
–of $YBa_2Cu_3O_{7-\delta}$ **172**, 47
–of Y–Ba–Cu–O **182**, 103
Lattice dynamics **175**, 135, 615; **176**, 106; **181**, 133
–of $YBa_2Cu_3O_{7-\delta}$ **178**, 225
Lattice parameters **174**, 23, 126, 144; **176**, 19, 87, 420, 433; **177**, 195; **179**, 85, 183, 214, 405; **182**, 39; **184**, 127, 172, 295
–of $Ba_3YCu_2O_x$ **175**, 172
–of Ba–Y–Cu–W–O **175**, 119
–of $Bi_2CaSr_2Cu_2O_x$ **182**, 73
–of $Bi_2(Sr_{2-x}Ca_x)(Ca_{0.8}R_{0.2})Cu_2O_{8+y}$ **174**, 359
–of $Bi_{2-x}Pb_xSr_2CuO_6$ **176**, 347
–of $La_{1.85-x}Nd_xSr_{0.15}CuO_4$ **175**, 435
–of $La_{2-x}Nd_xCuO_{4+\delta}$ **175**, 342
–of $La_3Ba_3Ca_xCu_{6+x}O_y$ **176**, 451
–of $LnBa_2Cu_4O_8$ **175**, 523
–of $Pb_2Sr_2Y_{0.73}Ca_{0.27}Cu_3O_8$ **175**, 293
–of $Pb_2Sr_{2-x}La_xCu_2O_{6+\delta}$ **184**, 311
–of $Sr_{1-x}La_xCuO_2$ **181**, 206
–of $YBa_2Cu_{3-x}Fe_xO_y$ **174**, 316
Lattice softness **174**, 475
Lawrence–Doniach model **172**, 501; **181**, 163
Layered copper oxide **175**, 529
Layered HTSCs **178**, 161
Layered superconductor **174**, 161
Lead copper oxide **172**, 155
Linear devices **180**, 259
Liquid droplet mechanism **176**, 279
Liquid phase epitaxy **180**, 46
Local-density-functional theory **172**, 277
Localization **176**, 75
Localized moments **179**, 9
Local-pair superconductor **174**, 215, 455
London penetration depth **174**, 242
Long junctions **180**, 247
Lower critical field **177**, 310; **181**, 138
–of (Bi,Pb)-2223 **172**, 391
Lower critical field $H_{c1}$ **174**, 440; **175**, 42, 143, 335, 407; **176**, 373; **179**, 447; **183**, 135, 177; **184**, 41
Lower critical field $H_{c2}$ **183**, 293
Low frequency impedance **178**, 275
Low-loss substrates **180**, 73
LPE **173**, 93
Luttinger liquid **178**, 266

Madelung energy **177**, 86
–in $YBa_2Cu_4O_8$ **173**, 185
Magnetic alignment **179**, 333
Magnetic anomalies
–in Bi–Sr–V–O **175**, 595
–in Tl–Sr–V–O **175**, 595
Magnetic force microscopy **175**, 357
Magnetic interactions **172**, 481
Magnetic order
–in $Bi_{2-x}Pb_xSr_2Bi_{n-1}Fe_nO_y$ **176**, 227
Magnetic ordering
–in $Pr_{1-x}Gd_xBa_2Cu_3O_y$ **173**, 331
Magnetic phase transition
–in $R_2CuO_4$ **182**, 105
Magnetic properties **180**, 148

Magnetic relaxation **172**, 441; **174**, 93, 101, 195, 242; **175**, 27, 315; **176**, 195, 541; **177**, 438; **180**, 172, 331; **184**, 341, 371
–in $Bi_{2.2}Sr_{1.7}CaCu_2O_8$ **176**, 336
Magnetic structure
–of $Nd_2CuO_4$ **177**, 294
Magnetic superconductors **175**, 42
Magnetic susceptibility **174**, 33, 253, 316; **175**, 42, 81, 279; **176**, 137, 247, 257; **177**, 115, 271, 315, 330; **178**, 301; **179**, 311, 440; **180**, 407; **182**, 285; **183**, 1, 234; **184**, 235, 244
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **176**, 24
–of $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ **178**, 231
–of $Bi_2Sr_2CuO_{\sim 6}$ **178**, 110
–of $\kappa$–(BEDT–TTF)$_2$Cu(NCS)$_2$ **178**, 339
–of $(La,Sr)_2NiO_4$ **176**, 533
–of $La_2CuO_{4+\delta}$ **172**, 455
–of $La_{2-x}Sr_xCaCu_2O_6$ **174**, 28
–of $LiPdH_x$ **172**, 465
–of $(Sr_{1-x}Eu_x)_2VO_4$ **172**, 23
–of (Tl,Bi,Pb)–Sr–Ca–Cu–O **172**, 271
–of $YBa_2Cu_3O_{6.9}$ **173**, 232
–of $YBa_2Cu_3O_{7-\delta}$ **178**, 37
Magnetization **172**, 143; **173**, 195, 227, 458; **174**, 71, 93, 109, 335; **175**, 102, 143, 202, 215, 335; **176**, 203, 517, 567; **177**, 135, 138, 281, 315, 479; **180**, 203; **181**, 138, 239, 303, 363, 385; **182**, 132, 297, 339; **183**, 51, 67, 73, 135, 154, 293; **184**, 88
–of $Ba_{0.6}K_{0.4}BiO_3$ **180**, 331
–of $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ **178**, 432
–of $Bi_2Sr_2CaCu_2O_8$ **178**, 140; **179**, 59
–of $GdBa_2Cu_3O_{7-\delta}$ single crystal **178**, 221
–of $Nd_{1.85}Ce_{0.15}CuO_{4-y}$ **172**, 229; **177**, 310
–of $Nd_2CuO_4$ **178**, 189
–of $Y_{0.9}Ca_{0.1}Ba_2Cu_4O_8$ **173**, 337
–of $YBa_2Cu_3O_{7-\delta}$ **178**, 140
–of $YBa_2Cu_3O_{7-x}$ **184**, 41
–of $YBa_2Cu_4O_8$ **173**, 337
Magnetization curves **180**, 155
Magnetoresistance **177**, 415; **180**, 168, 307, 411; **182**, 257; **183**, 207; **184**, 159, 362
Magnetron sputtering **175**, 310; **183**, 172
MDOE **180**, 160
Meissner effect **172**, 413; **173**, 458; **174**, 233, 242; **175**, 241, 539; **176**, 247; **183**, 241
–in $La_2CuO_{4+\delta}$ **173**, 139
–in $YBa_2Cu_3O_{6+y}$ **178**, 64
Melt process **172**, 383; **175**, 102
Memory effects **174**, 195
Metal–insulator transition **174**, 144, 223; **175**, 555; **180**, 387; **181**, 37, 186
MgO buffer layers **180**, 57
Micro-Raman spectroscopy **180**, 128
Microstrip line **180**, 259
Microstructure
–of $YBa_2Cu_3O_{7-\delta}$ (thin films) **172**, 47
Microwave absorption **173**, 145; **174**, 86; **175**, 534, 603; **176**, 235; **177**, 17, 289; **179**, 119; **180**, 180, 196; **182**, 285; **183**, 324; **184**, 165, 353
–in $Bi_2Sr_2CaCu_2O_8$ **178**, 197
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **174**, 394
–in $Tl_2Ba_2Ca_2Cu_3O_x$ **178**, 456
–in $YBa_2Cu_3O_{7-\delta}$ **174**, 394
–in $YBa_2Cu_4O_7$ **178**, 197
Microwave losses **180**, 259
Microwave properties **180**, 272
Microwave radiation **180**, 192
Microwaves **180**, 267, 280
Microwave transmission **176**, 379; **180**, 164
Mixed state **172**, 131; **175**, 179, 363; **176**, 137, 551, 567; **177**, 421; **181**, 99, 345; **182**, 297; **184**, 254
Modulated structures **172**, 13; **175**, 419; **176**, 113; **183**, 252
–in $Bi_{2+x}Sr_{2-y}CuO_{6\pm\delta}$ **173**, 37
Molecular beam epitaxy **180**, 38
Monte Carlo simulation **172**, 199
Morphology **180**, 42
Mössbauer spectroscopy **172**, 287; **174**, 71, 223; **176**, 227; **177**, 36; **181**, 1, 284; **183**, 143; **184**, 299
–of $ErBa_2Cu_3O_x$ ($x \simeq 7.0$ and 6.0) **184**, 283
–of $PrBa_2(Cu_{0.992}{}^{57}Fe_{0.008})_3O_{7-\delta}$ **184**, 244
–of $YBa_2Cu_3O_x$ **184**, 259, 283
–of $YBa_2Cu_3O_x$ ($6.0 \lesssim x \lesssim 7.0$) **184**, 270
MPMG **172**, 495
Multilayers **176**, 457, 567; **177**, 384; **179**, 125; **180**, 401; **181**, 30; **183**, 252, 286
–of $Nb/Nb_{0.5}Zr_{0.5}$ **175**, 187
–of NbN/AlN **174**, 340
–of $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ **172**, 365, 373
Multiple scattering **178**, 352, 421
Muon spin rotation **176**, 551; **177**, 421; **181**, 99
–in $La_2CuO_4$ **180**, 358

Negative U superconductivity **182**, 1
Nernst effect **174**, 373; **180**, 417
Neutron diffraction **174**, 180, 280; **175**, 135, 293, 393, 587, 615; **176**, 57; **178**, 29; **179**, 279, 455; **180**, 299; **182**, 67, 73; **184**, 299
–of $Ba_2Y_{1-x}Ca_xCu_{3-x}Fe_xO_6$ **182**, 219
–of $Ba_2Y_{1-x}Ca_xCu_{3-x}Fe_xO_7$ **182**, 219
–of $Bi_{1.6}Pb_{0.4}Ca_1Sr_2Cu_2O_y$ **173**, 267
–of $Bi_{1.8}Pb_{0.2}Sr_{2.2}Ca_{1.9}Cu_{3.0}O_x$ **172**, 207
–of $Bi_2Sr_2Ca_1Cu_2O_8$ **172**, 213
–of $Bi_2Sr_2CaCu_2O_{8+y}$ **173**, 65
–of $La_{1.6}Sr_{0.4}CaCu_2O_{6\pm\delta}$ **172**, 138
–of $La_{1.8}Sr_{0.2}CaCu_2O_6$ **174**, 187
–of $La_{2-x}Sr_xCuO_{4-\delta}$ **172**, 120
–of $LaBa_2Cu_{3-y}M_yO_{7\pm x}$ **183**, 111
–of $TlSr_2CuO_5$ **173**, 444
–of $YBa_2Cu_3O_{6+x}$ **172**, 31; **173**, 387
–of $YBa_2Cu_3O_{7-\delta}$ **172**, 331; **174**, 409
Neutron powder diffraction
–of $(Nd_{1-x}Sr_x)(Nd_{1-y}Ce_y)CuO_{4-z}$ **172**, 166
–of $YBa_2Cu_4O_8$ **173**, 185
Neutron scattering
–in $La_{1.85}Sr_{0.15}Cu_{1-x}Zn_xO_4$ ($x=0$, 0.02) **181**, 45
Neutron scattering (inelastic) **175**, 587; **177**, 207; **179**, 191; **184**, 299
New superconducting phase **178**, 158
NEXAFS **180**, 120
NMR **172**, 340; **175**, 401; **176**, 485; **177**, 145, 230, 297; **178**, 182, 281; **179**, 29, 107, 191; **183**, 212, 247, 365
–in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10}$ **183**, 372
–in $Bi_2Sr_2Ca_{n-1}Cu_nO_{4+2n}$ **175**, 269
–in CuO **181**, 121
–in $Tl_2Ba_2CaCu_2O_8$ **175**, 12
–in $Tl_2Ba_2CuO_{6+y}$ **184**, 207
–in $Y_{1-x}R_xBa_2Cu_3O_7$ (R = Pr, Nd) **181**, 355
–in $YBa_2Cu_3O_6$ **175**, 581
–in $Yba_2Cu_3O_{7-\delta}$ **179**, 311
–in $YBa_2Cu_4O_8$ **173**, 32; **179**, 311; **182**, 327
Noise **180**, 235, 288
Noise spectrum
–in $Tl_2Ba_2Ca_{n-1}Cu_nO_{4+2n}$ **172**, 1
Non-bolometric effect **180**, 251
Normal-state properties **172**, 340; **174**, 117, 435; **176**, 1, 49, 159, 295, 325, 481; **177**, 23; **179**, 69, 311, 376; **182**, 137, 153, 257, 353; **183**, 1
–of BiPbSrCaCuO thin film **178**, 287
–of $\kappa$–(BEDT–TTF)$_2$Cu(NCS)$_2$ **178**, 339
–of $La_{1+x}Ca_yBa_{2-x-y}Ca_3O_{7+\delta}$ **183**, 11
–of $La_2CuO_{4+\delta}$ **173**, 9, 139
–of $Tl_2Ba_2CaCu_2O_8$ **175**, 12
–of $Tl_2Ba_2CuO_{6-x}$ **176**, 368
–of $Y_1Ba_2Cu_3O_7$ **178**, 449
–of $YBa_2Cu_4O_8$ **175**, 81
Normal state theory **175**, 449

NQR **175**, 347; **176**, 24; **178**, 281; **179**, 29; **183**, 372; **184**, 207
–in CuO **181**, 121
–in $YBa_2Cu_4O_8$ **173**, 32
–in $YBa_{2-x}Ca_xCu_4O_{8\pm y}$ **172**, 57

O K edge
–of $La_2CuO_4$ **178**, 421
Optical absorption **172**, 267; **173**, 173; **176**, 1; **178**, 266; **181**, 233
–in $YBa_2Cu_3O_{7-\delta}$ **175**, 192
Optical conductivity **183**, 99
Optical detectors **180**, 251
Optical excitation **180**, 160
Optical reflectivity **174**, 435; **176**, 35; **178**, 266; **180**, 387; **181**, 289
–of $Pb_2Sr_2(Y,Ca)Cu_3O_{8+\delta}$ **174**, 377
Optical response of superconductors **175**, 573
Optical spectroscopy **183**, 261
Optical transitions **181**, 75
Organic superconductor **172**, 340; **174**, 475; **183**, 345
–of $\kappa-(BEDT-TTF)_2Cu(NCS)_2$ **178**, 339
O–T transition **172**, 31, 199, 304; **174**, 149; **175**, 301; **176**, 387, 503; **177**, 122, 153; **178**, 105, 213; **181**, 265
–in $YBa_2Cu_3O_2$ **182**, 11
–in $YBa_2Cu_3O_{7-x}$ **173**, 251; **179**, 381
–in $YBa_2Cu_{3-x}Fe_xO_y$ **174**, 316
Oxygenation
–of $La_2CuO_{4+\delta}$ **173**, 9
Oxygen content **180**, 108, 128
Oxygen defects
–in $La_{2-x}Sr_xCuO_{4-\delta}$ **172**, 120
Oxygen diffusion **174**, 280; **177**, 122; **179**, 286, 303, 381
–in $YBa_2Cu_3O_{6+x}$ **173**, 387
–in $YBa_2Cu_3O_{7-\delta}$ **174**, 463; **178**, 37
–in $YBa_2Cu_3O_{7-x}$ **174**, 273
Oxygen ordering **181**, 11
–in $YBa_2Cu_3O_x$ **172**, 407
Oxygen plasma **181**, 369
Oxygen stoichiometry **172**, 31, 413; **173**, 213, 251, 414; **174**, 23, 135, 144, 155, 180, 187, 223; **175**, 279, 386, 393; **176**, 57, 80, 95, 247, 261, 325, 433, 445; **177**, 27, 57, 106, 153, 159, 330, 461, 469; **178**, 105, 171, 352, 397; **179**, 96, 253, 286, 369; **181**, 1, 11, 25, 51, 127, 171; **182**, 11, 119, 157, 219; **183**, 90, 293, 333; **184**, 13
–in $Ba_{1-x}K_xBiO_3$ **173**, 25
–in $BaCu_2O_2$ **178**, 93
–in BaCuO2 **178**, 93
–in $(Bi,Pb)_{2+x}Sr_{2-y}Ca_{2+y}Cu_{3+z}O_{10+\delta}$ **178**, 203
–in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10+\delta}$ **180**, 365
–in $Bi_{1.8}Pb_{0.2}Sr_{2.2}Ca_{1.9}Cu_{3.0}O_x$ **172**, 207
–in $Bi_{2+x}Sr_{2-y}CuO_{6\pm\delta}$ **173**, 37
–in $Bi_2CaSr_2Cu_2O_{8+\delta}$ **177**, 367
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **173**, 220
–in $Bi_2Sr_2CaCu_2O_{8+y}$ **181**, 335
–in $Bi_{2-x}Pb_xSr_{2-y}M_yCuO_{6+z}$ **178**, 71
–in Bi–Pb–Sr–Ca–Cu–O **181**, 331
–in Bi–Sr–Ca–Cu–O **176**, 477
–in $Ca_{1-x}Cd_xBaLaCu_3O_{7-\delta}$ **172**, 325
–in $(La,Pb)_2SrCu_2O_x$ **178**, 405
–in $(La_{1-x}M_x)_2CuO_4$ (M=Sr,Ba) **177**, 195
–in $La_2CuO_{4+\delta}$ **172**, 455; **173**, 139; **178**, 158
–in $La_{2-x}Nd_xCuO_{4+\delta}$ **175**, 342
–in $La_{2-x}Sr_xCaCu_2O_6$ **174**, 28
–in $LaCaBaCu_3O_y$ **173**, 453
–in $LaRSrCu_2O_{6+\delta}$ (R=La, Pr, Nd, Sm and Gd) **184**, 229
–in $(Ln_{1-x-y},Ln'_x,Sr_y)_2CuO_{4-\delta}$ **177**, 377
–in $Nd_{2-x}Ce_xCuO_y$ **178**, 437
–in $Pb_{0.5}SrLaCu_{1.5}O_x$ **178**, 405
–in $Pb_2Sr_2Y_{0.5}Ca_{0.5}Cu_3O_x$ **178**, 405
–in $Pb_2SrLaCu_2O_x$ **178**, 405
–in $PbBaSrYCu_3O_x$ **178**, 405
–in $Tl_2Ba_2CuO_{6+y}$ **173**, 403
–in $TlBa_2Ca_{1-x}Nd_xCu_2O_{7-\delta}$ **178**, 29
–in $TlBa_2Ca_{1-x}Y_xCu_2O_w$ **182**, 89
–in $TlBa_2CuO_{5-y}$ **178**, 193
–in $YBa_2Cu_3O_{7-\delta}$ **174**, 463; **176**, 547; **178**, 225; **184**, 321
–in $YBa_2Cu_3O_x$ **183**, 163
–in $YBa_2Cu_{3-x}Fe_xO_y$ **174**, 316
–in $YBa_2Cu_4O_{8-\delta}$ **173**, 135
–in $YBa_3Cu_2O_6$ **178**, 93
Oxygen termination **180**, 30
Oxygen thermodynamics **176**, 261
Oxygen vacancies **180**, 108

Pair breaking **183**, 105, 154, 234; **184**, 149
Pair distribution (PDF) **179**, 279
Pairing interaction **182**, 307, 322
Pair unbinding **179**, 317
Partial DOS **178**, 125
$Pb(Ba,Sr)_2(Ln,Ce)_2Cu_3O_y$ **172**, 155
Penetration depth **174**, 447; **175**, 401; **176**, 121; **177**, 345, 421; **178**, 275, 445; **179**, 59, 91; **180**, 176, 280; **181**, 51; **182**, 39; **183**, 99, 303, 324; **184**, 165
–in $Y_1Ba_2Cu_3O_7$ **178**, 449
–in $YBa_2Cu_3O_7$ **174**, 352
Percolation **177**, 67, 469
Phase diagram **175**, 197; **176**, 95, 147, 261, 387; **177**, 1, 27, 106, 145; **181**, 369; **182**, 79, 114; **183**, 241; **184**, 254
–of $BaCu_2O_2$ **178**, 93
–of $BaCuO_2$ **178**, 93
–of $Bi_2Sr_2Ca_{1-x}Eu_xCu_2O_{8+y}$ **173**, 65
–of $Bi_2Sr_2CaCu_2O_{8+x}$ **176**, 247
–of Bi–Pb–Sr–Ca–Cu–O **181**, 171
–of $La_2CuO_{4+\delta}$ **178**, 158
–of $La_{2-x}(Sr)_xCuO_4$ **178**, 119
–of $La_{2-x}Sr_xCuO_{4-\delta}$ **172**, 71
–of lead containing cuprates **178**, 405
–of $Y_2Ba_4Cu_7O_{14+z}$ **178**, 213
–of $YBa_2Cu_3O_{6+z}$ **178**, 213
–of $YBa_2Cu_4O_8$ **178**, 213
–of $YBa_3Cu_2O_6$ **178**, 93
Phase diagram, magnetic **178**, 221
Phase separation
–in $La_2CuO_{4+\delta}$ **172**, 455
Phase transition **172**, 155
Phenol **178**, 301
Phonon mechanism **173**, 293; **175**, 89; **176**, 170, 496; **182**, 132
Phonon spectrum **176**, 242; **177**, 213; **181**, 37, 45, 179, 186, 289; **182**, 231
–of $Nd_{1.85}Ce_{0.15}CuO_4$ **172**, 260
–of $YBa_2Cu_3O_{7-\delta}$ **174**, 409
Photoconductivity **181**, 75
Photoelectron spectroscopy **180**, 120
Photoemission **182**, 345
Pinning energy **180**, 203
Pinning force **177**, 253; **179**, 15; **180**, 172, 188; **183**, 17
–in $YBa_2(Cu_{0.98}M_{0.02})_3O_y$ (M=Fe, Co, Ni) **174**, 303
Plasmon mechanism **174**, 435
Point defect **181**, 252
Polarized XES **178**, 125
Polaronic conductivity **172**, 23
Polaron structure **172**, 105
Positron annihilation **172**, 175; **176**, 64, 113
Postannealing **178**, 377
Pressure dependence of $T_c$
–in $K_xC_{60}$ **178**, 137
Pressure effect
–in $(Nd_{1-x}Sr_x)(Nd_{1-y}Ce_y)CuO_{4-z}$ **172**, 166
–in $YBa_2Cu_4O_8$ **173**, 185
Projectively free electrons **176**, 457
Proximity effect **178**, 1; **180**, 243; **182**, 25; **183**, 207
Pulsed laser deposition **180**, 17
Pyrosol method **180**, 57

Quantum tunneling of apex oxygen **178**, 390
Quasiparticle heating **182**, 171
Quenching
–of $Bi_{1.8}Pb_{0.2}Sr_2CaCu_2O_8$ **178**, 301

–of $Pr_{2-x}Ce_xCuO_4$ **178**, 397

Radiofrequencies **180**, 280
Radiofrequency absorption **178**, 197
Raman scattering **172**, 242; **176**, 106, 420; **177**, 213; **181**, 160, 265, 374; **182**, 191, 231
–in $Bi_2Sr_2CaCu_2O_{8+\beta}$ **181**, 179
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ **175**, 127
–in $La_{1+x}Ca_yBa_{2-x-y}Ca_3O_{7+\delta}$ **183**, 11
–in $La_2CuO_4$ **177**, 487
–in $Nd_2CuO_4$ **178**, 189
–in $PrBa_2Cu_3O_{6.8}$ **178**, 317
–in $Y(Ba_{1-x}Sr_x)_2Cu_3O_{6.2}$ **181**, 133
–in $YBa_2Cu_3O_{6.3}$ **178**, 317
–in $YBa_2Cu_3O_{7-\delta}$ **172**, 90; **175**, 47, 89
–in $YBa_2Cu_3O_x$ **181**, 37
–in Y–Ba–Cu–O **178**, 305
Raman spectroscopy **180**, 50
Reactive evaporation **180**, 3
Reflectivity **180**, 116
Remanent magnetization
–in (Bi,Pb)-2223 **172**, 391
Resistive behaviour **180**, 199
Resistivity **180**, 212
–of $Nd_2CuO_{4-x}F_x$ **173**, 103
RF technique measurement
–of penetration depth **178**, 445
RHEED **180**, 3
Rietveld analysis **175**, 529; **179**, 455
RJS **180**, 288
Rotational hysteresis losses **180**, 188
RSJ model **180**, 284

Sample size dependence **184**, 332
Sapphire substrate **180**, 34
Scanning electron microscopy **172**, 282; **173**, 93; **176**, 179; **178**, 365; **181**, 296
Scanning tunneling microscopy **183**, 207; **184**, 1
–of $Bi_2Ca_1Sr_2Cu_2O_8$ **178**, 171
Screen printing **183**, 130
Seeding method **181**, 261
Semi-wet synthesis **173**, 476
Shapiro steps **175**, 600; **180**, 284
Shear structures of 123 **178**, 383
Shell model **172**, 260
Silicon substrate **180**, 34
Single-crystal film
–of $YBa_2Cu_3O_{7-\delta}$ **175**, 192
Single-crystal growth **172**, 383; **175**, 261; **179**, 253, 347; **182**, 203
–of $Ba_4CaCu_3O_x$ **172**, 75
–of $La_{1.87}Ca_{1.13}Cu_2O_6$ **179**, 39
–of $R_{2-x}Ce_xCuO_{4-y}$ (R=Nd, Sm) **177**, 79
–of $YBa_2Cu_4O_8$ **172**, 311
SNMS **180**, 124
Sol-gel **173**, 377
Solitons **180**, 216
Solution method **181**, 245
Specific heat **172**, 345; **174**, 155, 455; **177**, 138, 351
–in $BaBiO_3$ **184**, 316
–in $Pr_{1-x}Gd_xBa_2Cu_3O_y$ **173**, 331
Specific heat at low-$T$ **174**, 155; **177**, 351; **178**, 390
Specific heat at $T_c$ **174**, 208; **178**, 15; **179**, 317; **180**, 401; **183**, 293
–of $La_{2-x}Sr_xCuO_{4-\delta}$ 172, 71
–of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Fe and Zn) **173**, 309
–of $YBa_2Cu_4O_8$ **175**, 81
Specific heat in magnetic fields **177**, 351
Spectrophotometry **175**, 607
Spectroscopic ellipsometry **175**, 17
Spin fluctuations **177**, 207; **181**, 127; **183**, 105, 247; **184**, 207, 259, 270
Spin-glass ordering **184**, 299
Spin–lattice relaxation time $T_1$ **172**, 340; **175**, 581; **177**, 230; **179**, 29; **181**, 355; **182**, 327; **183**, 247; **184**, 207
–in $Tl_2Ba_2CuO_{6+y}$ **179**, 107
Spin–spin relaxation time $T_2$ **175**, 581
Spin structure **182**, 105
SQUID **175**, 539, 545, 577; **180**, 276
Stoichiometry of single crystals **178**, 365
Strong coupling **183**, 303, 365
Strong electron correlations **179**, 167
Structural phase transition **173**, 213, 322; **174**, 149; **176**, 261, 441; **177**, 195, 445; **178**, 93; **180**, 351; **182**, 149; **183**, 241
–in $Bi_{2-x}Pb_xSr_{2-y}M_yCuO_{6+z}$ **178**, 71
–in $La_{1.4}Nd_{0.6}CuO_4$ **184**, 74
–in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Fe and Zn) **173**, 309
Structure **180**, 94, 124
–of $A_3C_{60}$ **182**, 17
–of $Ba_{1-x}K_xBiO_3$ **173**, 25
–of $Ba_2Y_{1-x}Ca_xCu_{3-x}Fe_xO_6$ **182**, 219
–of $Ba_2Y_{1-x}Ca_xCu_{3-x}Fe_xO_7$ **182**, 219
–of $Ba_3YCu_2O_x$ **175**, 172
–of $Ba_4CaCu_3O_x$ **172**, 75
–of $Ba(Bi_{0.977}K_{0.023})O_3$ **181**, 325
–of Ba–Pb–Bi–O/Ag **177**, 95
–of Ba–Y–Cu–W–O **175**, 119
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ **184**, 93
–of $(Bi,Pb)Ca_{n-1}Cu_nO_{2n+4}$ **175**, 419
–of (Bi,Pb)SrCaCuO **181**, 160, 201
–of $Bi_{1.6}Pb_{0.4}Ca_1Sr_2Cu_2O_y$ **173**, 267
–of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$ **184**, 135
–of $Bi_{1.6}Pb_{0.6}Sb_{0.1}Sr_2Ca_2Cu_3O_x$ **183**, 130
–of $Bi_{1.8}Pb_{0.4}Sr_2Ca_{2.2}Cu_3O_{10}$ **176**, 331
–of $Bi_{2+x}Sr_{2-x}CuO_{6+y}$ **175**, 261
–of $Bi_{2+x}Sr_{2-y}CuO_{6\pm\delta}$ **173**, 37
–of $Bi_2Sr_2Ca_2Cu_3O_{10}$ **173**, 260
–of $Bi_2Sr_2Ca_3Cu_4O_y$ **177**, 271
–of $Bi_2Sr_2CaCu_2O_8$ (thin films) **182**, 143
–of $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ $(1\le n\le 5)$ **179**, 333
–of $Bi_2Sr_2CuO_y$ **177**, 52
–of $Bi_2Sr_{2-x}M_xCuO_{6\pm\delta}$ (M=Bi and Pb) **176**, 87
–of $Bi_{2-w}Pb_wSr_{2-x}Ca_{1-y}Nd_{x+y}Cu_2O_{8+z}$ **176**, 445
–of $Bi_{2-x}Pb_xSr_2Bi_{n-1}Fe_nO_y$ **176**, 227
–of $Bi_{2-x}Pb_xSr_2CaCu_2O_{8+\delta}$ **176**, 420
–of $Bi_{2-x}Pb_xSr_2CuO_6$ **176**, 347
–of $Bi_{2-x}Pb_xSr_{2-x}R_xCuO_y$ **178**, 110
–of $Bi_{2-x}Pb_xSr_{2-y}CuO_6$ **172**, 13
–of $(Bi_{2-x}Pb_x)(Sr_{2-y}La_y)CuO_{6+\delta}$ **179**, 405
–of $Bi_4Sr_4CaCu_3O_{14+z}$ **182**, 79
–of Bi–Pb–M–Sr–Ca–Cu–O, M=Pb,Sb,V,Mo,W **176**, 179
–of Bi–Pb–Sr–Ca–Cu–O (thin films) **176**, 216
–of Bi–Pb–Sr–Ca–Cu-oxide **177**, 494
–of Bi–Sr–Ca–Cu–O **175**, 623; **176**, 95, 477
–of Bi–Sr–Ca–Cu–O (thin films) **182**, 114
–of $C_{60}$ **184**, 21
–of $Ca_{1-x}Cd_xBaLaCu_3O_{7-\delta}$ **172**, 325
–of $Ca_xSr_{1-x})_{n+1}Ti_nO_{3n+1}$ **181**, 265
–of $(Eu,La)_{2-x}Ce_xCuO_{4-y}$ **181**, 284
–of $(Fe,Cu)Sr_2(Ce,Y)_3Cu_2O_{10+z}$ $(z\approx 1)$ **183**, 149
–of $GdBaSrCu_3O_7$ **176**, 507
–of $IBi_2Sr_2CaCu_2O_x$ **181**, 18
–of $IBi_4Sr_4Ca_2Cu_4O_x$ **184**, 127
–of $\kappa$-(BEDT-TTF)$_2$CuN(CN)$_2$X (X=Cl, Br, I) **174**, 475
–of $La_{1+x}Ca_yBa_{2-x-y}Ca_3O_{7+\delta}$ **183**, 11
–of $La_{1.4}Nd_{0.6}CuO_4$ **184**, 74
–of $La_{1.6}Sr_{0.4}CaCu_2O_{6\pm\delta}$ **172**, 138
–of $La_{1.85}Ca_{1.15}Cu_2O_{6+\delta}$ **176**, 433
–of $La_{1.85-x}Nd_xSr_{0.15}CuO_4$ **175**, 435
–of $La_{1.8}Sr_{0.2}CaCu_2O_6$ **174**, 187
–of $La_{1-x}PrSr_xCuO_4$ **182**, 149
–of $La_{1-x}Sr_{1+x}Ga_{1-x}Cu_xO_4$ **183**, 261
–of $La_2Cu_2O_5$ **177**, 115
–of $La_2CuO_4$ **176**, 503
–of $La_2CuO_{4+\delta}$ **173**, 9, 139
–of $La_2CuO_{4-\delta}$ **176**, 575
–of $La_2Sr_6Cu_8O_{16+\delta}$ **175**, 165
–of $La_{2-x}Ba_xCuO_4$ **175**, 301
–of $La_{2-x}(Sr,Ba)_xCuO_4$ **183**, 121
–of $La_{2-x}Sr_xCaCu_4O_{6-\delta}$ **179**, 295
–of $La_{2-x}Sr_xCuO_4$ **175**, 301
–of $La_{2-x}Sr_xCuO_{4-\delta}$ **172**, 120
–of $La_3Ba_3Ca_xCu_{6+x}O_y$ **176**, 451

–of $LaBa_2Cu_{3-y}M_yO_{7\pm x}$ **183**, 111
–of $LaBaPrCu_3O_{7+\delta}$ **172**, 335
–of $LnBa_6Cu_3O_x$ **174**, 126
–of $Nd_2Ce_{0.67}Sr_{0.33}BaCu_3O_{9-\delta}$ **174**, 280
–of $Nd_2CuO_4$ **177**, 294
–of $Nd_2CuO_{4-x}F_x$ **173**, 103; **179**, 131
–of $Nd_{2-x}Ce_xCuO_{4-\delta}$ **174**, 63
–of $Nd_{2-x}Ce_xCuO_{4-y}$ **179**, 279
–of $(Pb,Cu)(Sr,La)_2CuO_{5-\delta}$ **176**, 57
–of $(Pb,Cu)(Sr,R)_2(R',Ce)_2Cu_2O_z$ (R,R': rare-earth elements) **177**, 337
–of $(Pb,Cu)Sr_2(Ho,Ce)_3Cu_2O_{11+z}$ **179**, 455
–of $(Pb_{0.65}Cu_{0.35})Sr_2(Y_{0.7}Ca_{0.3})Cu_2O_{7+\delta}$ **175**, 393
–of $Pb_2Sr_2(Ln,Ce)_nCu_3O_{6+2n+\delta}$ **181**, 311
–of $Pb_2Sr_2Y_{0.73}Ca_{0.27}Cu_3O_8$ **175**, 293
–of $Pb_2Sr_{2-y}La_xCu_2O_{6+\delta}$ **184**, 311
–of $Pr_{2-x}Ce_xCuO_4$ **178**, 397
–of $R_{2-x}Ce_xCuO_{4-y}$ (R=Nd, Sm) **177**, 79
–of $TaSr_2(NdCe)_2Cu_2O_y$ **176**, 19
–of $Tl_{0.5}Bi_{0.5}Sr_2CaCu_2O_7$ **173**, 239
–of $Tl_{0.5}Pb_{0.5}Sr_2CuO_5$ **174**, 180
–of $Tl_{0.5}Pb_{0.5}Sr_2CuO_{5\pm\delta}$ **176**, 80
–of $Tl_{1-x}Bi_xSr_2CuO_5$ **173**, 239
–of $Tl_{1-x}Bi_xSr_2CuO_{5\pm\delta}$ **184**, 235
–of $(Tl_{1-x}Pb_x)Sr_2CuO_{5-w}$ **177**, 153
–of $Tl_{1-y}Pb_yY_{1-x}Ca_xSr_2Cu_2O_7$ **179**, 183
–of $Tl_2Ba_2Ca_2Cu_3O_{10}$ (thin films) **179**, 430
–of $Tl_2Ba_2CuO_{6+x}$ **179**, 393
–of $Tl_{2-x}Ba_2Ca_{2+x}Cu_3O_y$ **179**, 353
–of $TlBa_2Ca_{1-x}Nd_xCu_2O_{7-\delta}$ **178**, 29
–of $TlBa_2Ca_{1-x}Y_xCu_2O_w$ **182**, 89
–of $TlBa_{2-x}La_{2+x}Cu_2O_{9\pm\delta}$ **179**, 1
–of Tl–Ba–Ca–Cu–O **184**, 24
–of Tl–Ba–Sr–Ca–Cu–O **176**, 95
–of $TlCa_2Ba_2Cu_3O_{9-\delta}$ **183**, 90
–of Tl–Ca–Ba–Cu–O **175**, 241
–of $TlCaBaSrCu_2O_{7-\delta}$ **172**, 450
–of Tl–Pb–Sr–Pr–Cu–O **172**, 43
–of $TlSr_2(Sr_{0.5}R_{0.5})Cu_2O_{7-\delta}$ **177**, 183
–of Tl–Sr–La–Cu–O **179**, 214
–of $Y_1Ba_2Cu_3O_{7-x}F_y$ **184**, 172
–of $Y_2Ba_4Cu_{6+n}O_{14+n}$ **176**, 387
–of $Y_2Ba_4Cu_7O_{15}$ **178**, 383
–of $YBa_2(Cu_{1-y},Au_y)_3O_{6+x}$ **172**, 183
–of $YBa_2Cu_{2.88}Zn_{0.12}O_z$ **172**, 304
–of $YBa_2Cu_3O_7$ (thin films) **179**, 262
–of $YBa_2Cu_3O_{7-\delta}$ **173**, 361; **177**, 106; **184**, 385
–of $YBa_2Cu_3O_{7-\delta}$ (thin films) **175**, 566
–of $YBa_2Cu_3O_{7-y}$ **179**, 207
–of $YBa_2Cu_{3-x}Co_xO_{7-y}$ **176**, 285
–of $YBa_2Cu_4O_8$ **172**, 311; **173**, 185; **182**, 67
–of $YBa_2Cu_4O_{8-\delta}$ **173**, 135
–of $YBa_2Cu_4O_y$ **183**, 197
–of $YBa_2Fe_3O_{7+x}$ **183**, 143
–of $YBa_{2-x}Ca_xCu_4O_{8\pm y}$ **172**, 57
–of Y–Ba–Cu–O **172**, 477; **184**, 295
–of $YSr_2Cu_{3-x}M_xO_{7\pm y}$ **180**, 299
Structure of oxides **175**, 386
Substitution effects **172**, 193; **173**, 414; **174**, 180; **177**, 1, 27, 36, 57; **178**, 29, 41; **181**, 1; **182**, 153; **183**, 32
–in $BaBiO_3$ **184**, 316
–in Ba–Y–Cu–W–O **175**, 119
–in $Bi_2Ca_1Sr_2Cu_2O_8$ **178**, 171
–in $Bi_2CaSr_2Cu_2O_{8+\delta}$ **177**, 367
–in $Bi_2Sr_2CaCu_2O_8$ **172**, 295
–in $Bi_2Sr_2CaCu_2O_{8+y}$ **173**, 65
–in $Bi_2Sr_2CaCu_2O_8$ (thin films) **182**, 143
–in $Bi_2Sr_2CuO_{\sim 6}$ **178**, 110
–in $Bi_2(Sr_{2-x}Ca_x)(Ca_{0.8}R_{0.2})Cu_2O_{8+y}$ **174**, 359
–in $Bi_{2-w}Pb_wSr_{2-x}Ca_{1-y}Nd_{x+y}Cu_2O_{8+z}$ **176**, 445
–in Bi–Ca–Sr–Cu–O **174**, 33
–in Bi–Pb–Sr–Ca–Cu–O **175**, 250; **182**, 333
–in Bi–Pb–Sr–Ca–Cu-oxide **177**, 494
–in Bi–Sr–Ca–Cu–O **176**, 477; **181**, 63
–in Bi–Sr–Ca–Cu–O by Ga **180**, 407
–in $CaBaLaCu_3O_{7-\delta}$ **180**, 324
–in $ErBa_2Cu_3O_7$ **175**, 587
–in $(Gd_{1-x}Pr_x)Ba_2Cu_3O_{7-\delta}$ **174**, 71
–in $La_{1.85}Ce_{0.15}Cu_{1-x}Ag_xO_{4-\delta}$ **176**, 257
–in $La_{1.85-x}Nd_xSr_{0.15}CuO_4$ **175**, 435
–in $(La_{1-x}Ba_{x-y}Sr_y)_2CuO_4$ **173**, 322
–in $La_{1-x}PrSr_xCuO_4$ **182**, 149
–in $La_2CuO_4$ **175**, 1; **177**, 330; **180**, 358
–in $Nd_2CuO_4$ **175**, 1
–in $Nd_2CuO_{4-x}F_x$ **179**, 131
–in $(Pb,Cu)(Sr,La)_2CuO_{5-\delta}$ **176**, 57
–in $Pr_{2-x}Ce_xCuO_4$ **179**, 347
–in $PrBa_2(Cu_{0.992}{}^{57}Fe_{0.008})_3O_{7-\delta}$ **184**, 244
–in $(R_{1-x}Pr_x)Ba_2Cu_3O_{7-y}$ ($R\overleftrightarrow{E}r$, Y, Dy, Gd, Eu) **183**, 105
–in $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$ **184**, 185
–in $TlBa_{2-x}La_xCuO_{5-y}$ **178**, 193
–in $TlSr_2CuO_5$ **173**, 444
–in $TlSr_2(Sr_{0.5}R_{0.5})Cu_2O_{7-\delta}$ **177**, 183
–in $Y_{1-x}R_xBa_2Cu_3O_7$ (R = Pr, Nd) **181**, 355
–in $YBa_2(Cu_{1-x}M_x)_3O_{6+\delta}$ M = Fe, Zn **177**, 159
–in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ **175**, 17
–in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Fe and Zn) **173**, 309
–in $YBa_2(Cu_{1-x}M_x)_3O_y$ **182**, 315
–in $YBa_2Cu_3O_{6+y}$ **178**, 64
–in $YBa_2Cu_3O_{6-x}$ **172**, 149
–in $YBa_2Cu_3O_7$ **179**, 29
–in $YBa_2Cu_3O_{7-\delta}$ **173**, 75; **178**, 105
–in $YBa_2Cu_3O_{7-\delta}$ by Ca **175**, 279
–in $YBa_2Cu_3O_{7-y}$ **179**, 207
–in $YBa_2Cu_4O_8$ **182**, 62; **184**, 353
–in $YBa_{2-x}Ca_xCu_4O_{8\pm y}$ **172**, 57
–in Y–Ba–Cu–O **181**, 239
Substitution effects of Ag
–in $YBa_2Cu_3O_{7-\delta}$ **175**, 335
Substitution effects of Ca
–in $Tl_1Ba_2CaCu_2O_7$ **178**, 324
–in $Tl_2Ba_2Ca_1Cu_2O_8$ **178**, 324
–in $Y_2Ba_4Cu_7O_{15-\delta}$ **174**, 383
–in $YBa_2Cu_3O_{7-\delta}$ **174**, 383
–in $YBa_2Cu_4O_8$ **174**, 383
Substitution effects of Co
–in $YBa_2Cu_4O_y$ **183**, 197
Substitution effects of Fe
–in $YBa_2Cu_3O_{7-\delta}$ **173**, 361
Substitution effects of Fe, Ni, Sn
–in $YBa_2Cu_3O_{6.9}$ **173**, 232
Substitution effects of K
–in $Ba(Bi_{0.977}K_{0.023})O_3$ **181**, 325
Substitution effects of La
–in $Y_2Ba_4Cu_7O_{15-\delta}$ **174**, 383
–in $YBa_2Cu_3O_{7-\delta}$ **174**, 383
–in $YBa_2Cu_4O_8$ **174**, 383
Substitution effects of Pb
–in $Bi_2Sr_2Ca_2Cu_3O_{10}$ **173**, 260
Substitution effects of Zn(Al)
–in $YBa_2Cu_3O_y$ **174**, 155
Substitutions **180**, 46
Substrates **181**, 289
Superconducting gap **180**, 208
Superconducting order parameter **180**, 112
Superconducting oxide **173**, 139
Superconducting tapes **174**, 423
Superconductive superlattices **180**, 196
Superlattices **180**, 3
Superstructure
–in Y–Ba–Cu–O **173**, 285
Surface barrier **183**, 207
Surface impedance **173**, 145, 465; **175**, 534, 603; **176**, 121; **177**, 289, 345; **179**, 91; **180**, 259; **181**, 296; **182**, 39
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **174**, 394
–of $Y_1Ba_2Cu_3O_{7-x}$ thin film **178**, 445
–of $YBa_2Cu_3O_{7-\delta}$ **174**, 394
–of $YBa_2Cu_3O_{7-x}$ **173**, 201
Suspension effect **182**, 52
S-wave **178**, 15
Synthesis
–of $Ag_8Tl_2Ba_2Ca_2Cu_3O_{10}$ **176**, 38
–of $Ba_{0.6}K_{0.4}BiO_3$ **182**, 285
–of $Ba_4CaCu_3O_x$ **172**, 75
–of Ba–Pb–Bi–O/Ag **177**, 95

–of $(Bi,Pb)_2Ca_2Sr_2Cu_3O_z$ **176**, 126, 131
–of (Bi,Pb)–Sr–Ca–Cu–O **175**, 667
–of (Bi,Pb)SrCaCuO **181**, 160, 201
–of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10+\delta}$ **180**, 365
–of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_x$ **179**, 369
–of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$ **173**, 476; **184**, 135
–of $Bi_{1.6}Pb_{0.6}Sb_{0.1}Sr_2Ca_2Cu_3O_x$ **183**, 130
–of $Bi_{1.8}Pb_{0.2}Sr_{2.2}Ca_{1.9}Cu_{3.0}O_x$ **172**, 207
–of $Bi_{1.8}Pb_{0.2}Sr_2CaCu_2O_8$ **178**, 301; **181**, 392
–of $Bi_{2+x}Sr_{2-x}CuO_{6+y}$ (single crystals) **175**, 261
–of $Bi_2Ca_{3-x}R_xCu_2O_{8+\delta}$ **181**, 68
–of $Bi_2Sr_2CaCu_2O_8$ **172**, 295
–of $Bi_2Sr_2CaCu_2O_8$ (thin films) **182**, 143
–of $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ $(1 \le n \le 5)$ **179**, 333
–of $Bi_2Sr_2CuO_6$ **177**, 373
–of $Bi_2Sr_2CuO_y$ **177**, 52
–of $Bi_2Sr_{2-x}M_xCuO_{6\pm\delta}$ (M = Bi and Pb) **176**, 87
–of $Bi^{\#}_{2-x}Pb_xSr_2CaCu_2O_{8+\delta}$ **176**, 420
–of $Bi_{2-x}Pb_xSr_2CuO_6$ **176**, 347
–of $Bi_{2-x}Pb_xSr_{2-y}CuO_6$ **172**, 13
–of $Bi_4Sr_4CaCu_3O_{14+z}$ **182**, 79
–of Bi–Ca–Sr–Cu–O **174**, 33
–of Bi–Pb–M–Sr–Ca–Cu–O, M = Pb,Sb,V,Mo,W **176**, 179
–of Bi–Pb–Sr–Ca–Cu–O **173**, 414; **176**, 279; **181**, 171, 331; **182**, 333
–of Bi–Sr–Ca–Cu–O **181**, 63
–of Bi–Sr–Ca–Cu–O (thin films) **179**, 437; **182**, 114, 123
–of Bi–Sr–Ca–Cu–O (wires) **175**, 255
–of BSCCO/Ag (ribbons) **181**, 105
–of $C_{60}$ **184**, 21
–of $Ca_{1-x}Cd_xBaLaCu_3O_{7-\delta}$ **172**, 325
–of $Cm_{1.83}Th_{0.17}CuO_4$ **179**, 440
–of $Cm_2CuO_4$ **179**, 440
–of $ErBa_2Cu_4O_8$ **179**, 227
–of $GdBaSrCu_3O_7$ **176**, 507
–of $HoBa_2Cu_3O_x$ (thin films) **181**, 369
–of $K_xC_{60}$ **181**, 320
–of $La_2CuO_{4+\delta}$ **179**, 303
–of $La_{2-x}Sr_xCaCu_4O_{6-\delta}$ **179**, 295
–of $La_{4+4n}Cu_{8+2n}O_{14+8n}$ $(n=2,3)$ **177**, 115
–of lead containing cuprates **178**, 405
–of $LnBa_2Cu_4O_8$ (Ln = RE) **175**, 523
–of $LnBa_6Cu_3O_x$ **174**, 126
–of $Nd_{2-x}Ce_xCuO_{4-y}$ (single crystal) **174**, 431
–of $Nd_{2-x}Ce_xCuO_y$ **178**, 437
–of $(Pb,Cu)(Sr,R)_2(R',Ce)_2Cu_2O_z$ (R,R′: rare-earth elements) **177**, 337
–of $Pb_{1-x}Sr_2Ca_{0.5}Y_{0.5}Cu_{2+x}O_{7\pm\delta}$ **177**, 461
–of $Pb_2Sr_2(Ln,Ce)_nCu_3O_{6+2n+\delta}$ **181**, 311
–of $Sr_{2-x}Ln_xVO_4$ (Ln = La, Ce, Pr, Nd, Eu) **179**, 85
–of $TaSr_2(NdCe)_2Cu_2O_y$ **176**, 19
–of (Tl,Bi,Pb)–Sr–Ca–Cu–O **172**, 271
–of $Tl_{0.5}Pb_{0.5}Sr_2CuO_{5\pm\delta}$ **176**, 80
–of $Tl_{1.7}Ba_2Cu_{2.3}Cu_3O_z$ **178**, 377
–of $Tl_{1-x}Bi_xSr_2CuO_{5\pm\delta}$ **184**, 235
–of $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$ **182**, 119; **184**, 185
–of $Tl_2Ba_2Ca_{n-1}Cu_nO_{4+2n}$ **172**, 1
–of $Tl_{2-x}Ba_2Ca_{2+x}Cu_3O_y$ **179**, 353
–of $TlBa_2Ca_{1-x}Y_xCu_2O_w$ **182**, 89
–of $TlBa_2CuO_{5-\delta}$ **175**, 183
–of $TlBa_{2-x}La_{2+x}Cu_2O_{9\pm\delta}$ **179**, 1
–of Tl–Ba–Ca–Cu–O **175**, 156; **184**, 24
–of $TlBaSrCuO_{5-\delta}$ **175**, 183
–of $TlCa_2Ba_2Cu_3O_{9-\delta}$ **183**, 90
–of Tl–Ca–Ba–Cu–O **175**, 241
–of $TlCaBaSrCu_2O_{7-\delta}$ **172**, 450
–of Tl–Pb–Sr–Pr–Cu–O **172**, 43
–of Tl–Sr–V–O **181**, 303
–of $Y_{1-x}Ca_xBa_2Cu_4O_{8+\delta}$ **173**, 208
–of $Y_{1-x}Ca_xBa_2Cu_4O_8$ (wire) **173**, 398
–of $Y_{1-x}Pr_xBa_2Cu_3O_{7-x}$ **179**, 253
–of $YBa_2(Cu_{1-y},Au_y)_3O_{6+x}$ (single crystal) **172**, 183
–of $YBa_2Cu_{2.88}Zn_{0.12}O_z$ **172**, 304
–of $YBa_2Cu_3O_7$ **173**, 208; **179**, 149; **181**, 245
–of $YBa_2Cu_3O_7$ (thin films) **176**, 429
–of $YBa_2Cu_3O_{7-\delta}$ **173**, 1, 245; **177**, 101; **181**, 57
–of $YBa_2Cu_3O_{7-\delta}$ (thin films) **175**, 381; **182**, 30
–of $YBa_2Cu_3O_{7-\delta}$–Ag **182**, 203
–of $YBa_2Cu_3O_{7-x}$ **174**, 135; **184**, 220
–of $YBa_2Cu_3O_{7-x}$ (thin films) **179**, 291
–of $YBa_2Cu_{3-x}Co_xO_{7-y}$ **176**, 285
–of $YBa_2Cu_4O_8$ **172**, 486; **173**, 377; **174**, 135; **181**, 25, 261; **182**, 67, 228; **184**, 353
–of $YBa_2Cu_4O_{8-\delta}$ **173**, 135
–of Y–Ba–Cu–O **172**, 477; **176**, 147
–of $YSr_2Cu_{3-x}M_xO_{7\pm y}$ **180**, 299
Synthesis mechanism **184**, 220

T*-phase compound **177**, 377
TEM **173**, 251
–of Y–Ba–Cu–O **173**, 285
Texture **180**, 42
Thermal conductivity **176**, 295; **183**, 365
–of $Tl_2Ba_2Ca_2Cu_3O_{10}$ **177**, 23
Thermal desorption mass spectroscopy **179**, 303
Thermal evaporation **180**, 30
Thermal expansion **175**, 61; **183**, 241
–of $Bi_2CaSr_2Cu_2O_x$ **182**, 73
–of $Y_2Ba_4Cu_7O_{15}$ **172**, 491
–of $YBa_2Cu_4O_8$ **172**, 486
Thermal expansion at $T_c$
–of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M = Fe and Zn) **173**, 309
Thermally activated flux motion **172**, 441
Thermodynamic properties **176**, 387
–of $Y_2Ba_4Cu_7O_{14+z}$ **178**, 213
–of $YBa_2Cu_3O_{6+z}$ **178**, 213
–of $YBa_2Cu_4O_8$ **178**, 213
Thermoelectric effects **175**, 179, 279, 555; **176**, 295; **177**, 129, 159; **179**, 376; **181**, 345
–in $Bi_2Sr_2CaCu_2O_x$ **180**, 417
–in $(La_{1-x}Sr_x)_2NiO_{4+\delta}$ **183**, 1
–in $La_2Sr_6Cu_8O_{16+\delta}$ **175**, 165
–in $(Pb_{(1+x)/2}Cu_{(1-x)/2}Sr_2(Y_{1-x}Ca_x)Cu_2O_y$ **182**, 157
–in $Tl_2Ba_2CuO_{6-x}$ **176**, 368
Thermoelectric power
–of $(Sr_{1-x}Eu_x)_2VO_4$ **172**, 23
–of Tl–Pb–Sr–Pr–Cu–O **172**, 43
Thermogravimetrics
–of $YBa_2Cu_3O_{7-\delta}$ **173**, 245
Thermogravimetry **174**, 463
Thin-film growth **180**, 77
Thin films **172**, 81; **174**, 1, 14; **175**, 89, 285, 363, 381, 545, 573, 623; **176**, 216, 379; **177**, 89, 223, 345, 479; **178**, 1, 26, 41; **179**, 75, 91, 138, 176, 262, 430; **180**, 387; **181**, 30, 75, 143, 160, 239, 296, 369; **182**, 103, 114, 163, 261; **183**, 27, 135, 167, 252, 257, 286, 379; **184**, 144, 295, 362
–of (Bi,Pb)–Sr–Ca–Cu–O **175**, 667
–of $Bi_{1.6}Pb_{0.6}Sb_{0.1}Sr_2Ca_2Cu_3O_x$ **183**, 130
–of $Bi_2Sr_2CaCu_2O_8$ **178**, 140
–of $Bi_2Sr_{2-x}Ca_{1+x}Cu_2O_{8+\delta}$ **175**, 233
–of Bi–Sr–Ca–Cu–O **173**, 93, 152; **182**, 123; **184**, 119
–of NbN **182**, 39
–of $(Nd_{1-x}Ce_x)_2CuO_{4-\delta}$ **184**, 65
–of $Nd_{2-x}Ce_xCuO_{4-y}$ **174**, 144
–of $PrBa_2Cu_3O_{7-\delta}$ **176**, 75
–of $Tl_2Ba_2CaCu_2O_8$ **182**, 231
–of $Y_1Ba_2Cu_3O_7$ **178**, 449
–of $Y_1Ba_2Cu_3O_{7-\delta}$ **175**, 310; **176**, 43
–of $Y_1Ba_2Cu_3O_{7-x}$ **178**, 445
–of $YBa_2(Cu_{0.98}M_{0.02})_3O_y$ (M = Fe, Co, Ni) **174**, 303
–of $YBa_2Cu_3O_7$ **174**, 352; **176**, 429
–of $YBa_2Cu_3O_7$ (epitaxial) **177**, 165
–of $YBa_2Cu_3O_{7-\delta}$ **172**, 47; **173**, 1; **176**, 121; **177**, 122; **178**, 140; **181**, 57; **182**,

30
–of $YBa_2Cu_3O_{7-x}$ **172**, 282; **173**, 487; **182**, 57, 241, 269, 339
–of $YBaCu_3O_{7-x}$ **176**, 151
–of Y–Ba–Cu–O **173**, 159, 163; **178**, 275
*t-J* model **177**, 145
Tl compound **175**, 529
Tl $L_3$ edge **178**, 324
Torque **181**, 51
Torque magnetometry **180**, 188
Transition metals **180**, 101
Transmission electron microscopy **174**, 63, 423; **178**, 41; **181**, 18; **184**, 127
Transport measurements **180**, 243
Transport properties **180**, 61, 235
Tunneling **175**, 127; **177**, 356; **178**, 1; **179**, 69; **180**, 387; **181**, 30; **182**, 25
Tunneling grain alignment (texturing) **183**, 51
Tunneling junction **180**, 208
Tunneling spectroscopy **176**, 170
Twin boundaries **175**, 301, 651; **178**, 75, 411; **182**, 269; **184**, 385
–in $La_{2-x}(Sr,Ba)_xCuO_4$ **183**, 121
–in $YBa_2Cu_3O_{7-\delta}$ **173**, 361
Twin domains **182**, 315
Twin-domain size
–in $YBa_2Cu_3O_{6+x}$ **173**, 387
Two-band model **176**, 209; **177**, 303
Two-fluid model **177**, 297
Two-fluid theory **178**, 275

Ultrasound attenuation **175**, 93; **176**, 521; **177**, 373; **179**, 119; **180**, 394; **182**, 291; **183**, 257
–in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$ **174**, 289
–in $UPt_3$ **175**, 61
–in $URu_2Si_2$ **175**, 61
Ultrasound velocity **174**, 289; **175**, 61, 93; **176**, 521; **177**, 373; **179**, 101; **180**, 394
Ultrathin films **180**, 3
Upper critical field **175**, 197; **181**, 223
–of $YBa_2Cu_{3.5}Cu_{3.5}O_{7.5+x}$ **177**, 315
Upper critical field $H_{c2}$ **173**, 347; **176**, 257, 373; **179**, 39, 125, 176; **183**, 293
–in $Sm_{1.85}Ce_{0.15}CuO_{4-y}$ **184**, 378

Vibronic Jahn–Teller coupling **183**, 261
Vibronic model **175**, 644
Voltage–current characteristics **183**, 172
Vortex depinning **180**, 220
Vortex interaction **181**, 163, 273
Vortex lattice melting **183**, 360
Vortex pinning **180**, 203
Vortex structure **173**, 125; **181**, 99
Vortices **178**, 161

Weak links **172**, 217, 233, 361; **173**, 56, 458; **174**, 195, 263, 394, 467; **175**, 545, 634; **176**, 379; **177**, 45, 67, 138, 189, 289, 356; **179**, 52; **180**, 337, 373; **181**, 81, 138, 392; **184**, 165
–in $(Bi,Pb)_{2+x}Sr_{2-y}Ca_{2+y}Cu_{3+z}O_{10+\delta}$ **178**, 203
Whiskers **172**, 295
–of $Bi_2Sr_2Ca_2Cu_3O_x$ **178**, 296
–of $Bi_2Sr_2CaCu_2O_x$ **178**, 296

XANES **175**, 369; **178**, 324, 352, 421
XAS **179**, 387
XES **177**, 8
XPS **175**, 233; **176**, 331; **177**, 223; **180**, 108
–of $K_xC_{60}$ **181**, 320
–of $Nd_{2-x}Ce_xCuO_{4-\delta}$ **173**, 109
–of $YBa_2Cu_3O_{7-x}$ **173**, 201
X-ray absorption **184**, 51, 102
–of $Tl_{0.5}Bi_{0.5}Sr_2CaCu_2O_7$ **173**, 239
–of $Tl_{1-x}Bi_xSr_2CuO_5$ **173**, 239
X-ray diffraction **173**, 152, 377; **174**, 263; **175**, 529; **177**, 494; **184**, 119
–of $TlSr_2CuO_5$ **173**, 444
X-ray emission
–of Y–Ba–Cu–O **178**, 125
X-ray photoemission **180**, 101
X-ray pole figures **180**, 50
XRD **178**, 110
–of $YBa_2Cu_3O_{7-\delta}$ **178**, 105
*XY* model **179**, 52

Young's modulus **179**, 381
–in $Bi_2Sr_2Ca_2Cu_3O_x$ **178**, 296
–in $Bi_2Sr_2CaCu_2O_x$ **178**, 296
–in $YBa_2Cu_3O_{7-\delta}$ **183**, 221
YSZ buffer layers **180**, 30

$ZrO_2$ buffer layers **180**, 34

Physica C, Materials Index Vols. 172–184 (1990/91) 55–60
North-Holland

PHYSICA C

# Materials Index to Volume 172–184

$Ag_8Tl_2Ba_2Ca_2Cu_3O_{10}$
–synthesis **176**, 38

$Ba_{0.6}K_{0.4}BiO_3$
–magnetization **180**, 331
–synthesis **182**, 285
$Ba_{1-x}K_xBiO_3$
–defect structures **173**, 25
–oxygen stoichiometry **173**, 25
–structure **173**, 25
$Ba_2Y_{1-x}Ca_xCu_{3-x}Fe_xO_6$
–neutron diffraction **182**, 219
–structure **182**, 219
$Ba_2Y_{1-x}Ca_xCu_{3-x}Fe_xO_7$
–neutron diffraction **182**, 219
–structure **182**, 219
$Ba_3YCu_2O_x$
–lattice parameters **175**, 172
–structure **175**, 172
$Ba_4CaCu_3O_x$
–single-crystal growth **172**, 75
–structure **172**, 75
–synthesis **172**, 75
$Ba(Bi_{0.977}K_{0.023})O_3$
–structure **181**, 325
–substitution effects of K **181**, 325
$BaBiO_3$
–specific heat **184**, 316
–substitution effects **184**, 316
$BaCu_2O_2$
–oxygen stoichiometry **178**, 93
–phase diagram **178**, 93
$BaCuO_2$
–oxygen stoichiometry **178**, 93
–phase diagram **178**, 93
Ba–Pb–Bi–O/Ag
–structure **177**, 95
–synthesis **177**, 95
Ba–Sr–Cu–O
–high pressure synthesis **176**, 441
Ba–Y–Cu–W–O
–lattice parameters **175**, 119
–structure **175**, 119
–substitution effects **175**, 119
$(Bi,Pb)_{2+x}Sr_{2-y}Ca_{2+y}Cu_{3+z}O_{10+\delta}$
–AC susceptibility **178**, 203
–granular superconductivity **178**, 203
–oxygen stoichiometry **178**, 203
–weak links **178**, 203
(Bi,Pb)-2223
–flux pinning **172**, 391
–lower critical field **172**, 391
–remanent magnetization **172**, 391
$(Bi,Pb)_2Ca_2Sr_2Cu_3O_{10}$
–defect structures **183**, 57
$(Bi,Pb)_2Ca_2Sr_2Cu_3O_z$
–synthesis **176**, 126, 131
$(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$
–HREM **184**, 93
–structure **184**, 93
$(Bi,Pb)_2Sr_2Ca_{n-1}Cu_nO_x$
–high pressure effect **181**, 340
$(Bi,Pb)Ca_{n-1}Cu_nO_{2n+4}$
–structure **175**, 419
(Bi,Pb)–Sr–Ca–Cu–O
–structure **181**, 160, 201
–synthesis **175**, 667; **181**, 160, 201
–thin films **175**, 667
$Bi_{1.2}Pb_{0.3}Sr_{1.5}Ca_2Cu_3O_y$
–fluctuation effects **182**, 277
$Bi_{1.5}Pb_{0.5}Sr_2Ca_{n-1}Cu_nO_{2n+4}$
–defect structures **174**, 309
–ESR **174**, 309
$Bi_{1.6}Pb_{0.4}Ca_1Sr_2Cu_2O_y$
–neutron diffraction **173**, 267
–structure **173**, 267
$Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10}$
–isotope effect **182**, 132
–NMR **183**, 372
$Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10+\delta}$
–oxygen stoichiometry **180**, 365
–synthesis **180**, 365
$Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_x$
–synthesis **179**, 369
$Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$
–structure **184**, 135
–synthesis **173**, 476; **184**, 135
–ultrasound attenuation **174**, 289
$Bi_{1.6}Pb_{0.6}Sb_{0.1}Sr_2Ca_2Cu_3O_x$
–structure **183**, 130
–synthesis **183**, 130
–thin films **183**, 130
$Bi_{1.8}Pb_{0.2}Sr_{2.2}Ca_{1.9}Cu_{3.0}O_x$
–neutron diffraction **172**, 207
–oxygen stoichiometry **172**, 207
–synthesis **172**, 207
$Bi_{1.8}Pb_{0.2}Sr_2CaCu_2O_8$
–quenching **178**, 301
–synthesis **178**, 301; **181**, 392
$Bi_{1.8}Pb_{0.4}Sr_2Ca_{2.2}Cu_3O_{10}$
–structure **176**, 331
$Bi_{2+x}Sr_{2-x}CuO_{6+y}$
–structure **175**, 261
–synthesis **175**, 261
$Bi_{2+x}Sr_{2-y}CuO_{6\pm\delta}$
–modulated structures **173**, 37
–oxygen stoichiometry **173**, 37
–structure **173**, 37
$Bi_{2.2}Sr_{1.7}CaCu_2O_8$
–magnetic relaxation **176**, 336
$Bi_2Ca_1Sr_2Cu_2O_8$
–scanning tunneling microscopy **178**, 171
–substitution effects **178**, 171
$Bi_2Ca_{3-x}R_xCu_2O_{8+\delta}$
–synthesis **181**, 68
$Bi_2CaSr_2Cu_2O_{8+\delta}$
–oxygen stoichiometry **177**, 367
–substitution effects **177**, 367
$Bi_2CaSr_2Cu_2O_x$
–lattice parameters **182**, 73
–thermal expansion **182**, 73
$Bi_2(Sr,Ca)_3Cu_2O_{8+y}$
–hole concentration **172**, 193
$Bi_2Sr_2Ca_1Cu_2O_8$
–high pressure effect **172**, 213
–neutron diffraction **172**, 213
$Bi_2Sr_2Ca_{1-x}Eu_xCu_2O_{8+y}$
–phase diagram **173**, 65
$Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$
–granular superconductivity **178**, 432
–magnetization **178**, 432
$Bi_2Sr_2Ca_2Cu_3O_{10}$
–electrical resistivity **173**, 260
–structure **173**, 260
–substitution effects of Pb **173**, 260
$Bi_2Sr_2Ca_2Cu_3O_x$
–whiskers **178**, 296
–Young's modulus **178**, 296
$Bi_2Sr_2Ca_3Cu_4O_y$
–structure **177**, 271
$Bi_2Sr_2CaCu_2O_8$
–coherence length **183**, 39
–critical current density **184**, 1
–degradation **176**, 106
–flux creep **178**, 140
–granular superconductivity **178**, 197

–magnetization **178**, 140; **179**, 59
–microwave absorption **178**, 197
–structure **182**, 143
–substitution effects **172**, 295; **182**, 143
–synthesis **172**, 295; **182**, 143
–thin films **178**, 140
$Bi_2Sr_2CaCu_2O_{8+\delta}$
–Brillouin scattering **179**, 101
–elastic constants **179**, 101
–electrical resistivity **173**, 220
–electronic structure **176**, 113
–energy gap **175**, 127
–intercalation **173**, 220
–magnetic susceptibility **176**, 24
–microwave absorption **174**, 394
–oxygen stoichiometry **173**, 220
–Raman scattering **175**, 127; **181**, 179
–surface impedance **174**, 394
$Bi_2Sr_2CaCu_2O_{8+x}$
–phase diagram **176**, 247
$Bi_2Sr_2CaCu_2O_{8+y}$
–high pressure effect **181**, 335
–neutron diffraction **173**, 65
–oxygen stoichiometry **181**, 335
–substitution effects **173**, 65
$Bi_2Sr_2CaCu_2O_x$
–critical current density **174**, 329; **182**, 47
–flux pinning **174**, 329
–thermoelectric effects **180**, 417
–whiskers **178**, 296
–Young's modulus **178**, 296
$Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$
–magnetic susceptibility **178**, 231
–structure **179**, 333
–synthesis **179**, 333
$Bi_2Sr_2Ca_{n-1}Cu_nO_{4+2n}$
–electronic structure **175**, 269
–NMR **175**, 269
$Bi_2Sr_2CuO_6$
–Cu–O planes **173**, 117
–Debye temperature **173**, 117
–synthesis **177**, 373
$Bi_2Sr_2CuO_{\sim 6}$
–magnetic susceptibility **178**, 110
–substitution effects **178**, 110
$Bi_2Sr_2CuO_y$
–structure **177**, 52
–synthesis **177**, 52
$Bi_2Sr_{2-x}Ca_{1+x}Cu_2O_{8+\delta}$
–electronic structure **175**, 233
–thin films **175**, 233
$Bi_2(Sr_{2-x}Ca_x)(Ca_{0.8}R_{0.2})Cu_2O_{8+y}$
–hole concentration **174**, 359
–lattice parameters **174**, 359
–substitution effects **174**, 359
$Bi_2Sr_{2-x}M_xCuO_{6\pm\delta}$
–structure **176**, 87
–synthesis **176**, 87
$Bi_{2-w}Pb_wSr_{2-x}Ca_{1-y}Nd_{x+y}Cu_2O_{8+z}$
–structure **176**, 445
–substitution effects **176**, 445
$Bi_{2-x}Pb_xSr_2Bi_{n-1}Fe_nO_y$
–magnetic order **176**, 227
–structure **176**, 227
$Bi_{2-x}Pb_xSr_2CaCu_2O_{8+\delta}$
–structure **176**, 420
–synthesis **176**, 420
$Bi_{2-x}Pb_xSr_2CuO_6$
–band structure **176**, 347
–lattice parameters **176**, 347
–structure **176**, 347
–synthesis **176**, 347
$Bi_{2-x}Pb_xSr_{2-x}R_xCuO_y$
–structure **178**, 110
$Bi_{2-x}Pb_xSr_{2-y}CuO_6$
–structure **172**, 13
–synthesis **172**, 13
$(Bi_{2-x}Pb_x)(Sr_{2-y}La_y)CuO_{6+\delta}$
–structure **179**, 405
$Bi_{2-x}Pb_xSr_{2-y}M_yCuO_{6+z}$
–oxygen stoichiometry **178**, 71
–structural phase transition **178**, 71
$Bi_4Sr_4CaCu_3O_{14+z}$
–structure **182**, 79
–synthesis **182**, 79
Bi–Ca–Sr–Cu–O
–substitution effects **174**, 33
–synthesis **174**, 33
Bi–Pb–M–Sr–Ca–Cu–O,
–structure **176**, 179
–synthesis **176**, 179
Bi–Pb–Sr–Ca–Cu–O
–critical current density **172**, 63; **174**, 335
–flux pinning **172**, 63
–Hall effect **178**, 287
–normal-state properties **178**, 287
–oxygen stoichiometry **181**, 331
–phase diagram **181**, 171
–structure **176**, 216
–substitution effects **175**, 250; **182**, 333
–synthesis **173**, 414; **176**, 279; **181**, 171, 331; **182**, 333
Bi–Pb–Sr–Ca–Cu-oxide
–structure **177**, 494
–substitution effects **177**, 494
Bi–Sr–Ca–Cu–O
–oxygen stoichiometry **176**, 477
–structure **175**, 623; **176**, 95, 477; **182**, 114
–substitution effects **176**, 477; **180**, 407; **181**, 63
–synthesis **175**, 255; **179**, 437; **181**, 63; **182**, 114, 123
–thin films **173**, 93, 152; **182**, 123; **184**, 119
Bi–Sr–V–O
–magnetic anomalies **175**, 595

$Ca_{1-x}Cd_xBaLaCu_3O_{7-\delta}$
–oxygen stoichiometry **172**, 325
–structure **172**, 325
–synthesis **172**, 325
$CaBaLaCu_3O_{7-\delta}$
–substitution effects **180**, 324
$Ca_xSr_{1-x})_{n+1}Ti_nO_{3n+1}$
–structure **181**, 265
$Cm_{1.83}Th_{0.17}CuO_4$
–synthesis **179**, 440
$Cm_2CuO_4$
–synthesis **179**, 440
$Cu_2O$
–Cu K edge **178**, 352
–electronic structure **178**, 352

$Dy_1Ba_2Cu_3O_{7-\delta}$
–AC susceptibility **178**, 89
–critical current density **178**, 89
$DyBa_2Cu_3O_7$
–critical current density **184**, 113

$ErBa_2Cu_3O_7$
–antiferromagnetic order **174**, 487
–substitution effects **175**, 587
$ErBa_2Cu_3O_x$
–Mössbauer spectroscopy **184**, 283
$ErBa_2Cu_4O_8$
–synthesis **179**, 227
$(Eu,La)_{2-x}Ce_xCuO_{4-y}$
–structure **181**, 284

$(Fe,Cu)Sr_2(Ce,Y)_3Cu_2O_{10+z}$
–HREM **183**, 149
–structure **183**, 149

$(Gd_{1-x}Pr_x)Ba_2Cu_3O_{7-\delta}$
–substitution effects **174**, 71
$GdBa_2Cu_3O_{7-\delta}$
–AC susceptibility **178**, 221
–antiferromagnetic order **178**, 221
–magnetization **178**, 221
$GdBaSrCu_3O_7$
–structure **176**, 507
–synthesis **176**, 507

$HoBa_2Cu_3O_{7-\delta}$
–HREM **175**, 651
$HoBa_2Cu_3O_{7-y}$
–energy gap **182**, 25
$HoBa_2Cu_3O_x$
–synthesis **181**, 369

$IBi_2Sr_2CaCu_2O_x$
–structure **181**, 18
$IBi_4Sr_4Ca_2Cu_4O_x$
–structure **184**, 127

$\kappa$-$(BEDT\text{-}TTF)_2CuN(CN)_2X$
–electronic structure **174**, 475
–structure **174**, 475
$\kappa$-$(BEDT-TTF)_2Cu(NCS)_2$
–magnetic susceptibility **178**, 339
–normal-state properties **178**, 339
–organic superconductor **178**, 339
$K_xC_{60}$
–electronic structure **181**, 320
–high pressure effect **178**, 137
–pressure dependence of $T_c$ **178**, 137
–synthesis **181**, 320
–XPS **181**, 320

$(La,Pb)_2SrCu_2O_x$
–oxygen stoichiometry **178**, 405
$(La,Sr)_2NiO_4$
–magnetic susceptibility **176**, 533
$La_{1.4-x}Ca_yBa_{2-x-y}Ca_3O_{7+\delta}$
–normal-state properties **183**, 11
–Raman scattering **183**, 11
–structure **183**, 11
$La_{1.4}Nd_{0.6}CuO_4$
–structural phase transition **184**, 74
–structure **184**, 74
$La_{1.5}Ba_{1.5}Cu_3O_{7-y}$
–energy gap **182**, 25
$La_{1.6}Sr_{0.4}CaCu_2O_{6\pm\delta}$
–neutron diffraction **172**, 138
–structure **172**, 138
$La_{1.85}Ca_{1.15}Cu_2O_{6+\delta}$
–structure **176**, 433
$La_{1.85}Ce_{0.15}Cu_{1-x}Ag_xO_{4-\delta}$
–substitution effects **176**, 257
$La_{1.85}Sr_{0.15}Cu_{1-x}Zn_xO_4$
–neutron scattering **181**, 45
$La_{1.85}Sr_{0.15}CuO_4$
–electronic structure **173**, 381
–high pressure effect **173**, 381
–hole concentration **173**, 381
$La_{1.85-x}Nd_xSr_{0.15}CuO_4$
–lattice parameters **175**, 435
–structure **175**, 435
–substitution effects **175**, 435
$La_{1.87}Ca_{1.13}Cu_2O_6$
–single-crystal growth **179**, 39
$La_{1.8}Sr_{0.2}CaCu_2O_6$
–neutron diffraction **174**, 187
–structure **174**, 187
$(La_{1-x}Ba_{x-y}Sr_y)_2CuO_4$
–substitution effects **173**, 322
$(La_{1-x}M_x)_2CuO_4$
–oxygen stoichiometry **177**, 195
$La_{1-x}PrSr_xCuO_4$
–structure **182**, 149
–substitution effects **182**, 149
$La_{1-x}Sr_{1+x}Ga_{1-x}Cu_xO_4$
–structure **183**, 261
$(La_{1-x}Sr_x)_2NiO_{4+\delta}$
–antiferromagnetic order **183**, 1
–thermoelectric effects **183**, 1
$La_2Cu_2O_5$
–structure **177**, 115
$La_2CuO_4$
–Cu K edge **178**, 421
–Cu $L_3$ edge **178**, 421
–Debye temperature **175**, 135
–electronic structure **175**, 1, 369; **178**, 421; **184**, 51
–muon spin rotation **180**, 358
–O K edge **178**, 421
–Raman scattering **177**, 487
–structure **176**, 503
–substitution effects **175**, 1; **177**, 330; **180**, 358
$La_2CuO_{4+\delta}$
–anisotropic transport **172**, 455
–magnetic susceptibility **172**, 455
–Meissner effect **173**, 139
–normal-state properties **173**, 9, 139
–oxygenation **173**, 9
–oxygen stoichiometry **172**, 455; **173**, 139; **178**, 158
–phase diagram **178**, 158
–phase separation **172**, 455
–structure **173**, 9, 139
–synthesis **179**, 303
$La_2CuO_4/Nd_2CuO_4$
–electronic structure **179**, 387
$La_2CuO_{4-\delta}$
–structure **176**, 575
$La_2Sr_6Cu_8O_{16+\delta}$
–Hall effect **175**, 165
–structure **175**, 165
–thermoelectric effects **175**, 165
$La_{2-x}Ba_xCuO_4$
–structure **175**, 301
$La_{2-x}M_xCuO_4$
–electronic structure **183**, 234
$La_{2-x}Nd_xCuO_{4+\delta}$
–lattice parameters **175**, 342
–oxygen stoichiometry **175**, 342
$La_{2-x}(Sr,Ba)_xCuO_4$
–structure **183**, 121
–twin boundaries **183**, 121
$La_{2-x}Sr_xCaCu_2O_6$
–magnetic susceptibility **174**, 28
–oxygen stoichiometry **174**, 28
$La_{2-x}Sr_xCaCu_4O_{6-\delta}$
–structure **179**, 295
–synthesis **179**, 295
$La_{2-x}Sr_xCuO_4$
–band structure **184**, 102
–carrier concentration **178**, 119
–critical current density **178**, 119
–critical phenomena **178**, 119
–electronic structure **175**, 347; **184**, 102
–Hall effect **172**, 400
–high pressure effect **178**, 281
–hole concentration **172**, 400
–phase diagram **178**, 119
–structure **175**, 301
$La_{2-x}Sr_xCuO_{4-\delta}$
–neutron diffraction **172**, 120
–oxygen defects **172**, 120
–phase diagram **172**, 71
–specific heat at $T_c$ **172**, 71
–structure **172**, 120
$La_3Ba_3Ca_xCu_{6+x}O_y$
–lattice parameters **176**, 451
–structure **176**, 451
$La_{4+4n}Cu_{8+2n}O_{14+8n}$
–synthesis **177**, 115
$LaBa_2Cu_{3-y}M_yO_{7\pm x}$
–neutron diffraction **183**, 111
–structure **183**, 111
$LaBaPrCu_3O_{7+\delta}$
–structure **172**, 335
$LaCaBaCu_3O_y$
–hole concentration **173**, 453
–oxygen stoichiometry **173**, 453
$LaRSrCu_2O_{6+\delta}$
–oxygen stoichiometry **184**, 229
$LiPdH_x$
–magnetic susceptibility **172**, 465
$(Ln_{1-x-y}Ln'_xSr_y)_2CuO_{4-\delta}$
–oxygen stoichiometry **177**, 377
$LnBa_2Cu_4O_8$
–lattice parameters **175**, 523
–synthesis **175**, 523
$LnBa_6Cu_3O_x$
–structure **174**, 126
–synthesis **174**, 126

$Nb/Nb_{0.5}Zr_{0.5}$
–multilayers **175**, 187
NbN/AlN
–multilayers **174**, 340
$Nd_{1.85}Ce_{0.15}CuO_4$
–electrical resistivity **180**, 313
–electronic structure **173**, 357
–high pressure effect **173**, 357
–phonon spectrum **172**, 260
$Nd_{1.85}Ce_{0.15}CuO_{4-y}$
–electrical resistivity **172**, 229
–magnetization **172**, 229; **177**, 310
$(Nd_{1-x}Ce_x)_2CuO_{4-\delta}$
–thin films **184**, 65
$(Nd_{1-x}Sr_x)(Nd_{1-y}Ce_y)CuO_{4-z}$

–crystal structure **172**, 166
–neutron powder diffraction **172**, 166
–pressure effect **172**, 166
$Nd_2Ce_{0.67}Sr_{0.33}BaCu_3O_{9-\delta}$
–structure **174**, 280
$Nd_2CuO_4$
–antiferromagnetic order **178**, 189
–electronic structure **175**, 1
–magnetic structure **177**, 294
–magnetization **178**, 189
–Raman scattering **178**, 189
–structure **177**, 294
–substitution effects **175**, 1
$Nd_2CuO_{4-x}F_x$
–resistivity **173**, 103
–structure **173**, 103; **179**, 131
–substitution effects **179**, 131
$Nd_{2-x}Ce_xCuO_{4-\delta}$
–structure **174**, 63
–XPS **173**, 109
$Nd_{2-x}Ce_xCuO_{4-y}$
–structure **179**, 279
–synthesis **174**, 431
–thin films **174**, 144
$Nd_{2-x}Ce_xCuO_y$
–electron-doped superconductor **178**, 437
–Hall effect **178**, 437
–oxygen stoichiometry **178**, 437
–synthesis **178**, 437
$Nd_{2-x-y}Ce_xSr_yCuO_4$
–electronic structure **178**, 345
–high pressure effect **178**, 345

$(Pb,Cu)(Sr,La)_2CuO_{5-\delta}$
–structure **176**, 57
–substitution effects **176**, 57
$(Pb,Cu)(Sr,R)_2(R,Ce)_2Cu_2O_z$
–structure **177**, 337
–synthesis **177**, 337
$(Pb,Cu)Sr_2(Ho,Ce)_3Cu_2O_{11+z}$
–structure **179**, 455
$Pb_{0.5}SrLaCu_{1.5}O_x$
–oxygen stoichiometry **178**, 405
$(Pb_{0.65}Cu_{0.35})Sr_2(Y_{0.7}Ca_{0.3})Cu_2O_{7+\delta}$
–structure **175**, 393
$(Pb_{1+x/2}Cu_{1-x/2})Sr_2(Y_{1-x}Ca_x)Cu_2O_y$
–thermoelectric effects **182**, 157
$Pb_{1-x}Sr_2Ca_{0.5}Y_{0.5}Cu_{2+x}O_{7\pm\delta}$
–synthesis **177**, 461
$Pb_2Sr_2(Ln,Ce)_nCu_3O_{6+2n+\delta}$
–structure **181**, 311
–synthesis **181**, 311
$Pb_2Sr_2(Y,Ca)Cu_3O_{8+\delta}$
–electronic structure **174**, 377
–optical reflectivity **174**, 377
$Pb_2Sr_2Y_{0.5}Ca_{0.5}Cu_3O_x$
–oxygen stoichiometry **178**, 405
$Pb_2Sr_2Y_{0.73}Ca_{0.27}Cu_3O_8$
–lattice parameters **175**, 293
–structure **175**, 293
$Pb_2Sr_{2-x}La_xCu_2O_{6+\delta}$
–lattice parameters **184**, 311
–structure **184**, 311
$Pb_2SrLaCu_2O_x$
–oxygen stoichiometry **178**, 405
$PbBaSrYCu_3O_x$
–oxygen stoichiometry **178**, 405
$Pr_{1-x}Gd_xBa_2Cu_3O_y$
–AC susceptibility **173**, 331
–electrical resistivity **173**, 331
–magnetic ordering **173**, 331
–specific heat **173**, 331
$Pr_{2-x}Ce_xCuO_4$
–quenching **178**, 397
–structure **178**, 397
–substitution effects **179**, 347
$PrBa_2(Cu_{0.992}{}^{57}Fe_{0.008})_3O_{7-\delta}$
–Mössbauer spectroscopy **184**, 244
–substitution effects **184**, 244
$PrBa_2Cu_3O_{6.8}$
–hydrogenation **178**, 317
–Raman scattering **178**, 317
$PrBa_2Cu_3O_{7-\delta}$
–thin films **176**, 75

$(R_{1-x}Pr_x)Ba_2Cu_3O_{7-y}$
–substitution effects **183**, 105
$R_2CuO_4$
–magnetic phase transition **182**, 105
$R_{2-x}Ce_xCuO_{4-y}$
–single-crystal growth **177**, 79
–structure **177**, 79
$Rb_3C_{60}$
–band structure **182**, 1
–electronic structure **182**, 1

$Sm_{1.85}Ce_{0.15}CuO_{4-y}$
–irreversibility line **174**, 93; **184**, 378
–upper critical field $H_{c2}$ **184**, 378
$(Sr_{1-x}Eu_x)_2VO_4$
–antiferromagnetic order **172**, 23
–magnetic susceptibility **172**, 23
–thermoelectric power **172**, 23
$Sr_{1-x}La_xCuO_2$
–high pressure synthesis **181**, 206
–lattice parameters **181**, 206
$Sr_2VO_4$
–electronic structure **175**, 329
–electron–phonon coupling **175**, 329
$Sr_{2-x}Ln_xVO_4$
–synthesis **179**, 85

$TaSr_2(NdCe)_2Cu_2O_y$
–structure **176**, 19
–synthesis **176**, 19

(Tl,Bi,Pb)–Sr–Ca–Cu–O
–magnetic susceptibility **172**, 271
–synthesis **172**, 271
$Tl_{0.5}Bi_{0.5}Sr_2CaCu_2O_7$
–structure **173**, 239
–X-ray absorption **173**, 239
$Tl_{0.5}Pb_{0.5}CaSr_{2-x}La_xCu_2O_7$
–high pressure effect **174**, 345
–hole concentration **174**, 345
$Tl_{0.5}Pb_{0.5}Sr_2CuO_5$
–structure **174**, 180
$Tl_{0.5}Pb_{0.5}Sr_2CuO_{5\pm\delta}$
–structure **176**, 80
–synthesis **176**, 80
$Tl_{1.7}Ba_2Cu_{2.3}Cu_3O_z$
–synthesis **178**, 377
$Tl_1Ba_2CaCu_2O_7$
–substitution effects of Ca **178**, 324
$Tl_{1-x}Bi_xSr_2CuO_5$
–structure **173**, 239
–X-ray absorption **173**, 239
$Tl_{1-x}Bi_xSr_2CuO_{5\pm\delta}$
–structure **184**, 235
–synthesis **184**, 235
$(Tl_{1-x}Pb_x)Sr_2CuO_{5-w}$
–structure **177**, 153
$Tl_{1-y}Pb_yY_{1-x}Ca_xSr_2Cu_2O_7$
–structure **179**, 183
$Tl_2Ba_2Ca_1Cu_2O_8$
–substitution effects of Ca **178**, 324
$Tl_2Ba_2Ca_2Cu_3O_{10}$
–irradiation effect **178**, 255
–structure **179**, 430
–thermal conductivity **177**, 23
$Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$
–electrical resistivity **182**, 119; **184**, 185
–substitution effects **184**, 185
–synthesis **182**, 119; **184**, 185
$Tl_2Ba_2Ca_2Cu_3O_x$
–flux dynamics **178**, 456
–flux lattice **178**, 456
–microwave absorption **178**, 456
$Tl_2Ba_2CaCu_2O_8$
–irradiation effect **178**, 255
–NMR **175**, 12
–normal-state properties **175**, 12
–thin films **182**, 231
$Tl_2Ba_2Ca_{n-1}Cu_nO_{4+2n}$
–noise spectrum **172**, 1
–synthesis **172**, 1
$Tl_2Ba_2CuO_{6+x}$
–structure **179**, 393
$Tl_2Ba_2CuO_{6+y}$
–high pressure effect **173**, 403; **178**, 281
–NMR **184**, 207
–oxygen stoichiometry **173**, 403
–spin–lattice relaxation time $T_1$ **179**, 107
$Tl_2Ba_2CuO_{6-x}$

–normal-state properties **176**, 368
–thermoelectric effects **176**, 368
$Tl_2Ca_{n-1}Ba_2Cu_nO_{2n+4-\delta}$
–high pressure effect **175**, 627
$Tl_{2-x}Ba_2Ca_{2+x}Cu_3O_y$
–structure **179**, 353
–synthesis **179**, 353
$TlBa_2Ca_{1-x}Nd_xCu_2O_{7-\delta}$
–oxygen stoichiometry **178**, 29
–structure **178**, 29
$TlBa_2Ca_{1-x}Y_xCu_2O_n$
–oxygen stoichiometry **182**, 89
–structure **182**, 89
–synthesis **182**, 89
$TlBa_2Ca_2Cu_3O_9$
–irradiation effect **178**, 255
$TlBa_2CuO_{5-\delta}$
–electrical resistivity **175**, 183
–synthesis **175**, 183
$TlBa_2CuO_{5-y}$
–oxygen stoichiometry **178**, 193
$TlBa_{2-x}La_{2+x}Cu_2O_{9\pm\delta}$
–structure **179**, 1
–synthesis **179**, 1
$TlBa_{2-x}La_xCuO_{5-y}$
–substitution effects **178**, 193
Tl–Ba–Ca–Cu–O
–critical current density **175**, 156; **184**, 24
–structure **184**, 24
–synthesis **175**, 156; **184**, 24
Tl–Ba–Sr–Ca–Cu–O
–structure **176**, 95
$TlBaSrCuO_{5-\delta}$
–electrical resistivity **175**, 183
–synthesis **175**, 183
$TlCa_2Ba_2Cu_3O_{9-\delta}$
–structure **183**, 90
–synthesis **183**, 90
Tl–Ca–Ba–Cu–O
–defect structure **172**, 413
–structure **175**, 241
–synthesis **175**, 241
$TlCaBaSrCu_2O_{7-\delta}$
–AC susceptibility **172**, 450
–electrical resistivity **172**, 450
–structure **172**, 450
–synthesis **172**, 450
Tl–Pb–Sr–Pr–Cu–O
–structure **172**, 43
–synthesis **172**, 43
–thermoelectric power **172**, 43
$TlSr_2CuO_5$
–neutron diffraction **173**, 444
–substitution effects **173**, 444
–X-ray diffraction **173**, 444
$TlSr_2(Sr_{0.5}R_{0.5})Cu_2O_{7-\delta}$
–structure **177**, 183
–substitution effects **177**, 183
Tl–Sr–La–Cu–O
–structure **179**, 214
Tl–Sr–V–O
–magnetic anomalies **175**, 595
–synthesis **181**, 303
$Tm_2Fe_3Si_5$
–antiferromagnetic order **175**, 58

$UPt_3$
–ultrasound attenuation **175**, 61
$URu_2Si_2$
–ultrasound attenuation **175**, 61

$Y_{0.999}Gd_{0.001}Ba_2Cu_3O_{6+x}$
–ESR **181**, 11
$Y_{0.9}Ca_{0.1}Ba_2Cu_4O_8$
–critical current density **173**, 337
–flux creep **173**, 337
–magnetization **173**, 337
$Y_1Ba_2Cu_3O_7$
–coherence length **178**, 449
–electrical resistivity **178**, 449
–fluctuation effects **178**, 449
–normal-state properties **178**, 449
–penetration depth **178**, 449
–thin films **178**, 449
$Y_1Ba_2Cu_3O_{7-\delta}$
–thin films **175**, 310; **176**, 43
$Y_1Ba_2Cu_3O_{7-x}$
–surface impedance **178**, 445
–thin films **178**, 445
$Y_1Ba_2Cu_3O_{7-x}F_y$
–structure **184**, 172
$Y_{1-x}Ca_xBa_2Cu_4O_8$
–critical current density **173**, 398
–synthesis **173**, 398
$Y_{1-x}Ca_xBa_2Cu_4O_{8+\delta}$
–synthesis **173**, 208
$Y_{1-x}Pr_xBa_2Cu_3O_{7-x}$
–synthesis **179**, 253
$Y_{1-x}R_xBa_2Cu_3O_7$
–NMR **181**, 355
–substitution effects **181**, 355
$Y_2Ba_4Cu_{6+n}O_{14+n}$
–structure **176**, 387
$Y_2Ba_4Cu_7O_{14+z}$
–phase diagram **178**, 213
–thermodynamic properties **178**, 213
$Y_2Ba_4Cu_7O_{15}$
–structure **178**, 383
–thermal expansion **172**, 491
$Y_2Ba_4Cu_7O_{15-\delta}$
–substitution effects of Ca **174**, 383
–substitution effects of La **174**, 383
$Y(Ba_{1-x}Sr_x)_2Cu_3O_{6.2}$
–Raman scattering **181**, 133
$YBa_2(Cu_{0.88}Fe_{0.12})_3O_{6.5}$
–antiferromagnetic order **184**, 299
$YBa_2(Cu_{0.98}M_{0.02})_3O_y$
–critical current density **174**, 303
–Hall effect **174**, 303
–pinning force **174**, 303
–thin films **174**, 303
$YBa_2(Cu_{1-x}M_x)_3O_{6+\delta}$
–substitution effects **177**, 159
$YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$
–high pressure effect **173**, 309
–specific heat at $T_c$ **173**, 309
–structural phase transition **173**, 309
–substitution effects **173**, 309; **175**, 17
–thermal expansion at $T_c$ **173**, 309
$YBa_2(Cu_{1-x}M_x)_3O_y$
–defect structure **172**, 199
–substitution effects **182**, 315
$YBa_2(Cu_{1-y}Au_y)_3O_{6+x}$
–structure **172**, 183
–synthesis **172**, 183
$YBa_2Cu_{2.88}Zn_{0.12}O_z$
–structure **172**, 304
–synthesis **172**, 304
$YBa_2Cu_{3.5}Cu_{3.5}O_{7.5+x}$
–upper critical field **177**, 315
$YBa_2Cu_3O_2$
–O–T transition **182**, 11
$YBa_2Cu_3O_6$
–NMR **175**, 581
$YBa_2Cu_3O_{6+x}$
–neutron diffraction **172**, 31; **173**, 387
–oxygen diffusion **173**, 387
–twin-domain size **173**, 387
$YBa_2Cu_3O_{6+y}$
–Meissner effect **178**, 64
–substitution effects **178**, 64
$YBa_2Cu_3O_{6+z}$
–phase diagram **178**, 213
–thermodynamic properties **178**, 213
$YBa_2Cu_3O_{6.3}$
–hydrogenation **178**, 317
–Raman scattering **178**, 317
$YBa_2Cu_3O_{6.9}$
–high pressure effect **173**, 232
–magnetic susceptibility **173**, 232
–substitution effects of Fe, Ni, Sn **173**, 232
$YBa_2Cu_3O_{6-x}$
–substitution effects **172**, 149
$YBa_2Cu_3O_7$
–AC susceptibility **172**, 495
–band structure **172**, 149, 175
–critical current density **174**, 355; **177**, 165
–electronic structure **178**, 414; **183**, 32
–high pressure effect **178**, 281, 414
–penetration depth **174**, 352
–structure **179**, 262

–substitution effects **179**, 29
–synthesis **173**, 208; **176**, 429; **179**, 149; **181**, 245
–thin films **174**, 352; **176**, 429; **177**, 165
$YBa_2Cu_3O_7/PrBa_2Cu_3O_7$
–multilayers **172**, 365, 373
$YBa_2Cu_3O_{7-\delta}$
–AC susceptibility **172**, 423
–carrier concentration **176**, 547; **184**, 321
–critical current density **176**, 203
–Cu–O chains **178**, 37
–Cu-valence **175**, 607
–defect structures **182**, 30
–electrical resistivity **172**, 427
–flux creep **178**, 140
–flux pinning **178**, 225
–high pressure effect **172**, 423
–hydrogenation **172**, 331
–irradiation effect **175**, 111
–irreversibility line **183**, 333
–isotope effect **172**, 90
–laser deposition **172**, 47
–lattice dynamics **178**, 225
–magnetic susceptibility **178**, 37
–magnetization **178**, 140
–microstructure **172**, 47
–microwave absorption **174**, 394
–neutron diffraction **172**, 331; **174**, 409
–NMR **179**, 311
–optical absorption **175**, 192
–oxygen diffusion **174**, 463; **178**, 37
–oxygen stoichiometry **174**, 463; **176**, 547; **178**, 225; **184**, 321
–phonon spectrum **174**, 409
–Raman scattering **172**, 90; **175**, 47, 89
–single-crystal film **175**, 192
–structure **173**, 361; **175**, 566; **177**, 106; **184**, 385
–substitution effects **173**, 75; **175**, 279; **178**, 105
–substitution effects of Ag in Te **175**, 335
–substitution effects of Ca **174**, 383
–substitution effects of Fe **173**, 361
–substitution effects of La **174**, 383
–surface impedance **174**, 394
–synthesis **173**, 1, 245; **175**, 381; **177**, 101; **181**, 57; **182**, 30
–thermogravimetrics **173**, 245
–thin films **172**, 47; **173**, 1; **176**, 121; **177**, 122; **178**, 140; **181**, 57; **182**, 30
–twin boundaries **173**, 361
–XRD **178**, 105
–Young's modulus **183**, 221
$YBa_2Cu_3O_{7-\delta}$–Ag
–synthesis **182**, 203
$YBa_2Cu_3O_{7-x}$
–aging **173**, 201
–critical current density **178**, 81
–magnetization **184**, 41
–O–T transition **173**, 251; **179**, 381
–oxygen diffusion **174**, 273
–surface impedance **173**, 201
–synthesis **174**, 135; **179**, 291; **184**, 220
–thin films **172**, 282; **173**, 487; **182**, 57, 241, 269, 339
–XPS **173**, 201
$YBa_2Cu_3O_{7-y}$
–Cu K edge **178**, 352
–electronic structure **178**, 352
–structure **179**, 207
–substitution effects **179**, 207
$YBa_2Cu_3O_x$
–critical current density **178**, 147
–elasticity **172**, 407
–flux pinning **178**, 147
–Mössbauer spectroscopy **184**, 259, 270, 283
–oxygen ordering **172**, 407
–oxygen stoichiometry **183**, 163
–Raman scattering **181**, 37
$YBa_2Cu_3O_y$
–substitution effects of Zn(Al) **174**, 155
$YBa_2Cu_{3-x}Co_xO_{7-y}$
–structure **176**, 285
–synthesis **176**, 285
$YBa_2Cu_{3-x}Fe_xO_y$
–lattice parameters **174**, 316
–O–T transition **174**, 316
–oxygen stoichiometry **174**, 316
$YBa_2Cu_4O_7$
–granular superconductivity **178**, 197
–microwave absorption **178**, 197
$YBa_2Cu_4O_8$
–AC susceptibility **173**, 377
–band structure **172**, 277, 467
–carrier concentration **178**, 75
–critical current density **173**, 337
–EELS **182**, 62
–electronic density of states **175**, 81
–Fermi surface **172**, 467
–flux creep **173**, 337
–high pressure effect **178**, 75
–Madelung energy **173**, 185
–magnetization **173**, 337
–neutron powder diffraction **173**, 185
–NMR **173**, 32; **179**, 311; **182**, 327
–normal-state properties **175**, 81
–NQR **173**, 32
–phase diagram **178**, 213
–pressure effect **173**, 185
–single-crystal growth **172**, 311
–specific heat at $T_c$ **175**, 81
–structure **172**, 311; **173**, 185; **182**, 67
–substitution effects **182**, 62; **184**, 353
–substitution effects of Ca **174**, 383
–substitution effects of La **174**, 383
–synthesis **172**, 486; **173**, 377; **174**, 135; **181**, 25, 261; **182**, 67, 228; **184**, 353
–thermal expansion **172**, 486
–thermodynamic properties **178**, 213
$YBa_2Cu_4O_{8-\delta}$
–oxygen stoichiometry **173**, 135
–structure **173**, 135
–synthesis **173**, 135
$YBa_2Cu_4O_y$
–structure **183**, 197
–substitution effects of Co **183**, 197
$YBa_2Fe_3O_{7+x}$
–antiferromagnetic order **183**, 143
–structure **183**, 143
$YBa_{2-x}Ca_xCu_4O_{8\pm y}$
–NQR **172**, 57
–structure **172**, 57
–substitution effects **172**, 57
$YBa_3Cu_2O_6$
–oxygen stoichiometry **178**, 93
–phase diagram **178**, 93
$YBaCu_3O_{7-x}$
–thin films **176**, 151
Y–Ba–Cu–O
–critical current density **178**, 411
–dielectric tensors **178**, 305
–laser deposition **182**, 103
–Raman scattering **178**, 305
–structure **172**, 477; **184**, 295
–substitution effects **181**, 239
–superstructure **173**, 285
–synthesis **172**, 477; **176**, 147
–TEM **173**, 285
–thin films **173**, 159, 163; **178**, 275
–X-ray emission **178**, 125
$YSr_2Cu_{3-x}M_xO_{7\pm y}$
–structure **180**, 299
–synthesis **180**, 299

# LES HOUCHES SUMMER SCHOOL

Vol. 52
**Chaos and Quantum Physics**
*edited by* **M.J. GIANNONI, A. VOROS** *and* **J. ZINN-JUSTIN**
1991 xviv + 796 pages
US $200.00/Dfl.350.00
ISBN 0-444-89277-X

Vol. 51
**Liquids, Freezing and Glass Transition**
*edited by* **J.-P. HANSEN, D. LEVESQUE** *and* **J. ZINN-JUSTIN**
1991 xxxiv + 996 pages (in 2 parts)
Part I: US $131.50/Dfl.230.00
ISBN 0-444-88927-2
Part II: US $131.50/Dfl.230.00
ISBN 0-444-88928-0
Set: US $263.00/Dfl.460.00

Vol. 50
**Oceanographic and Geophysical Tomography**
*edited by* **Y. DESAUBIES, A. TARANTOLA** *and* **J. ZINN-JUSTIN**
1990 xxvi + 464 pages
US $111.50/Dfl.195.00
ISBN 0-444-88779-2

Vol: 49
**Strings, Fields and Critical Phenomena**
*edited by* **E. BREZIN** *and* **J. ZINN-JUSTIN**
1990 xxx + 640 pages
US $131.50/Dfl.230.00
ISBN 0-444-88440-8

Vol. 48
**Liquids at Interfaces**
*edited by* **J. CHARVOLIN, J.-F. JOANNY** *and* **J. ZINN-JUSTIN**
1990 xxxvi + 644 pages
US $200.00/Dfl.350.00
ISBN 0-444-88450-5

Vol. 46
**Chance and Matter**
*edited by* **J. SOULETIE, J. VANNIMENUS** *and* **R. STORA**
1987 xxxvi + 720 pages
US $234.50/Dfl.410.00
ISBN 0-444-87072-5

Vol. 45
**Signal Processing**
*edited by* **J.L. LACOUME, T.S. DURRANI** *and* **R. STORA**
1987 912 pages (in 2 parts)
Part I: xl + 398 pages
US $141.00/Dfl.247.00
ISBN 0-444-87058-X
Parts II and III: xl + 460 pages
US $159.00/Dfl.278.00
ISBN 0-444-87059-8
Set: US $265.50/Dfl.465.00
ISBN 0-444-87027-X

Vol. 44
**Architecture of Fundamental Interactions at Short Distances**
*edited by* **P. RAMOND** *and* **R. STORA**
Part I: 1987 xxxiv + 418 pages
US $141.00/Dfl.247.00
ISBN 0-444-87053-9
Part II: 1987 xxxiv + 642 pages
US $201.00/Dfl.352.00
ISBN 0-444-87054-7
Set: US $308.50/Dfl.540.00
ISBN 0-444-87026-1

Vol. 43
**Critical Phenomena, Random Systems, Gauge Theories**
*edited by* **K. OSTERWALDER** *and* **R. STORA**
1986 1240 pages (in 2 parts)
Part I: US $234.50/Dfl.410.00
ISBN 0-444-87006-7
Part II: US $277.00/Dfl.485.00
ISBN 0-444-87007-5
Set: US $457.00/Dfl.800.00
ISBN 0-444-86980-8

Vol. 42
**Cellular and Molecular Aspects of Developmental Biology**
*edited by* **M. FOUGEREAU** *and* **R. STORA**
1986 xxx + 312 pages
US $117.00/Dfl.205.00
ISBN 0-444-86981-6

Vol. 41
**Birth and Infancy of Stars**
*edited by* **R. LUCAS, A. OMONT** *and* **R. STORA**
1985 xlii + 824 pages
US $280.00/Dfl.490.00
ISBN 0-444-86917-4

Vol. 40
**Relativity, Groups and Topology II**
*edited by* **B. DeWITT** *and* **R. STORA**
1984 xxxvi + 1324 pages
US $251.50/Dfl.440.00
ISBN 0-444-86858-5
1984. 1st repr. 1986 paperback (3 parts)
Part 1: xxxvi + 380 pages
US $42.50/Dfl.89.00
ISBN 0-444-87019-9
Part 2: xvi + 406 pages
US $42.50/Dfl.89.00
ISBN 0-444-87021-0
Part 3: xvi + 538 pages
US $57.00/Dfl.100.00
ISBN 0-444-87020-2
Paperback Set: US $138.50/Dfl.242.00
ISBN 0-444-87017-2

Vol. 39
**Recent Advances in Field Theory and Statistical Mechanics**
*edited by* **J.-B. ZUBER** *and* **R. STORA**
1984 xxx + 872 pages
US $317.00/Dfl.555.00
ISBN 0-444-86675-2

Vol. 38
**New Trends in Atomic Physics**
*edited by* **G. GRYNBERG** *and* **R. STORA**
Vol. I: 1984 xxxviii + 564 pages
US $248.50/Dfl.435.00
ISBN 0-444-86908-5
Vol. II: 1984 xxvi + 686 pages
US $288.50/Dfl.505.00
ISBN 0-444-86909-3
Set: US $480.00/Dfl.840.00
ISBN 0-444-86823-2

Vol. 37
**Gauge Theories in High Energy Physics**
*edited by* **M.K. GAILLARD** *and* **R. STORA**
Part I: 1983 xxxiv + 644 pages
US $260.00/Dfl.455.00
ISBN 0-444-86722-8
Part II: 1983 xxxiv + 466 pages
US $201.00/Dfl.352.00
ISBN 0-444-86723-6
Set: US $414.50/Dfl.725.00
ISBN 0-444-86543-8

Vol. 36
**Chaotic Behaviour of Deterministic Systems**
*edited by* **G. IOOSS, R.H.G. HELLEMAN** *and* **R. STORA**
1983 xxxii + 710 pages
US $254.50/Dfl.445.00
ISBN 0-444-86542-X

Vol. 35
**Physics of Defects**
*edited by* **R. BALIAN, M. KLÉMAN** *and* **J.-P. POIRIER**
1981 xxxii + 858 pages
US $300.00/Dfl.525.00
ISBN 0-444-86225-0

Vol. 34
**Laser-Plasma Interaction**
*edited by* **R. BALIAN** *and* **J.C. ADAM**
1982 xxvi + 808 pages
US $285.50/Dfl.500.00
ISBN 0-444-86215-3

Vol. 33
**Membranes and Intercellular Communication**
*edited by* **R. BALIAN, M. CHABRE** *and* **P.F. DEVAUX**
1981 xxxii + 658 pages
US $221.50/Dfl.388.00
ISBN 0-444-85469-X

***A subscription scheme offering 15% discount off the list price per volume is available.***

# North-Holland

**(Elsevier Science Publishers)**
P.O. Box 211,
1000 AE Amsterdam,
The Netherlands

*In the USA & Canada:*
**Elsevier Science Publishing Co. Inc.**
P.O. Box 882, Madison Square Station,
New York, NY 10159, U.S.A.

*US $ prices are valid in the USA and Canada. In all other countries, the Dutch Guilder (Dfl.) price is definitive. Customers in the Netherlands please add 6% BTW. In New York State, applicable sales tax should be added. All prices are subject to change without prior notice.*

404/b/165e

# 1992
# PHYSICS and MATERIALS SCIENCE JOURNALS
## (Imprint North-Holland)

**Applied Surface Science**
Volumes 55-62 in 32 issues. Price: US $ 1370.00 / Dfl. 2768.00

**Chemical Physics**
Volumes 158-166 in 27 issues. Price: US $ 1840.00 / Dfl. 3717.00

**Chemical Physics Letters**
Volumes 186-197 in 72 issues. Price: US $ 3012.00 / Dfl. 6084.00

**Computer Physics Communications**
Volumes 66-71 in 18 issues. Price: US $ 1562.00 / Dfl. 3156.00

**Fluid Dynamics Research**
Volume 10 in 6 issues. Price: US $ 243.00 / Dfl. 491.00

**Journal of Crystal Growth**
Volumes 114-123 in 40 issues. Price: US $ 3545.00 / Dfl. 7160.00

**Journal of Geometry and Physics**
Volumes 9 and 10 in 8 issues. Price: US $278.00/Dfl.562.00

**Journal of Luminescence**
Volumes 52-54 in 18 issues. Price: US $ 648.00 / Dfl. 1308.00

**Journal of Magnetism and Magnetic Materials**
Volumes 103-113 in 33 issues. Price: US $ 2456.00 / Dfl. 4961.00

**Journal of Non-Crystalline Solids**
Volumes 137-148 in 36 issues. Price: US $ 2352.00 / Dfl. 4752.00

**Journal of Nuclear Materials**
Volumes 185-194 in 30 issues. Price: US $ 2233.00 / Dfl. 4510.00

**Materials Letters**
Volumes 12-14 in 18 issues. Price: US $ 544.00 / Dfl. 1098.00

**Materials Science Reports**
Volumes 8 and 9 in 16 issues. Price: US $ 352.00 / Dfl. 712.00

**Nuclear Instruments and Methods in Physics Research - Section A**
**Accelerators, Spectrometers, Detectors & Associated Equipment**
Volumes 310-322 in 39 issues. Price: US $ 3900.00 / Dfl. 7878.00

**Nuclear Instruments and Methods in Physics Research - Section B**
**Beam Interactions with Materials and Atoms**
Volumes 62-71 in 40 issues. Price: US $ 3000.00 / Dfl. 6060.00
*Reduced combined 1992 subscription price* to Nuclear Instruments and Methods - A and B: US $ 6331.00 / Dfl. 12,788.00

**Nuclear Physics A**
Volumes 536-550 in 60 issues. Price: US $ 3832.00 / Dfl. 7740.00

**Nuclear Physics B**
Volumes 366-386 in 63 issues. Price: US $ 5364.00 / Dfl. 10,836.00
*Reduced combined 1992 subscription price* to Nuclear Physics A+B: US $ 6985.00 / Dfl. 14,110.00

**Nuclear Physics B - Proceedings Supplements**
Volumes 24-28 in 10 issues Price: US $ 658.00 / Dfl. 1355.00
*Reduced 1992 subscription price* if combined with Nuclear Physics B or Nuclear Physics A and B: US $ 547.00 / Dfl. 1105.00

**Optical Materials**
Volume 1 in 4 issues. Price: US $ 164.00 / Dfl. 331.00

**Optics Communications**
Volumes 86-93 in 48 issues. Price: US $ 1489.00 / Dfl. 3008.00

**Physica A - Statistical and Theoretical Physics**
Volumes 180-189 in 40 issues. Price US $ 1837.00 / Dfl. 3710.00

**Physica B - Condensed Matter Physics**
Volumes 175-182 in 32 issues. Price: US $ 1469.00 / Dfl. 2968.00

**Physica C - Superconductivity**
Volumes 185-201 in 68 issues. Price: US $ 3122.00 / Dfl. 6307.00

**Physica D - Nonlinear Phenomena**
Volumes 53-60 in 18 issues. Price: US $ 1496.00 / Dfl. 2968.00

*Reduced rates are available for combined subscriptions to Physica; please contact the publisher for details.*

**Physics Letters A**
Volumes 160-171 in 72 issues. Price: US $ 1848.00 / Dfl. 3732.00

**Physics Letters B**
Volumes 272-293 in 88 issues. Price US $ 3387.00 / Dfl. 6842.00

**Physics Reports**
(including Computer Physics Reports)
Volumes 215-227 in 78 issues. Price: US $ 2001.00 / Dfl. 4043.00
*Reduced combined 1992 subscription price* to Physics Letters A, Physics Letters B & Physics Reports: US $ 6305.00 / Dfl. 12,737.00

**Solar Energy Materials and Solar Cells**
Volumes 25-27 in 12 issues. Price: US $ 447.00 / Dfl. 903.00

**Solid State Ionics**
Volumes 51-58 in 32 issues. Price: US $ 1202.00 / Dfl. 2528.00

**Surface Science**
(including Surface Science Letters)
Volumes 258-275 in 54 issues. Price: US $ 4019.00 / Dfl. 8118.00

**Surface Science Reports**
Volume 15 in 8 issues. Price: US $ 171.00 / Dfl. 346.00
*Reduced combined 1992 subscription price* to Surface Science (including Surface Science Letters), Applied Surface Science and Surface Science Reports: US $ 5093.00 / Dfl. 10,287.00

**Ultramicroscopy**
Volumes 42-46 in 20 issues. Price: US $ 894.00 / Dfl. 1805.00

*The Dutch Guilder price (Dfl.) is definitive. The US $ price is for your guidance only as same is subject to exchange rate fluctuations. Subscribers in Japan should add 25% surcharge on the postage, packing and handling charges for SAL delivery of issues. Journals are sent by Surface Mail to all countries except to the following where Air Delivery via SAL mail is ensured at no extra cost to the subscriber: Argentina, Australia/New Zealand, Brazil, Hong Kong, India, Israel, Malaysia, Mexico, Pakistan, P.R. China, Singapore, S. Africa, S. Korea, Taiwan, Thailand, USA & Canada. The quoted prices are excluding 6% BTW for subscribers in The Netherlands.*


# ELSEVIER SCIENCE PUBLISHERS

**P.O. Box 103, 1000 AC Amsterdam, The Netherlands**

**Elsevier Science Publishers, Journal Information Center, PO Box 882, Madison Square Station, New York, NY 10159, U.S.A.**

10 001500573
UNIVERSITY OF HAWAII

QC
1
.P56823
1991
Index

LIBRARY USE ONLY